Safety Data Sheet (SDS/MSDS): Isopropyl Alcohol 70%

16-section OSHA/GHS aligned reference sheet | صحيفة بيانات سلامة مرجعية من 16 قسمًا

Product identifier	Isopropanol 70% v/v or w/w in water; exact product label not provided
Recommended use	Disinfectant/cleaning solvent for surfaces or skin only as labeled. Keep away from ignition sources.
Prepared for	Al Sultan Medical Complex / مجمع السلطان الطبي
Date prepared	17 August 2026
Verification note	Concentration is taken from the material name. Denaturants, additives, and manufacturer details were not provided.

1. Identification / التعريف بالمادة

Product identifier	Isopropyl Alcohol 70%
Other means of identification	Isopropanol 70% v/v or w/w in water; exact product label not provided
Recommended use/restrictions	Disinfectant/cleaning solvent for surfaces or skin only as labeled. Keep away from ignition sources.
Supplier/manufacturer	Not verified from attachments; obtain original manufacturer SDS for supplier details.
Emergency phone	Use local emergency services/poison center; product-specific number not verified.

2. Hazard(s) Identification / تحديد المخاطر

Classification	Highly flammable liquid and vapor; causes serious eye irritation; may cause drowsiness or dizziness.
Signal word	Danger
GHS pictograms	Flame; Exclamation mark
Hazards not otherwise classified	Commercial product-specific hazards may exist if the actual formula contains unlisted additives.

3. Composition / Information on Ingredients / التركيب والمكونات

Ingredient	CAS/Identifier	Concentration/status
Isopropyl alcohol / isopropanol / 2-propanol	CAS 67-63-0	Approx. 70%; stated by material name
Water	CAS 7732-18-5	Approx. 30%; not product-verified

4. First-Aid Measures / الإسعافات الأولية

- Inhalation: move to fresh air; get medical attention if symptoms persist.
- Skin: wash with water; remove contaminated clothing if soaked; moisturize if drying occurs.
- Eyes: rinse cautiously with water for at least 15 minutes; seek medical advice if irritation continues.
- Ingestion: rinse mouth; do not induce vomiting; call poison center/physician.

5. Fire-Fighting Measures / مكافحة الحريق

- Suitable media: alcohol-resistant foam, dry chemical, CO2, or water spray.
- Vapors may form explosive mixtures with air and flash back.
- Firefighters should use SCBA and cool containers with water spray.

6. Accidental Release Measures / إجراءات الانسكاب العرضي

- Evacuate unnecessary personnel; remove all ignition sources.
- Ventilate and absorb with inert material.
- Use non-sparking tools and place waste in closed flammable-liquid containers.

7. Handling and Storage / التداول والتخزين

- Ground/bond containers for bulk transfer; use non-sparking equipment.
- Avoid breathing vapor and avoid eye contact.
- Store cool, tightly closed, and well ventilated away from oxidizers.

8. Exposure Controls / Personal Protection / التحكم بالتعرض ومعدات الوقاية

- NIOSH REL/OSHA PEL: TWA 400 ppm (980 mg/m3); NIOSH STEL 500 ppm (1225 mg/m3).
- IDLH: 2000 ppm.
- Use local exhaust for bulk use; wear goggles and chemical-resistant gloves.

9. Physical and Chemical Properties / الخواص الفيزيائية والكيميائية

Appearance	Clear colorless liquid
Odor	Rubbing alcohol odor
Boiling point	Isopropanol: 181 F / 82.8 C
Flash point	Isopropanol: 53 F / 11.7 C; 70% solution remains flammable
Solubility	Miscible with water
Lower/upper explosive limits	2.0% / 12.7% for isopropanol vapor

10. Stability and Reactivity / الثبات والتفاعلية

- Stable under normal conditions.
- Avoid heat, sparks, flames, static discharge, and strong oxidizers.

11. Toxicological Information / المعلومات السمية

- Routes: inhalation, ingestion, skin and eye contact.
- Vapors may cause CNS depression, dizziness, headache, or drowsiness.
- Eye contact causes irritation; ingestion may be harmful.

12. Ecological Information / المعلومات البيئية

- Prevent large releases to drains or waterways.
- Expected to volatilize/biodegrade, but high local concentrations can harm aquatic life.

13. Disposal Considerations / اعتبارات التخلص

- Dispose of unused product, residues, and contaminated packaging according to Saudi/local hazardous waste and infection-control procedures.
- Do not pour concentrated hazardous chemicals to drain unless the product label, facility procedure, and local regulation allow.
- Do not mix chemical waste streams; segregate oxidizers, flammables, chlorine-releasing products, and antiseptics.

14. Transport Information / معلومات النقل

- Likely UN1219, Isopropanol or Isopropanol solution, Class 3, Packing Group II; verify shipping quantity and concentration rules.
- Transport classification can change with package size, concentration, and local modal rules; verify before shipping.

15. Regulatory Information / المعلومات التنظيمية

- Prepared to follow the 16-section SDS format used in OSHA/GHS-aligned hazard communication.
- Sections 12-15 are included for completeness although some jurisdictions treat them differently.
- This document is not a substitute for the original manufacturer SDS, label, Ministry/SFDA requirements, or facility chemical risk assessment.

16. Other Information / معلومات أخرى

Prepared by	Codex-assisted reference compilation for Al Sultan Medical Complex
Revision	1.0
Preparation date	17 August 2026
Reliability statement	Public authoritative sources were used where available; unverified commercial product data are explicitly marked.

Sources / المراجع

- OSHA Hazard Communication Standard, Appendix D: 16-section SDS structure: https://www.osha.gov/hazcom/appendix-d
- OSHA 29 CFR 1910.1200: SDS and GHS-aligned hazard communication requirements: https://www.osha.gov/laws-regs/regulations/standardnumber/1910/1910.1200

- NIOSH Pocket Guide: Isopropyl alcohol: https://www.cdc.gov/NIOSH/NPG/npgd0359.html
- PubChem: Isopropanol: https://pubchem.ncbi.nlm.nih.gov/compound/Isopropyl-Alcohol