test

Execution Environment

Host name altamash - 192.168.1.34

Local OSMac OS X 64bitKatalon version8.5.5.208Browsernull

Summary

ID Test Suites/test

Description

Total 2

Passed 0 Failed 2 Error 0 Incomplete 0

Skipped 0

Start 2023-04-09 04:04:27 End 2023-04-09 04:05:34

Elapsed 1m - 7.477s

#	ID	Description	Status
1	Test Cases/select item and add to cart		FAILED
2	Test Cases/Checkout flow		FAILED

select item and add to cart

Information

ID Test Cases/select item and add to cart

Description

Tag

Start 2023-04-09 04:04:28 End 2023-04-09 04:05:11

Elapsed 42.987s Status FAILED

Details

#	Description	Elapsed	Status
1	log = new com.kms.katalon.core.logging.KeywordLogger()	0.018s	PASSED
2	startExistingApplication("com.semaai.toko.staging") Starting app with application ID: 'com.semaai.toko.staging'	18.124s	PASSED
3	takeScreenshot("Start") Screenshot is taken	2.250s	PASSED
4	tap(findTestObject("Object Repository/android.widget.ImageView"), 0, CONTINUE_ON_FAILURE) Object Object Repository/android.widget.ImageView not found	5.405s	FAILED
5	delay(1) Delayed 1 second(s)	1.245s	PASSED
6	tap(findTestObject("android.widget.ImageView_select product"), 0) Tapped on element 'Object Repository/android.widget.ImageView_select product'	0.428s	PASSED
7	takeScreenshot("Step 2") Screenshot is taken	1.361s	PASSED

select item and add to cart

#	Description	Elapsed	Status
8	delay(1)	1.023s	PASSED
	Delayed 1 second(s)		
9	tap(findTestObject("android.widget.Button - addToCart"), 0)	0.859s	PASSED
	Tapped on element 'Object Repository/android.widget.Button - addToCart'		
10	takeScreenshot("Step 3")	0.870s	PASSED
	Screenshot is taken		
11	delay(1)	1.025s	PASSED
	Delayed 1 second(s)		
12	tap(findTestObject("android.widget.ImageView_cartButton"), 0)	1.861s	PASSED
	Tapped on element 'Object Repository/android.widget.ImageView_cartButton'		
13	takeScreenshot("Step 4")	0.940s	PASSED
	Screenshot is taken		
14	delay(1)	1.022s	PASSED
	Delayed 1 second(s)		
15	tap(findTestObject("Object Repository/android.widget.CheckBox"), 0)	0.511s	PASSED
	Tapped on element 'Object Repository/android.widget.CheckBox'		
16	takeScreenshot("Step 5")	0.966s	PASSED
	Screenshot is taken		
17	delay(1)	1.020s	PASSED
	Delayed 1 second(s)		

select item and add to cart

Description	Elapsed	Status
tap(findTestObject("Object Repository/android.widget.TextView - Lakukan Pembayaran"), 0)	0.358s	PASSED
Tapped on element 'Object Repository/android.widget.TextView - Lakukan Pembayaran'		
takeScreenshot("Step 6")	1.224s	PASSED
Screenshot is taken		
closeApplication()	1.154s	PASSED
Close app successfully		
	tap(findTestObject("Object Repository/android.widget.TextView - Lakukan Pembayaran"), 0) Tapped on element 'Object Repository/android.widget.TextView - Lakukan Pembayaran' takeScreenshot("Step 6") Screenshot is taken closeApplication()	tap(findTestObject("Object Repository/android.widget.TextView - Lakukan Pembayaran"), 0) 0.358s Tapped on element 'Object Repository/android.widget.TextView - Lakukan Pembayaran' takeScreenshot("Step 6") 1.224s Screenshot is taken closeApplication() 1.154s

Information

ID Test Cases/Checkout flow

Description

Tag

Start 2023-04-09 04:05:11 End 2023-04-09 04:05:34

Elapsed 23.215s Status FAILED

Details

#	Description	Elapsed	Status
1	startExistingApplication("com.semaai.toko.staging")	15.337s	PASSED

Starting app with application ID: 'com.semaai.toko.staging'

Description	Elapsed	Status
tap(findTestObject("android.widget.ImageView (4)"), 0, CONTINUE_ON_FAILURE)	1.711s	FAILED
Failed to tap on element 'Object Repository/android.widget.ImageView (4)' (Root cause: org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:		
53' System info: host: 'Altamashs-MacBook-Air.local', ip: 'fe80:0:0:0:4ec:1fd4:8b26:		
cfd4%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_275'		
Driver info: com.kms.katalon.core.appium.driver.SwipeableAndroidDriver Capabilities {appActivity: .Settings, appPackage: com.android.settings,		
autoGrantPermissions: true, automationName: uiautomator2, chromedriverPort: 52033, databaseEnabled: false, desired: {appActivity: .Settings, appPackage: com. android.settings, autoGrantPermissions: true, automationName: uiautomator2,		
chromedriverPort: 52033, deviceName: emulator-5554 (sdk_gphone64, newCommandTimeout: 1800, platform: ANDROID, platformName: android,		
platformVersion: 12, systemPort: 8253, udid: emulator-5554}, deviceApiLevel: 32, deviceManufacturer: Google, deviceModel: sdk_gphone64_arm64, deviceName:		
emulator-5554, deviceScreenDensity: 560, deviceScreenSize: 1440x2560, deviceUDID: emulator-5554, javascriptEnabled: true, locationContextEnabled: false,		
networkConnectionEnabled: true, newCommandTimeout: 1800, pixelRatio: 3.5, platform: ANDROID, platformName: Android, platformVersion: 12, statBarHeight: 84, systemPort: 8253, takesScreenshot: true, udid: emulator-5554, viewportRect:		
{height: 2420, left: 0, top: 84, width: 1440}, warnings: {}, webStorageEnabled: false} Session ID: bddae63e-4a2a-4309-a897-92881b5ced5d		
*** Element info: {Using=xpath, value=//*[@class = 'android.widget.ImageView' and @resource-id = 'com.semaai.toko.staging:id/iv_bottom_sheet_dismiss' and		
<pre>(@text = " or . = ")]}</pre>		
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)		
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)		
at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)		
at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:239) at org.openqa.selenium.remote.RemoteWebDriver.execute		
(RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute		
(DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)		
at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.java:1)		
at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute (SwipeableAndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElements		
(RemoteWebDriver.java:353) at io.appium.java_client.DefaultGenericMobileDriver.findElements		
(DefaultGenericMobileDriver.java:54) at io.appium.java_client.AppiumDriver.findElements(AppiumDriver.java:		
152) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath		
(RemoteWebDriver.java:432) at io.appium.java_client.DefaultGenericMobileDriver.findElementsByXPath		
(DefaultGenericMobileDriver.java:156) at io.appium.java_client.AppiumDriver.findElementsByXPath(AppiumDriver.java:184)		
at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)		

Elapsed

Status

```
Description
                 at org.openga.selenium.remote.RemoteWebDriver.findElements
 (RemoteWebDriver.java:311)
                 at io.appium.java_client.DefaultGenericMobileDriver.findElements
 (DefaultGenericMobileDriver.java:50)
                 at io.appium.java_client.AppiumDriver.findElements(AppiumDriver.java:
 148)
                 at com.kms.katalon.core.mobile.keyword.internal.MobileSearchEngine.
findElementsByMobileLocator(MobileSearchEngine.java:636)
                at com.kms.katalon.core.mobile.keyword.internal.MobileSearchEngine.
findWebElement(MobileSearchEngine.java:542)
                at com.kms.katalon.core.mobile.keyword.internal.
MobileSearchEngine$findWebElement.call(Unknown Source)
                at\ com. kms. katalon. core. mobile. keyword. internal. Mobile Abstract Keyword.
findElement(MobileAbstractKeyword.groovy:84)
                at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.access$1
(TapKeyword.groovy)
                 at com.kms.katalon.core.mobile.keyword.builtin.
TapKeyword$_tap_closure1.doCall(TapKeyword.groovy:76)
                 at com.kms.katalon.core.mobile.keyword.builtin.
TapKeyword$_tap_closure1.call(TapKeyword.groovy)
                 at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:21)
                 at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap
 (TapKeyword.groovy:84)
                 at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute
 (TapKeyword.groovy:68)
                 at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
                 at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap
 (MobileBuiltInKeywords.groovy:1476)
                at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords$tap$1.
 call(Unknown Source)
                at Checkout flow.run(Checkout flow:22)
                at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
 (ScriptEngine.java:119)
                 at com.kms.katalon.core.main.TestCaseExecutor.runScript
 (TestCaseExecutor.java:448)
                 at com.kms.katalon.core.main.TestCaseExecutor.doExecute
 (TestCaseExecutor.java:439)
                at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:418)
                at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
 (TestCaseExecutor.java:410)
                at com.kms.katalon.core.main.TestCaseExecutor.execute
 (TestCaseExecutor.java:285)
                at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
                at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:151)
                at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
                 at\ com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestSuite(TestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCaseMain.startTestCase
java:185)
                 at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call
 (Unknown Source)
                 at TempTestSuite1680993249675.run(TempTestSuite1680993249675.
 groovy:36)
```

#	Description	Elapsed	Status
3	delay(5)	5.046s	PASSED

Delayed 5 second(s)

Description	Elapsed	Status
tap(findTestObject("android.view.ViewGroup (1)"), 0)	0.503s	FAILED
Failed to tap on element 'Object Repository/android.view.ViewGroup (1)' (Root		
cause: org.openqa.selenium.WebDriverException: An unknown server-side error		
occurred while processing the command. Original error: 'GET /window/current/size'		
cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for		
more details		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53'		
System info: host: 'Altamashs-MacBook-Air.local', ip: 'fe80:0:0:0:4ec:1fd4:8b26:		
cfd4%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_275'		
Driver info: com.kms.katalon.core.appium.driver.SwipeableAndroidDriver		
Capabilities {appActivity: .Settings, appPackage: com.android.settings, autoGrantPermissions: true, automationName: uiautomator2, chromedriverPort:		
52033, databaseEnabled: false, desired: {appActivity: .Settings, appPackage: com.		
android.settings, autoGrantPermissions: true, automationName: uiautomator2,		
chromedriverPort: 52033, deviceName: emulator-5554 (sdk_gphone64,		
newCommandTimeout: 1800, platform: ANDROID, platformName: android, platformVersion: 12, systemPort: 8253, udid: emulator-5554}, deviceApiLevel: 32,		
deviceManufacturer: Google, deviceModel: sdk_gphone64_arm64, deviceName:		
emulator-5554, deviceScreenDensity: 560, deviceScreenSize: 1440x2560,		
deviceUDID: emulator-5554, javascriptEnabled: true, locationContextEnabled: false,		
networkConnectionEnabled: true, newCommandTimeout: 1800, pixelRatio: 3.5, platform: ANDROID, platformName: Android, platformVersion: 12, statBarHeight:		
84, systemPort: 8253, takesScreenshot: true, udid: emulator-5554, viewportRect:		
{height: 2420, left: 0, top: 84, width: 1440}, warnings: {}, webStorageEnabled: false}		
Session ID: bddae63e-4a2a-4309-a897-92881b5ced5d		
at org.openqa.selenium.remote.http.W3CHttpResponseCodec. createException(W3CHttpResponseCodec.java:187)		
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode		
(W3CHttpResponseCodec.java:122)		
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)		
at org.openqa.selenium.remote.HttpCommandExecutor.execute		
(HttpCommandExecutor.java:158)		
at io.appium.java_client.remote.AppiumCommandExecutor.execute		
(AppiumCommandExecutor.java:239)		
at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552)		
at io.appium.java_client.DefaultGenericMobileDriver.execute		
(DefaultGenericMobileDriver.java:46)		
at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver.		
java:1)		
at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute		
(SwipeableAndroidDriver.java:1)		
at org.openqa.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize		
(RemoteWebDriver.java:813)		
at org.openqa.selenium.WebDriver\$Window\$getSize.call(Unknown Source)		
at com.kms.katalon.core.mobile.keyword.internal.MobileAbstractKeyword.		
findElement(MobileAbstractKeyword.groovy:81) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.access\$1		
(TapKeyword.groovy)		
at com.kms.katalon.core.mobile.keyword.builtin.		
TapKeyword\$_tap_closure1.doCall(TapKeyword.groovy:76)		
at com.kms.katalon.core.mobile.keyword.builtin. TapKeyword\$_tap_closure1.call(TapKeyword.groovy)		
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
runKeyword(MobileKeywordMain.groovy:21)		

Description Elapsed Status at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap (TapKeyword.groovy:84) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute (TapKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap (MobileBuiltInKeywords.groovy:1490) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$tap\$2. call(Unknown Source) at Checkout flow.run(Checkout flow:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) $at\ com.kms.katalon.core.main.Test Case Executor.process Execution Phase$ (TestCaseExecutor.java:418) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) $at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main.$ java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1680993249675.run(TempTestSuite1680993249675. groovy:36)