




















#	Location	Reaction
1		Solved
2		Solved
3		<p>It seems there is a round off error. The PCB is designed in mil unit and the width of the trace is 9.842 mil. When turned into mm it is equal to 0.2499868 which is less than 0.25.</p> <p><b>Does it impact the fabrication?</b></p>
4		<p>It seems there is a round off error. The PCB is designed in mil unit and the width of the trace is 9.842 mil. When turned into mm it is equal to 0.2499868 which is less than 0.25.</p> <p><b>Does it impact the fabrication?</b></p>
5		<p>The trace is re-routed.</p> <p><b>Are there any problems?</b></p>
6		<p>The trace is re-routed.</p> <p><b>Are there any problems?</b></p>

7	 <p>Bot  <math>\phi</math> x 42.289 mm  y 120.717 mm</p> <p>1 mm</p>	Solved
8	 <p>Top  <math>\phi</math> x 89.041 mm  y 10.263 mm</p> <p>2 mm</p>	<p>This is standard device footprint.  <b>Is there any problem in fabrication?</b></p>
9	 <p>Top  <math>\phi</math> x 49.141 mm  y 55.936 mm</p> <p>2 mm</p>	<p>Both cooper and plated circle are not connected to anywhere. They are designed to fortify the socket position with no connection.  <b>Does it make any impact on the fabrication?</b></p>
10	 <p>Top  <math>\phi</math> x 27.776 mm  y 4.696 mm</p> <p>2 mm</p>	<p>The trace is re-routed.  Please check.</p>
11	 <p>Top  <math>\phi</math> x 166.37 mm  y 156.051 mm</p> <p>2 mm</p>	<p>The trace is re-routed.  Please check.</p>
12	 <p>Inner2  <math>\phi</math> x 64.896 mm  y 60.009 mm</p> <p>1 mm</p>	<p>Via were replaced.  Please check</p>


13	 <p>Image 2  <math>\phi</math> x 70.231 mm  y 34.105 mm</p> <p>2 mm</p>	Trace width changed. Please check.
14	 <p>Image 2  <math>\phi</math> x 70.231 mm  y 34.105 mm</p> <p>2 mm</p>	Trace width changed. Please check.
15	 <p>Image 2  <math>\phi</math> x 70.231 mm  y 34.105 mm</p> <p>2 mm</p>	Trace width changed. Please check.
16	 <p>Image 2  <math>\phi</math> x 106.693 mm  y 113.948 mm</p> <p>2 mm</p>	The distance increased
17	 <p>Image 2  <math>\phi</math> x 64.102 mm  y 54.957 mm</p> <p>2 mm</p>	Traces are re-routed
18	 <p>Image 2  <math>\phi</math> x 100.979 mm  y 61.024 mm</p> <p>1 mm</p>	Via are relocated

19




solved

20




This is standard foot print.  
 Does it make a problem in fabrication?

21



Solved

22



Solved