

Nios[®] V/c Processor Helloworld and OCM test design

Agilex[™] 5 FPGA

Last updated: **2024-09-30**


Contents

1.0	Theory of Operation	3
1.1	IP Cores	3
2.0	Simulating the design	4
3.0	Executing the design on Development Kit.....	5
3.1	Creating and validating the design	5
4.0	Expected Results	6
5.0	Document Revision History	7

1.0 Theory of Operation

Nios® V/c Processor-based Helloworld and OCM memory test example design on the Agilex™ 5 FPGA E-Series 065B Premium Development Kit (ES1) DK-A5E065BB32AES1.

Figure 1-1. Block Diagram



1.1 IP Cores

The following IPs are used in this design.

- Nios V/c soft processor core
- On Chip RAM-II
- JTAG UART
- System ID

2.0 Simulating the design

Note: Please refer to the README.md file in the extracted design package from Quartus or in the sources folder of the Github repository of the design for the steps to create the design, application and generate the programming files.

- Unpackage/extract the design in your working directory.
- Simulate the design using Quartus Prime Pro tool.

3.0 Executing the design on Development Kit

3.1 Creating and validating the design

Note: Please refer to the README.md file in the extracted design package from Quartus or in the sources folder of the Github repository of the design for the steps to create the design, application and generate the programming files.

- Unpackage/extract the design in your working directory.
Locate the "ready_to_test" folder within the package.
- The folder contains the necessary files for executing the application on the board.
Refer to the readme file for the steps to program the application files on the board.
- Validate the design by observing the prints on the terminal.

4.0 Expected Results

The following is the output as observed on the JTAG UART terminal. The output is analogous to the logic from the application code. Users should be able to observe same output on their terminal/setup.

```
Hello World from Agilex-5 NIOSV/c core!
Application will execute Memory Test
Starting Memory test
value at memory location 0x0 with offset 0 is 0x1680006f
After write: value at memory location 0x0 with offset 0 is 0xa5a5a5a5
Memory write test PASSED
value at memory location 0x0 with offset 4 is 0x0
After write: value at memory location 0x0 with offset 4 is 0xa5a5a5a5
Memory write test PASSED
value at memory location 0x0 with offset 8 is 0x0
After write: value at memory location 0x0 with offset 8 is 0xa5a5a5a5
Memory write test PASSED
value at memory location 0x0 with offset 12 is 0x0
After write: value at memory location 0x0 with offset 12 is 0xa5a5a5a5
Memory write test PASSED
value at memory location 0x0 with offset 16 is 0x0
After write: value at memory location 0x0 with offset 16 is 0xa5a5a5a5
Memory write test PASSED
value at memory location 0x0 with offset 20 is 0x0
After write: value at memory location 0x0 with offset 20 is 0xa5a5a5a5
Memory write test PASSED
value at memory location 0x0 with offset 24 is 0x0
After write: value at memory location 0x0 with offset 24 is 0xa5a5a5a5
Memory write test PASSED
value at memory location 0x0 with offset 28 is 0x0
After write: value at memory location 0x0 with offset 28 is 0xa5a5a5a5
Memory write test PASSED
Memory Test Complete
Print the value of System ID
System ID from Peripheral core is 0xA5
```

5.0 Document Revision History

Date	Version	Changes
2024-09-30	24.3.0	Initial release on github

© Altera Corporation. Altera, the Altera logo, the 'a' logo, and other Altera marks are trademarks of Altera Corporation. Altera and Intel warrant performance of its FPGA and semiconductor products to current specifications in accordance with Altera's or Intel's standard warranty as applicable but reserves the right to make changes to any products and services at any time without notice. Altera and Intel assume no responsibility or liability arising out of the application or use of any information, product, or service described herein except as expressly agreed to in writing by Altera or Intel. Altera and Intel customers are advised to obtain the latest version of device specifications before relying on any published information and before placing orders for products or services.

*Other names and brands may be claimed as the property of others.