



Flowerhouse Walden LLC

2736 NY-208

Walden, NY 12586

katie@flowerhouseny.com

917-374-7735

License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Date Released: 4/3/2023 9:10:01AM

Report #: 914

FH0283COMP032423

Sample #: 678, Weight: 8.00g, Unit Count:

Order #: X230327-0006

Category/Type: Plant, Flower - Cured

Date Collected: 3/27/2023 4:35:22PM


Date Received: 3/27/2023 6:16:07PM

Date Analyzed: 3/30/2023 1:09:17PM

Regulator Sample ID: FH0283

Regulator Source Package ID: FH0283

Regulator Batch ID: FH0283



Potency Analysis by HPLC

Total Cannabinoids: 21.99 % - 219.9 mg/g

Total THC: 18.98 % - 189.8 mg/g

Total CBD: 0.05 % - 0.5 mg/g

Date Completed: 03/30/2023 10:09AM

| Compound | CAS# | LOQ (%) | % | mg/g | Relative Concentration |
|----------|------------|---------|-------|-------|------------------------|
| THCa | 23978-85-0 | 0.001 | 20.50 | 205.0 | |
| d9-THC | 1972-08-3 | 0.001 | 1.00 | 10.0 | |
| CBGa | 25555-57-1 | 0.001 | 0.37 | 3.7 | |
| CBDa | 1244-58-2 | 0.001 | 0.06 | 0.6 | |
| CBG | 25654-31-3 | 0.001 | 0.06 | 0.6 | |
| d8-THC | 5957-75-5 | 0.001 | ND | ND | |
| d10-THC | 95543-62-7 | 0.001 | ND | ND | |
| THCV | 31262-37-0 | 0.001 | ND | ND | |
| CBD | 13956-29-1 | 0.001 | ND | ND | |
| CBDV | 24274-48-4 | 0.001 | ND | ND | |
| CBC | 20675-51-8 | 0.001 | ND | ND | |
| CBN | 521-35-7 | 0.001 | ND | ND | |

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

Total CBD = CBD + (0.877*CBDA)

Total THC = d9-THC + d8-THC + d10-THC + (0.877*THCa) d8-THC is an abbreviation for delta-8 tetrahydrocannabinol.

d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York

1809 Vestal Pkwy E

Vestal, NY 13850

(607)301-0884

InfoNY@KeystoneStateTesting.com

www.KeystoneStateTesting.com

License #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director

4/3/2023 9:13:40AM





Flowerhouse Walden LLC
2736 NY-208
Walden, NY 12586
katie@flowerhouseny.com
917-374-7735
License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 678

FH0283COMP032423

Terpenes by HS-GC-MS

Date Completed: 03/30/2023 11:55AM



| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|----------|------|---------|---|------------------------|
|----------|------|---------|---|------------------------|

| | | | | |
|---------------------|-----------|-----|-----|-------------|
| beta-Myrcene | 123-35-3 | 0.1 | 0.4 | <div></div> |
| R(+)-Limonene | 5989-27-5 | 0.1 | 0.3 | <div></div> |
| trans-Caryophyllene | 87-44-5 | 0.1 | 0.2 | <div></div> |
| alpha-Humulene | 6753-98-6 | 0.1 | 0.1 | <div></div> |
| Linalool | 78-70-6 | 0.1 | 0.1 | <div></div> |

Results based on dry weight

| | | | |
|-------------------------|------------|-----|----|
| (-)-Borneol | 464-45-9 | 0.1 | ND |
| (-)-Caryophyllene Oxide | 1139-30-6 | 0.1 | ND |
| (-)-Isopulegol | 89-79-2 | 0.1 | ND |
| (+)-Borneol | 464-43-7 | 0.1 | ND |
| (+)-Cedrol | 77-53-2 | 0.1 | ND |
| (1R)-(+)-Camphor | 464-49-3 | 0.1 | ND |
| 3-Carene | 13466-78-9 | 0.1 | ND |
| alpha-Bisabolol | 515-69-5 | 0.1 | ND |
| alpha-Cedrene | 469-61-4 | 0.1 | ND |
| alpha-Farnesene | 502-61-4 | 0.1 | ND |
| alpha-Pinene | 80-56-8 | 0.1 | ND |
| alpha-Terpinene | 99-86-5 | 0.1 | ND |
| alpha-Terpineol | 98-55-5 | 0.1 | ND |
| beta-Farnesene | 18794-84-8 | 0.1 | ND |
| beta-Pinene | 127-91-3 | 0.1 | ND |
| Camphene | 79-92-5 | 0.1 | ND |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director
4/3/2023 9:13:40AM





Flowerhouse Walden LLC
2736 NY-208
Walden, NY 12586
katie@flowerhouseny.com
917-374-7735
License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 678

FH0283COMP032423

| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|----------------------|------------|---------|----|------------------------|
| cis-Nerolidol | 142-50-7 | 0.1 | ND | |
| cis-OCimene | 3338-55-4 | 0.1 | ND | |
| Endo-Fenchyl Alcohol | 14575-74-7 | 0.1 | ND | |
| Eucalyptol | 470-82-6 | 0.1 | ND | |
| Fenchone | 1195-79-5 | 0.1 | ND | |
| gamma-Terpinene | 99-85-4 | 0.1 | ND | |
| gamma-Terpineol | 586-81-2 | 0.1 | ND | |
| Geraniol | 106-24-1 | 0.1 | ND | |
| Geranyl Acetate | 105-87-3 | 0.1 | ND | |
| Guaiaol | 489-86-1 | 0.1 | ND | |
| Hexahydro Thymol | 15356-70-4 | 0.1 | ND | |
| Nerol | 106-25-2 | 0.1 | ND | |
| p-Mentha-1,5-diene | 99-83-2 | 0.1 | ND | |
| Pulegone | 89-82-7 | 0.1 | ND | |
| Sabinene | 3387-41-5 | 0.1 | ND | |
| Sabinene Hydrate | 546-79-2 | 0.1 | ND | |
| Terpinolene | 586-62-9 | 0.1 | ND | |
| trans-Nerolidol | 40716-66-3 | 0.1 | ND | |
| trans-OCimene | 3779-61-1 | 0.1 | ND | |
| Valencene | 4630-07-3 | 0.1 | ND | |

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by Microscopy

Pass

Date Completed: 03/30/2023 10:58 am

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|-------------------|---------|------------|------------|--------|
| % Foreign Matter | 0.001 | 2.0 | ND | Pass |
| Mammalian Excreta | 0.001 | 0.03 | ND | Pass |
| Stems | 0.001 | 5.0 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director
4/3/2023 9:13:40AM





Flowerhouse Walden LLC
2736 NY-208
Walden, NY 12586
katie@flowerhouseny.com
917-374-7735
License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 678

FH0283COMP032423

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Moisture by Analyzer

Pass

Date Completed: 03/30/2023 10:49 am

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|----------|---------|------------|------------|--------|
| Moisture | 1.2 | 5 - 15 | 10.7 | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Water Activity by Meter

Pass

Date Completed: 03/30/2023 10:49 am

| Compound | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status |
|----------------|----------|-------------|-------------|--------|
| Water Activity | 0.05 | 0.65 | 0.32 | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS

Pass

Date Completed: 03/30/2023 12:52 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------------|------------|---------------|---------------|--------|
| Abamectin | 0.01 | 0.5 | ND | Pass |
| Acephate | 0.01 | 0.4 | ND | Pass |
| Acequinocyl | 0.01 | 2 | ND | Pass |
| Acetamiprid | 0.01 | 0.2 | ND | Pass |
| Aldicarb | 0.01 | 0.4 | ND | Pass |
| Azadirachtin | 0.01 | 1 | ND | Pass |
| Azoxystrobin | 0.01 | 0.2 | ND | Pass |
| Bifenazate | 0.01 | 0.2 | ND | Pass |
| Bifenthrin | 0.01 | 0.2 | ND | Pass |
| Boscalid | 0.01 | 0.4 | ND | Pass |
| Carbaryl | 0.01 | 0.2 | ND | Pass |
| Carbofuran | 0.01 | 0.2 | ND | Pass |
| Chlorantraniliprole | 0.01 | 0.2 | ND | Pass |
| Chloromequat Chloride | 0.01 | 1 | ND | Pass |
| Chlorpyrifos | 0.01 | 0.2 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director
4/3/2023 9:13:40AM





Flowerhouse Walden LLC
2736 NY-208
Walden, NY 12586
katie@flowerhouseny.com
917-374-7735
License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 678

FH0283COMP032423

Pesticides by LCMSMS

Pass

Date Completed: 03/30/2023 12:52 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------------|------------|---------------|---------------|--------|
| Clofentezine | 0.01 | 0.2 | ND | Pass |
| Coumaphos | 0.01 | 1 | ND | Pass |
| Cyfluthrin | 0.01 | 1 | ND | Pass |
| Cypermethrin | 0.01 | 1 | ND | Pass |
| Daminozide | 0.01 | 1 | ND | Pass |
| Diazinon | 0.01 | 0.2 | ND | Pass |
| Dichlorvos | 0.01 | 1 | ND | Pass |
| Dimethoate | 0.01 | 0.2 | ND | Pass |
| Dimethomorph | 0.01 | 1 | ND | Pass |
| Ethoprophos | 0.01 | 0.2 | ND | Pass |
| Etofenprox | 0.01 | 0.4 | ND | Pass |
| Etiozazole | 0.01 | 0.2 | ND | Pass |
| Fenhexamid | 0.01 | 1 | ND | Pass |
| Fenoxycarb | 0.01 | 0.2 | ND | Pass |
| Fenpyroximate | 0.01 | 0.4 | ND | Pass |
| Fipronil | 0.01 | 0.4 | ND | Pass |
| Flonicamid | 0.01 | 1 | ND | Pass |
| Fludioxonil | 0.01 | 0.4 | ND | Pass |
| Hexythiazox | 0.01 | 1 | ND | Pass |
| Imazalil | 0.01 | 0.2 | ND | Pass |
| Imidacloprid | 0.01 | 0.4 | ND | Pass |
| Indolebutyric Acid | 0.01 | 1 | ND | Pass |
| Kresoxim-methyl | 0.01 | 0.4 | ND | Pass |
| Malathion | 0.01 | 0.2 | ND | Pass |
| Metaxyl | 0.01 | 0.2 | ND | Pass |
| Methiocarb | 0.01 | 0.2 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director
4/3/2023 9:13:40AM





Flowerhouse Walden LLC
2736 NY-208
Walden, NY 12586
katie@flowerhouseny.com
917-374-7735
License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 678

FH0283COMP032423

Pesticides by LCMSMS

Pass

Date Completed: 03/30/2023 12:52 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------------|------------|---------------|---------------|--------|
| Mevinphos | 0.01 | 1 | ND | Pass |
| Myclobutanil | 0.01 | 0.2 | ND | Pass |
| Naled | 0.01 | 0.5 | ND | Pass |
| Oxamyl | 0.01 | 1 | ND | Pass |
| Paclobutrazol | 0.01 | 0.4 | ND | Pass |
| Permethrin | 0.01 | 0.2 | ND | Pass |
| Phosmet | 0.01 | 0.2 | ND | Pass |
| Piperonyl Butoxide | 0.01 | 2 | ND | Pass |
| Prallethrin | 0.01 | 0.2 | ND | Pass |
| Propiconazole | 0.01 | 0.4 | ND | Pass |
| Propoxur | 0.01 | 0.2 | ND | Pass |
| Pyrethrins Total | 0.01 | 1 | ND | Pass |
| Pyridaben | 0.01 | 0.2 | ND | Pass |
| Spinetoram | 0.01 | 1 | ND | Pass |
| Spinosad Total | 0.01 | .2 | ND | Pass |
| Spiromesifen | 0.01 | 0.2 | ND | Pass |
| Spirotetramat | 0.01 | 0.2 | ND | Pass |
| Spiroxamine | 0.01 | 0.2 | ND | Pass |
| Tebuconazole | 0.01 | 0.4 | ND | Pass |
| Thiacloprid | 0.01 | 0.2 | ND | Pass |
| Thiamethoxam | 0.01 | 0.2 | ND | Pass |
| Trifloxystrobin | 0.01 | 0.2 | ND | Pass |

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Mycotoxins by LCMSMS

Pass

Date Completed: 03/30/2023 12:52 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
|----------|------------|---------------|---------------|--------|

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director
4/3/2023 9:13:40AM





Flowerhouse Walden LLC
2736 NY-208
Walden, NY 12586
katie@flowerhouseny.com
917-374-7735
License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 678

FH0283COMP032423

Mycotoxins by LCMSMS

Pass

Date Completed: 03/30/2023 12:52 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Aflatoxin B1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.005 | 0.020 | ND | Pass |
| Ochratoxin A | 0.005 | 0.020 | ND | Pass |
| Total Aflatoxin | 0.005 | 0.020 | ND | Pass |

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS

Pass

Date Completed: 03/30/2023 1:09 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
| Antimony | 0.01 | 2 | ND | Pass |
| Arsenic | 0.001 | 0.2 | ND | Pass |
| Cadmium | 0.0015 | 0.3 | ND | Pass |
| Chromium | 0.275 | 110 | ND | Pass |
| Copper | 0.075 | 30 | 1.8 | Pass |
| Lead | 0.0025 | 0.5 | ND | Pass |
| Mercury | 0.0005 | 0.1 | ND | Pass |
| Nickel | 0.01 | 2 | ND | Pass |

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Micro by Petri & qPCR

Pass

Date Completed: 03/30/2023 12:03 pm

| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|-----------------------------------|-------------|----------------|----------------|--------|
| Aspergillus flavus Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus fumigatus Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus niger Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus terreus Qualitative | 0 | 0 | Not Detected | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director
4/3/2023 9:13:40AM



**Flowerhouse Walden LLC**

2736 NY-208

Walden, NY 12586

katie@flowerhouseny.com

917-374-7735

License #: OCM-AUCC-22-000111

Certificate of Analysis

Final

Sample #: 678**FH0283COMP032423****Micro by Petri & qPCR****Pass**

Date Completed: 03/30/2023 12:03 pm

| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|---|-------------|----------------|----------------|--------|
| Salmonella Qualitative | 0 | 0 | Not Detected | Pass |
| Shiga Toxin-Producing E. coli Qualitative | 0 | 0 | Not Detected | Pass |
| Total Aerobic Bacteria | 10 | | ND | Pass |
| Total Yeast & Mold | 10 | | 1000 | Pass |

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

**Keystone State Testing of New York**
1809 Vestal Pkwy E

Vestal, NY 13850

(607)301-0884

InfoNY@KeystoneStateTesting.com

www.KeystoneStateTesting.com

License #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director

4/3/2023 9:13:40AM

