My Project

Generated by Doxygen 1.9.1

1 Namespace Index 1
1.1 Packages . . . 1

2 Hierarchical Index 3
2.1 Class Hierarchy . . . 3

3 Class Index 5
3.1 Class List . . . 5

4 File Index 7
4.1 File List . . . 7

5 Namespace Documentation 9
5.1 Package $Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven . . . 9
5.2 Package es.ull.esit.utilities . . . 9
5.3 Package es.ull.esit.utils . . . 9
5.4 Package main.top . . . 9

6 Class Documentation 11
6.1 $Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.App Class Reference . . . 11
6.1.1 Detailed Description . . . 11
6.1.2 Member Function Documentation . . . 11
6.1.2.1 main() . . . 11
6.2 $Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.AppTest Class Reference . . . 12
6.2.1 Detailed Description . . . 12
6.2.2 Constructor & Destructor Documentation . . . 13
6.2.2.1 AppTest() . . . 13
6.2.3 Member Function Documentation . . . 13
6.2.3.1 suite() . . . 13
6.2.3.2 testApp() . . . 13
6.3 es.ull.esit.utilities.BellmanFord Class Reference . . . 13
6.3.1 Constructor & Destructor Documentation . . . 14
6.3.1.1 BellmanFord() . . . 14
6.3.2 Member Function Documentation . . . 14
6.3.2.1 getDistances() . . . 14
6.3.2.2 getValue() . . . 14
6.3.2.3 solve() . . . 15
6.4 es.ull.esit.utilities.ExpositoUtilities Class Reference . . . 15
6.4.1 Member Function Documentation . . . 15
6.4.1.1 getFormat() [1/12] . . . 15
6.4.1.2 getFormat() [2/12] . . . 16
6.4.1.3 getFormat() [3/12] . . . 16
6.4.1.4 getFormat() [4/12] . . . 16
6.4.1.5 getFormat() [5/12] . . . 16

6.4.1.6 getFormat() [6/12] . . . 16
6.4.1.7 getFormat() [7/12] . . . 16
6.4.1.8 getFormat() [8/12] . . . 17
6.4.1.9 getFormat() [9/12] . . . 17
6.4.1.10 getFormat() [10/12] . . . 17
6.4.1.11 getFormat() [11/12] . . . 17
6.4.1.12 getFormat() [12/12] . . . 17
6.4.1.13 isAcyclic() . . . 17
6.4.1.14 isDouble() . . . 18
6.4.1.15 isInteger() . . . 18
6.4.1.16 multiplyMatrices() . . . 18
6.4.1.17 printFile() . . . 18
6.4.1.18 simplifyString() . . . 18
6.4.1.19 thereIsPath() . . . 18
6.4.1.20 writeTextToFile() . . . 18
6.4.2 Member Data Documentation . . . 19
6.4.2.1 ALIGNMENT_LEFT . . . 19
6.4.2.2 ALIGNMENT_RIGHT . . . 19
6.4.2.3 DEFAULT_COLUMN_WIDTH . . . 19
6.5 main.top.mainTOPTW Class Reference . . . 19
6.5.1 Member Function Documentation . . . 19
6.5.1.1 main() . . . 19
6.6 es.ull.esit.utils.Pair< F, S > Class Template Reference . . . 20
6.6.1 Constructor & Destructor Documentation . . . 20
6.6.1.1 Pair() . . . 20
6.6.2 Member Function Documentation . . . 20
6.6.2.1 create() . . . 20
6.6.2.2 equals() . . . 20
6.6.2.3 hashCode() . . . 21
6.6.3 Member Data Documentation . . . 21
6.6.3.1 first . . . 21
6.6.3.2 second . . . 21
6.7 es.ull.esit.utilities.PowerSet< E > Class Template Reference . . . 21
6.7.1 Constructor & Destructor Documentation . . . 22
6.7.1.1 PowerSet() . . . 22
6.7.2 Member Function Documentation . . . 22
6.7.2.1 hasNext() . . . 22
6.7.2.2 iterator() . . . 22
6.7.2.3 next() . . . 23
6.7.2.4 remove() . . . 23
6.8 main.top.TOPTW Class Reference . . . 23
6.8.1 Constructor & Destructor Documentation . . . 24

6.8.1.1 TOPTW() . . . 24
6.8.2 Member Function Documentation . . . 24
6.8.2.1 addNode() . . . 24
6.8.2.2 addNodeDepot() . . . 24
6.8.2.3 calculateDistanceMatrix() . . . 24
6.8.2.4 getDistance() [1/4] . . . 24
6.8.2.5 getDistance() [2/4] . . . 24
6.8.2.6 getDistance() [3/4] . . . 25
6.8.2.7 getDistance() [4/4] . . . 25
6.8.2.8 getDueTime() . . . 25
6.8.2.9 getMaxRoutes() . . . 25
6.8.2.10 getMaxTimePerRoute() . . . 25
6.8.2.11 getNodes() . . . 25
6.8.2.12 getPOIs() . . . 25
6.8.2.13 getReadyTime() . . . 26
6.8.2.14 getScore() [1/2] . . . 26
6.8.2.15 getScore() [2/2] . . . 26
6.8.2.16 getServiceTime() . . . 26
6.8.2.17 getTime() . . . 26
6.8.2.18 getVehicles() . . . 26
6.8.2.19 getX() . . . 26
6.8.2.20 getY() . . . 27
6.8.2.21 isDepot() . . . 27
6.8.2.22 setDueTime() . . . 27
6.8.2.23 setMaxRoutes() . . . 27
6.8.2.24 setMaxTimePerRoute() . . . 27
6.8.2.25 setNodes() . . . 27
6.8.2.26 setReadyTime() . . . 27
6.8.2.27 setScore() . . . 28
6.8.2.28 setServiceTime() . . . 28
6.8.2.29 setX() . . . 28
6.8.2.30 setY() . . . 28
6.8.2.31 toString() . . . 28
6.9 main.top.TOPTWEvaluator Class Reference . . . 28
6.9.1 Member Function Documentation . . . 29
6.9.1.1 evaluate() . . . 29
6.9.2 Member Data Documentation . . . 29
6.9.2.1 NO_EVALUATED . . . 29
6.10 main.top.TOPTWGRASP Class Reference . . . 29
6.10.1 Constructor & Destructor Documentation . . . 30
6.10.1.1 TOPTWGRASP() . . . 30
6.10.2 Member Function Documentation . . . 30

6.10.2.1 aleatorySelectionRCL() . . . 30
6.10.2.2 comprehensiveEvaluation() . . . 30
6.10.2.3 computeGreedySolution() . . . 30
6.10.2.4 fuzzySelectionAlphaCutRCL() . . . 30
6.10.2.5 fuzzySelectionBestFDRCL() . . . 31
6.10.2.6 getMaxScore() . . . 31
6.10.2.7 getSolution() . . . 31
6.10.2.8 getSolutionTime() . . . 31
6.10.2.9 GRASP() . . . 31
6.10.2.10 setSolution() . . . 31
6.10.2.11 setSolutionTime() . . . 31
6.10.2.12 updateSolution() . . . 32
6.10.3 Member Data Documentation . . . 32
6.10.3.1 NO_EVALUATED . . . 32
6.11 main.top.TOPTWReader Class Reference . . . 32
6.11.1 Member Function Documentation . . . 32
6.11.1.1 readProblem() . . . 32
6.12 main.top.TOPTWRoute Class Reference . . . 32
6.12.1 Member Function Documentation . . . 33
6.12.1.1 getId() . . . 33
6.12.1.2 getPredeccesor() . . . 33
6.12.1.3 getSuccesor() . . . 33
6.12.1.4 setId() . . . 33
6.12.1.5 setPredeccesor() . . . 33
6.12.1.6 setSuccesor() . . . 33
6.13 main.top.TOPTWSolution Class Reference . . . 34
6.13.1 Constructor & Destructor Documentation . . . 34
6.13.1.1 TOPTWSolution() . . . 34
6.13.2 Member Function Documentation . . . 34
6.13.2.1 addRoute() . . . 35
6.13.2.2 equals() . . . 35
6.13.2.3 evaluateFitness() . . . 35
6.13.2.4 getAvailableVehicles() . . . 35
6.13.2.5 getCreatedRoutes() . . . 35
6.13.2.6 getDistance() . . . 35
6.13.2.7 getIndexRoute() . . . 35
6.13.2.8 getInfoSolution() . . . 36
6.13.2.9 getObjectiveFunctionValue() . . . 36
6.13.2.10 getPositionInRoute() . . . 36
6.13.2.11 getPredecessor() . . . 36
6.13.2.12 getPredecessors() . . . 36
6.13.2.13 getProblem() . . . 36

6.13.2.14 getSuccessor() . . . 36
6.13.2.15 getSuccessors() . . . 37
6.13.2.16 getWaitingTime() . . . 37
6.13.2.17 initSolution() . . . 37
6.13.2.18 isDepot() . . . 37
6.13.2.19 printSolution() . . . 37
6.13.2.20 setAvailableVehicles() . . . 37
6.13.2.21 setObjectiveFunctionValue() . . . 37
6.13.2.22 setPositionInRoute() . . . 38
6.13.2.23 setPredecessor() . . . 38
6.13.2.24 setSuccessor() . . . 38
6.13.2.25 setWaitingTime() . . . 38
6.13.3 Member Data Documentation . . . 38
6.13.3.1 NO_INITIALIZED . . . 38

7 File Documentation **39**

7.1 src/main/java/es/ull/esit/utilities/BellmanFord.java File Reference . . . 39
7.2 src/main/java/es/ull/esit/utilities/ExpositoUtilities.java File Reference . . . 39
7.3 src/main/java/es/ull/esit/utilities/PowerSet.java File Reference . . . 39
7.4 src/main/java/es/ull/esit/utils/Pair.java File Reference . . . 40
7.5 src/main/resources/archetype-resources/src/main/java/App.java File Reference . . . 40
7.6 src/main/resources/archetype-resources/src/test/java/AppTest.java File Reference . . . 40
7.7 src/main/top/mainTOPTW.java File Reference . . . 40
7.8 src/main/top/TOPTW.java File Reference . . . 41
7.9 src/main/top/TOPTWEvaluator.java File Reference . . . 41
7.10 src/main/top/TOPTWGRASP.java File Reference . . . 41
7.11 src/main/top/TOPTWReader.java File Reference . . . 41
7.12 src/main/top/TOPTWRoute.java File Reference . . . 42
7.13 src/main/top/TOPTWSolution.java File Reference . . . 42

Index **43**

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

$Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven 9
es.ull.esit.utilities 9
es.ull.esit.utils 9
main.top 9

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

$Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.App . . . 11
es.ull.esit.utilities.BellmanFord . . . 13
es.ull.esit.utilities.ExpositoUtilities . . . 15
Iterable
    es.ull.esit.utilities.PowerSet< E > . . . 21
main.top.mainTOPTW . . . 19
es.ull.esit.utils.Pair< F, S > . . . 20
main.top.TOPTW . . . 23
main.top.TOPTWEvaluator . . . 28
main.top.TOPTWGRASP . . . 29
main.top.TOPTWReader . . . 32
main.top.TOPTWRoute . . . 32
main.top.TOPTWSolution . . . 34
Iterator
    es.ull.esit.utilities.PowerSet< E > . . . 21
TestCase
    $Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.AppTest . . . 12

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

$Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.App . . . 11
$Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.AppTest . . . 12
es.ull.esit.utilities.BellmanFord . . . 13
es.ull.esit.utilities.ExpositoUtilities . . . 15
main.top.mainTOPTW . . . 19
es.ull.esit.utils.Pair< F, S > . . . 20
es.ull.esit.utilities.PowerSet< E > . . . 21
main.top.TOPTW . . . 23
main.top.TOPTWEvaluator . . . 28
main.top.TOPTWGRASP . . . 29
main.top.TOPTWReader . . . 32
main.top.TOPTWRoute . . . 32
main.top.TOPTWSolution . . . 34

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

src/main/java/es/ull/esit/utilities/BellmanFord.java . . . 39
src/main/java/es/ull/esit/utilities/ExpositoUtilities.java . . . 39
src/main/java/es/ull/esit/utilities/PowerSet.java . . . 39
src/main/java/es/ull/esit/utils/Pair.java . . . 40
src/main/resources/archetype-resources/src/main/java/App.java . . . 40
src/main/resources/archetype-resources/src/test/java/AppTest.java . . . 40
src/main/top/mainTOPTW.java . . . 40
src/main/top/TOPTW.java . . . 41
src/main/top/TOPTWEvaluator.java . . . 41
src/main/top/TOPTWGRASP.java . . . 41
src/main/top/TOPTWReader.java . . . 41
src/main/top/TOPTWRoute.java . . . 42
src/main/top/TOPTWSolution.java . . . 42

Chapter 5

Namespace Documentation

5.1 Package $Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven

Classes

- class App
- class AppTest

5.2 Package es.ull.esit.utilities

Classes

- class BellmanFord
- class ExpositoUtilities
- class PowerSet

5.3 Package es.ull.esit.utils

Classes

- class Pair

5.4 Package main.top

Classes

- class mainTOPTW
- class TOPTW
- class TOPTWEvaluator
- class TOPTWGRASP
- class TOPTWReader
- class TOPTWRoute
- class TOPTWSolution

Chapter 6

Class Documentation

6.1 $Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.App Class Reference

Static Public Member Functions

- static void main (String[ ] args)

6.1.1 Detailed Description

Hello world!

6.1.2 Member Function Documentation

6.1.2.1 main()

```
static void $Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.App.main (
            String[ ] args )  [static]
```

The documentation for this class was generated from the following file:

- src/main/resources/archetype-resources/src/main/java/App.java

6.2 $Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.AppTest Class Reference

Inheritance diagram for $Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.AppTest:



Collaboration diagram for $Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.AppTest:



Public Member Functions

- AppTest (String testName)
- void testApp ()

Static Public Member Functions

- static Test suite ()

6.2.1 Detailed Description

Unit test for simple App.

6.2.2 Constructor & Destructor Documentation

6.2.2.1 AppTest()

```
$Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.AppTest.AppTest (
            String testName )
```

Create the test case

Parameters

testName	name of the test case

6.2.3 Member Function Documentation

6.2.3.1 suite()

```
static Test $Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.AppTest.suite ( )  [static]
```

Returns

the suite of tests being tested

6.2.3.2 testApp()

```
void $Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.AppTest.testApp ( )
```

Rigourous Test :-)

The documentation for this class was generated from the following file:

- src/main/resources/archetype-resources/src/test/java/AppTest.java

6.3 es.ull.esit.utilities.BellmanFord Class Reference

Public Member Functions

- BellmanFord (int[ ][ ] distanceMatrix, int nodes, ArrayList< Integer > path)
- int[ ] getDistances ()

  Es un getter para obtener distances.
- int getValue ()
- void solve ()

6.3.1 Constructor & Destructor Documentation

6.3.1.1 BellmanFord()

```
es.ull.esit.utilities.BellmanFord.BellmanFord (
            int distanceMatrix[][],
            int nodes,
            ArrayList< Integer > path )
```

Parameters

distanceMatrix	
nodes	
path	

6.3.2 Member Function Documentation

6.3.2.1 getDistances()

```
int [] es.ull.esit.utilities.BellmanFord.getDistances ( )
```

Es un getter para obtener distances.

Returns

devuelve int[] del atributo distances

6.3.2.2 getValue()

```
int es.ull.esit.utilities.BellmanFord.getValue ( )
```

Returns

6.3.2.3 solve()

```
void es.ull.esit.utilities.BellmanFord.solve ( )
```

The documentation for this class was generated from the following file:

- src/main/java/es/ull/esit/utilities/BellmanFord.java

6.4 es.ull.esit.utilities.ExpositoUtilities Class Reference

Static Public Member Functions

- static void printFile (String file)
- static String simplifyString (String string)
- static double[ ][ ] multiplyMatrices (double a[ ][ ], double b[ ][ ])
- static void writeTextToFile (String file, String text) throws IOException
- static String getFormat (String string)
- static String getFormat (double value)
- static String getFormat (double value, int zeros)
- static String getFormat (String string, int width)
- static String getFormat (String string, int width, int alignment)
- static String getFormat (ArrayList< String > strings, int width)
- static String getFormat (ArrayList< Integer > strings)
- static String getFormat (String[ ] strings, int width)
- static String getFormat (String[ ][ ] matrixStrings, int width)
- static String getFormat (String[ ] strings)
- static String getFormat (String[ ] strings, int[ ] width)
- static String getFormat (String[ ] strings, int[ ] width, int[ ] alignment)
- static boolean isInteger (String str)
- static boolean isDouble (String str)
- static boolean isAcyclic (int[ ][ ] distanceMatrix)
- static boolean thereIsPath (int[ ][ ] distanceMatrix, int node)

Static Public Attributes

- static final int DEFAULT_COLUMN_WIDTH = 10
- static final int ALIGNMENT_LEFT = 1
- static final int ALIGNMENT_RIGHT = 2

6.4.1 Member Function Documentation

6.4.1.1 getFormat() [1/12]

```
static String es.ull.esit.utilities.ExpositoUtilities.getFormat (
            ArrayList< Integer > strings )  [static]
```

6.4.1.2 getFormat() [2/12]

```
static String es.ull.esit.utilities.ExpositoUtilities.getFormat (
            ArrayList< String > strings,
            int width )  [static]
```

6.4.1.3 getFormat() [3/12]

```
static String es.ull.esit.utilities.ExpositoUtilities.getFormat (
            double value )  [static]
```

6.4.1.4 getFormat() [4/12]

```
static String es.ull.esit.utilities.ExpositoUtilities.getFormat (
            double value,
            int zeros )  [static]
```

6.4.1.5 getFormat() [5/12]

```
static String es.ull.esit.utilities.ExpositoUtilities.getFormat (
            String string )  [static]
```

6.4.1.6 getFormat() [6/12]

```
static String es.ull.esit.utilities.ExpositoUtilities.getFormat (
            String string,
            int width )  [static]
```

6.4.1.7 getFormat() [7/12]

```
static String es.ull.esit.utilities.ExpositoUtilities.getFormat (
            String string,
            int width,
            int alignment )  [static]
```

6.4.1.8 getFormat() [8/12]

```
static String es.ull.esit.utilities.ExpositoUtilities.getFormat (
            String[] strings )  [static]
```

6.4.1.9 getFormat() [9/12]

```
static String es.ull.esit.utilities.ExpositoUtilities.getFormat (
            String[] strings,
            int width )  [static]
```

6.4.1.10 getFormat() [10/12]

```
static String es.ull.esit.utilities.ExpositoUtilities.getFormat (
            String[] strings,
            int[] width )  [static]
```

6.4.1.11 getFormat() [11/12]

```
static String es.ull.esit.utilities.ExpositoUtilities.getFormat (
            String[] strings,
            int[] width,
            int[] alignment )  [static]
```

6.4.1.12 getFormat() [12/12]

```
static String es.ull.esit.utilities.ExpositoUtilities.getFormat (
            String matrixStrings[][],
            int width )  [static]
```

6.4.1.13 isAcyclic()

```
static boolean es.ull.esit.utilities.ExpositoUtilities.isAcyclic (
            int distanceMatrix[][] )  [static]
```

6.4.1.14 isDouble()

```
static boolean es.ull.esit.utilities.ExpositoUtilities.isDouble (
            String str )  [static]
```

6.4.1.15 isInteger()

```
static boolean es.ull.esit.utilities.ExpositoUtilities.isInteger (
            String str )  [static]
```

6.4.1.16 multiplyMatrices()

```
static double [][] es.ull.esit.utilities.ExpositoUtilities.multiplyMatrices (
            double a[][],
            double b[][] )  [static]
```

6.4.1.17 printFile()

```
static void es.ull.esit.utilities.ExpositoUtilities.printFile (
            String file )  [static]
```

6.4.1.18 simplifyString()

```
static String es.ull.esit.utilities.ExpositoUtilities.simplifyString (
            String string )  [static]
```

6.4.1.19 thereIsPath()

```
static boolean es.ull.esit.utilities.ExpositoUtilities.thereIsPath (
            int distanceMatrix[][],
            int node )  [static]
```

6.4.1.20 writeTextToFile()

```
static void es.ull.esit.utilities.ExpositoUtilities.writeTextToFile (
            String file,
            String text ) throws IOException  [static]
```

6.4.2 Member Data Documentation

6.4.2.1 ALIGNMENT_LEFT

```
final int es.ull.esit.utilities.ExpositoUtilities.ALIGNMENT_LEFT = 1  [static]
```

6.4.2.2 ALIGNMENT_RIGHT

```
final int es.ull.esit.utilities.ExpositoUtilities.ALIGNMENT_RIGHT = 2  [static]
```

6.4.2.3 DEFAULT_COLUMN_WIDTH

```
final int es.ull.esit.utilities.ExpositoUtilities.DEFAULT_COLUMN_WIDTH = 10  [static]
```

The documentation for this class was generated from the following file:

- src/main/java/es/ull/esit/utilities/ExpositoUtilities.java

6.5 main.top.mainTOPTW Class Reference

Static Public Member Functions

- static void main (String[ ] args)

6.5.1 Member Function Documentation

6.5.1.1 main()

```
static void main.top.mainTOPTW.main (
            String[] args )  [static]
```

The documentation for this class was generated from the following file:

- src/main/top/mainTOPTW.java

6.6 es.ull.esit.utils.Pair< F, S > Class Template Reference

Public Member Functions

- Pair (F first, S second)
- boolean equals (Object o)
- int hashCode ()

Static Public Member Functions

- static< A, B > Pair< A, B > create (A a, B b)

Public Attributes

- final F first
- final S second

6.6.1 Constructor & Destructor Documentation

6.6.1.1 Pair()

```
es.ull.esit.utils.Pair< F, S >.Pair (
            F first,
            S second )
```

6.6.2 Member Function Documentation

6.6.2.1 create()

```
static <A, B> Pair<A, B> es.ull.esit.utils.Pair< F, S >.create (
            A a,
            B b )  [static]
```

6.6.2.2 equals()

```
boolean es.ull.esit.utils.Pair< F, S >.equals (
            Object o )
```

6.6.2.3 hashCode()

```
int es.ull.esit.utils.Pair< F, S >.hashCode ( )
```

6.6.3 Member Data Documentation

6.6.3.1 first

```
final F es.ull.esit.utils.Pair< F, S >.first
```

6.6.3.2 second

```
final S es.ull.esit.utils.Pair< F, S >.second
```

The documentation for this class was generated from the following file:

- src/main/java/es/ull/esit/utils/Pair.java

6.7 es.ull.esit.utilities.PowerSet< E > Class Template Reference

Inheritance diagram for es.ull.esit.utilities.PowerSet< E >:



Collaboration diagram for es.ull.esit.utilities.PowerSet< E >:



Public Member Functions

- PowerSet (Set< E > set)
- boolean hasNext ()
- Set< E > next ()
- void remove ()
- Iterator< Set< E > > iterator ()

6.7.1 Constructor & Destructor Documentation

6.7.1.1 PowerSet()

```
es.ull.esit.utilities.PowerSet< E >.PowerSet (
            Set< E > set )
```

6.7.2 Member Function Documentation

6.7.2.1 hasNext()

```
boolean es.ull.esit.utilities.PowerSet< E >.hasNext ( )
```

6.7.2.2 iterator()

```
Iterator<Set<E> > es.ull.esit.utilities.PowerSet< E >.iterator ( )
```

6.7.2.3 next()

```
Set<E> es.ull.esit.utilities.PowerSet< E >.next ( )
```

6.7.2.4 remove()

```
void es.ull.esit.utilities.PowerSet< E >.remove ( )
```

The documentation for this class was generated from the following file:

- src/main/java/es/ull/esit/utilities/PowerSet.java

6.8 main.top.TOPTW Class Reference

Public Member Functions

- TOPTW (int nodes, int routes)
- boolean isDepot (int a)
- double getDistance (int[ ] route)
- double getDistance (ArrayList< Integer > route)
- double getDistance (ArrayList< Integer >[ ] routes)
- void calculateDistanceMatrix ()
- double getMaxTimePerRoute ()
- void setMaxTimePerRoute (double maxTimePerRoute)
- double getMaxRoutes ()
- void setMaxRoutes (double maxRoutes)
- int getPOIs ()
- double getDistance (int i, int j)
- double getTime (int i, int j)
- int getNodes ()
- void setNodes (int nodes)
- double getX (int index)
- void setX (int index, double x)
- double getY (int index)
- void setY (int index, double y)
- double getScore (int index)
- double[ ] getScore ()
- void setScore (int index, double score)
- double getReadyTime (int index)
- void setReadyTime (int index, double readyTime)
- double getDueTime (int index)
- void setDueTime (int index, double dueTime)
- double getServiceTime (int index)
- void setServiceTime (int index, double serviceTime)
- int getVehicles ()
- String toString ()
- int addNode ()
- int addNodeDepot ()

6.8.1 Constructor & Destructor Documentation

6.8.1.1 TOPTW()

```
main.top.TOPTW.TOPTW (
            int nodes,
            int routes )
```

6.8.2 Member Function Documentation

6.8.2.1 addNode()

```
int main.top.TOPTW.addNode ( )
```

6.8.2.2 addNodeDepot()

```
int main.top.TOPTW.addNodeDepot ( )
```

6.8.2.3 calculateDistanceMatrix()

```
void main.top.TOPTW.calculateDistanceMatrix ( )
```

6.8.2.4 getDistance() [1/4]

```
double main.top.TOPTW.getDistance (
            ArrayList< Integer > route )
```

6.8.2.5 getDistance() [2/4]

```
double main.top.TOPTW.getDistance (
            ArrayList< Integer >[] routes )
```

6.8.2.6 getDistance() [3/4]

```
double main.top.TOPTW.getDistance (
            int i,
            int j )
```

6.8.2.7 getDistance() [4/4]

```
double main.top.TOPTW.getDistance (
            int[] route )
```

6.8.2.8 getDueTime()

```
double main.top.TOPTW.getDueTime (
            int index )
```

6.8.2.9 getMaxRoutes()

```
double main.top.TOPTW.getMaxRoutes ( )
```

6.8.2.10 getMaxTimePerRoute()

```
double main.top.TOPTW.getMaxTimePerRoute ( )
```

6.8.2.11 getNodes()

```
int main.top.TOPTW.getNodes ( )
```

6.8.2.12 getPOIs()

```
int main.top.TOPTW.getPOIs ( )
```

6.8.2.13 getReadyTime()

```
double main.top.TOPTW.getReadyTime (
            int index )
```

6.8.2.14 getScore() [1/2]

```
double [] main.top.TOPTW.getScore ( )
```

6.8.2.15 getScore() [2/2]

```
double main.top.TOPTW.getScore (
            int index )
```

6.8.2.16 getServiceTime()

```
double main.top.TOPTW.getServiceTime (
            int index )
```

6.8.2.17 getTime()

```
double main.top.TOPTW.getTime (
            int i,
            int j )
```

6.8.2.18 getVehicles()

```
int main.top.TOPTW.getVehicles ( )
```

6.8.2.19 getX()

```
double main.top.TOPTW.getX (
            int index )
```

6.8.2.20 getY()

```
double main.top.TOPTW.getY (
            int index )
```

6.8.2.21 isDepot()

```
boolean main.top.TOPTW.isDepot (
            int a )
```

6.8.2.22 setDueTime()

```
void main.top.TOPTW.setDueTime (
            int index,
            double dueTime )
```

6.8.2.23 setMaxRoutes()

```
void main.top.TOPTW.setMaxRoutes (
            double maxRoutes )
```

6.8.2.24 setMaxTimePerRoute()

```
void main.top.TOPTW.setMaxTimePerRoute (
            double maxTimePerRoute )
```

6.8.2.25 setNodes()

```
void main.top.TOPTW.setNodes (
            int nodes )
```

6.8.2.26 setReadyTime()

```
void main.top.TOPTW.setReadyTime (
            int index,
            double readyTime )
```

6.8.2.27 setScore()

```
void main.top.TOPTW.setScore (
            int index,
            double score )
```

6.8.2.28 setServiceTime()

```
void main.top.TOPTW.setServiceTime (
            int index,
            double serviceTime )
```

6.8.2.29 setX()

```
void main.top.TOPTW.setX (
            int index,
            double x )
```

6.8.2.30 setY()

```
void main.top.TOPTW.setY (
            int index,
            double y )
```

6.8.2.31 toString()

```
String main.top.TOPTW.toString ( )
```

The documentation for this class was generated from the following file:

- src/main/top/TOPTW.java

6.9 main.top.TOPTWEvaluator Class Reference

Public Member Functions

- void evaluate (TOPTWSolution solution)

Static Public Attributes

- static double NO_EVALUATED = -1.0

6.9.1 Member Function Documentation

6.9.1.1 evaluate()

```
void main.top.TOPTWEvaluator.evaluate (
            TOPTWSolution solution )
```

6.9.2 Member Data Documentation

6.9.2.1 NO_EVALUATED

```
double main.top.TOPTWEvaluator.NO_EVALUATED = -1.0  [static]
```

The documentation for this class was generated from the following file:

- src/main/top/TOPTWEvaluator.java

6.10 main.top.TOPTWGRASP Class Reference

Public Member Functions

- TOPTWGRASP (TOPTWSolution sol)
- void GRASP (int maxIterations, int maxSizeRCL)
- int aleatorySelectionRCL (int maxTRCL)
- int fuzzySelectionBestFDRCL (ArrayList< double[ ] > rcl)
- int fuzzySelectionAlphaCutRCL (ArrayList< double[ ] > rcl, double alpha)
- void computeGreedySolution (int maxSizeRCL)
- void updateSolution (double[ ] candidateSelected, ArrayList< ArrayList< Double > > departureTimes)
- ArrayList< double[ ] > comprehensiveEvaluation (ArrayList< Integer > customers, ArrayList< ArrayList< Double > > departureTimes)
- TOPTWSolution getSolution ()
- void setSolution (TOPTWSolution solution)
- int getSolutionTime ()
- void setSolutionTime (int solutionTime)
- double getMaxScore ()

Static Public Attributes

- static double NO_EVALUATED = -1.0

6.10.1 Constructor & Destructor Documentation

6.10.1.1 TOPTWGRASP()

```
main.top.TOPTWGRASP.TOPTWGRASP (
            TOPTWSolution sol )
```

6.10.2 Member Function Documentation

6.10.2.1 aleatorySelectionRCL()

```
int main.top.TOPTWGRASP.aleatorySelectionRCL (
            int maxTRCL )
```

6.10.2.2 comprehensiveEvaluation()

```
ArrayList< double[] > main.top.TOPTWGRASP.comprehensiveEvaluation (
            ArrayList< Integer > customers,
            ArrayList< ArrayList< Double > > departureTimes )
```

6.10.2.3 computeGreedySolution()

```
void main.top.TOPTWGRASP.computeGreedySolution (
            int maxSizeRCL )
```

6.10.2.4 fuzzySelectionAlphaCutRCL()

```
int main.top.TOPTWGRASP.fuzzySelectionAlphaCutRCL (
            ArrayList< double[] > rcl,
            double alpha )
```

6.10.2.5 fuzzySelectionBestFDRCL()

```
int main.top.TOPTWGRASP.fuzzySelectionBestFDRCL (
            ArrayList< double[] > rcl )
```

6.10.2.6 getMaxScore()

```
double main.top.TOPTWGRASP.getMaxScore ( )
```

6.10.2.7 getSolution()

```
TOPTWSolution main.top.TOPTWGRASP.getSolution ( )
```

6.10.2.8 getSolutionTime()

```
int main.top.TOPTWGRASP.getSolutionTime ( )
```

6.10.2.9 GRASP()

```
void main.top.TOPTWGRASP.GRASP (
            int maxIterations,
            int maxSizeRCL )
```

6.10.2.10 setSolution()

```
void main.top.TOPTWGRASP.setSolution (
            TOPTWSolution solution )
```

6.10.2.11 setSolutionTime()

```
void main.top.TOPTWGRASP.setSolutionTime (
            int solutionTime )
```

6.10.2.12 updateSolution()

```
void main.top.TOPTWGRASP.updateSolution (
            double[] candidateSelected,
            ArrayList< ArrayList< Double > > departureTimes )
```

6.10.3 Member Data Documentation

6.10.3.1 NO_EVALUATED

```
double main.top.TOPTWGRASP.NO_EVALUATED = -1.0  [static]
```

The documentation for this class was generated from the following file:

- src/main/top/TOPTWGRASP.java

6.11 main.top.TOPTWReader Class Reference

Static Public Member Functions

- static TOPTW readProblem (String filePath)

6.11.1 Member Function Documentation

6.11.1.1 readProblem()

```
static TOPTW main.top.TOPTWReader.readProblem (
            String filePath )  [static]
```

The documentation for this class was generated from the following file:

- src/main/top/TOPTWReader.java

6.12 main.top.TOPTWRoute Class Reference

Public Member Functions

- int getPredeccesor ()
- int getSuccesor ()
- int getId ()
- void setPredeccesor (int pre)
- void setSuccesor (int suc)
- void setId (int id)

6.12.1 Member Function Documentation

6.12.1.1 getId()

```
int main.top.TOPTWRoute.getId ( )
```

6.12.1.2 getPredeccesor()

```
int main.top.TOPTWRoute.getPredeccesor ( )
```

6.12.1.3 getSuccesor()

```
int main.top.TOPTWRoute.getSuccesor ( )
```

6.12.1.4 setId()

```
void main.top.TOPTWRoute.setId (
            int id )
```

6.12.1.5 setPredeccesor()

```
void main.top.TOPTWRoute.setPredeccesor (
            int pre )
```

6.12.1.6 setSuccesor()

```
void main.top.TOPTWRoute.setSuccesor (
            int suc )
```

The documentation for this class was generated from the following file:

- src/main/top/TOPTWRoute.java

6.13 main.top.TOPTWSolution Class Reference

Public Member Functions

- TOPTWSolution (TOPTW problem)
- void initSolution ()
- boolean isDepot (int c)
- boolean equals (TOPTWSolution otherSolution)
- int getAvailableVehicles ()
- int getCreatedRoutes ()
- double getDistance (int x, int y)
- void setAvailableVehicles (int availableVehicles)
- int getPredecessor (int customer)
- int[ ] getPredecessors ()
- TOPTW getProblem ()
- double getObjectiveFunctionValue ()
- int getPositionInRoute (int customer)
- int getSuccessor (int customer)
- int[ ] getSuccessors ()
- int getIndexRoute (int index)
- double getWaitingTime (int customer)
- void setObjectiveFunctionValue (double objectiveFunctionValue)
- void setPositionInRoute (int customer, int position)
- void setPredecessor (int customer, int predecessor)
- void setSuccessor (int customer, int succesor)
- void setWaitingTime (int customer, int waitingTime)
- String getInfoSolution ()
- double evaluateFitness ()
- int addRoute ()
- double printSolution ()

Static Public Attributes

- static final int NO_INITIALIZED = -1

6.13.1 Constructor & Destructor Documentation

6.13.1.1 TOPTWSolution()

```
main.top.TOPTWSolution.TOPTWSolution (
            TOPTW problem )
```

6.13.2 Member Function Documentation

6.13.2.1 addRoute()

```
int main.top.TOPTWSolution.addRoute ( )
```

6.13.2.2 equals()

```
boolean main.top.TOPTWSolution.equals (
            TOPTWSolution otherSolution )
```

6.13.2.3 evaluateFitness()

```
double main.top.TOPTWSolution.evaluateFitness ( )
```

6.13.2.4 getAvailableVehicles()

```
int main.top.TOPTWSolution.getAvailableVehicles ( )
```

6.13.2.5 getCreatedRoutes()

```
int main.top.TOPTWSolution.getCreatedRoutes ( )
```

6.13.2.6 getDistance()

```
double main.top.TOPTWSolution.getDistance (
            int x,
            int y )
```

6.13.2.7 getIndexRoute()

```
int main.top.TOPTWSolution.getIndexRoute (
            int index )
```

6.13.2.8 getInfoSolution()

```
String main.top.TOPTWSolution.getInfoSolution ( )
```

6.13.2.9 getObjectiveFunctionValue()

```
double main.top.TOPTWSolution.getObjectiveFunctionValue ( )
```

6.13.2.10 getPositionInRoute()

```
int main.top.TOPTWSolution.getPositionInRoute (
            int customer )
```

6.13.2.11 getPredecessor()

```
int main.top.TOPTWSolution.getPredecessor (
            int customer )
```

6.13.2.12 getPredecessors()

```
int [] main.top.TOPTWSolution.getPredecessors ( )
```

6.13.2.13 getProblem()

```
TOPTW main.top.TOPTWSolution.getProblem ( )
```

6.13.2.14 getSuccessor()

```
int main.top.TOPTWSolution.getSuccessor (
            int customer )
```

6.13.2.15 getSuccessors()

```
int [] main.top.TOPTWSolution.getSuccessors ( )
```

6.13.2.16 getWaitingTime()

```
double main.top.TOPTWSolution.getWaitingTime (
            int customer )
```

6.13.2.17 initSolution()

```
void main.top.TOPTWSolution.initSolution ( )
```

6.13.2.18 isDepot()

```
boolean main.top.TOPTWSolution.isDepot (
            int c )
```

6.13.2.19 printSolution()

```
double main.top.TOPTWSolution.printSolution ( )
```

6.13.2.20 setAvailableVehicles()

```
void main.top.TOPTWSolution.setAvailableVehicles (
            int availableVehicles )
```

6.13.2.21 setObjectiveFunctionValue()

```
void main.top.TOPTWSolution.setObjectiveFunctionValue (
            double objectiveFunctionValue )
```

6.13.2.22 setPositionInRoute()

```
void main.top.TOPTWSolution.setPositionInRoute (
            int customer,
            int position )
```

6.13.2.23 setPredecessor()

```
void main.top.TOPTWSolution.setPredecessor (
            int customer,
            int predecessor )
```

6.13.2.24 setSuccessor()

```
void main.top.TOPTWSolution.setSuccessor (
            int customer,
            int succesor )
```

6.13.2.25 setWaitingTime()

```
void main.top.TOPTWSolution.setWaitingTime (
            int customer,
            int waitingTime )
```

6.13.3 Member Data Documentation

6.13.3.1 NO_INITIALIZED

```
final int main.top.TOPTWSolution.NO_INITIALIZED = -1  [static]
```

The documentation for this class was generated from the following file:

- src/main/top/TOPTWSolution.java

Chapter 7

File Documentation

7.1 src/main/java/es/ull/esit/utilities/BellmanFord.java File Reference

Classes

- class es.ull.esit.utilities.BellmanFord

Packages

- package es.ull.esit.utilities

7.2 src/main/java/es/ull/esit/utilities/ExpositoUtilities.java File Reference

Classes

- class es.ull.esit.utilities.ExpositoUtilities

Packages

- package es.ull.esit.utilities

7.3 src/main/java/es/ull/esit/utilities/PowerSet.java File Reference

Classes

- class es.ull.esit.utilities.PowerSet< E >

Packages

- package es.ull.esit.utilities

7.4 src/main/java/es/ull/esit/utils/Pair.java File Reference

Classes

- class es.ull.esit.utils.Pair< F, S >

Packages

- package es.ull.esit.utils

7.5 src/main/resources/archetype-resources/src/main/java/App.java File Reference

Classes

- class $Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.App

Packages

- package $Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven

7.6 src/main/resources/archetype-resources/src/test/java/AppTest.java File Reference

Classes

- class $Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.AppTest

Packages

- package $Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven

7.7 src/main/top/mainTOPTW.java File Reference

Classes

- class main.top.mainTOPTW

Packages

- package main.top

7.8 src/main/top/TOPTW.java File Reference

Classes

- class main.top.TOPTW

Packages

- package main.top

7.9 src/main/top/TOPTWEvaluator.java File Reference

Classes

- class main.top.TOPTWEvaluator

Packages

- package main.top

7.10 src/main/top/TOPTWGRASP.java File Reference

Classes

- class main.top.TOPTWGRASP

Packages

- package main.top

7.11 src/main/top/TOPTWReader.java File Reference

Classes

- class main.top.TOPTWReader

Packages

- package main.top

7.12 src/main/top/TOPTWRoute.java File Reference

Classes

- class main.top.TOPTWRoute

Packages

- package main.top

7.13 src/main/top/TOPTWSolution.java File Reference

Classes

- class main.top.TOPTWSolution

Packages

- package main.top

Index

$Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven, 9
$Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.App, 11
    main, 11
$Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.AppTest, 12
    AppTest, 13
    suite, 13
    testApp, 13

addNode
    main.top.TOPTW, 24
addNodeDepot
    main.top.TOPTW, 24
addRoute
    main.top.TOPTWSolution, 34
aleatorySelectionRCL
    main.top.TOPTWGRASP, 30
ALIGNMENT_LEFT
    es.ull.esit.utilities.ExpositoUtilities, 19
ALIGNMENT_RIGHT
    es.ull.esit.utilities.ExpositoUtilities, 19
AppTest
    $Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.AppTest, 13

BellmanFord
    es.ull.esit.utilities.BellmanFord, 14

calculateDistanceMatrix
    main.top.TOPTW, 24
comprehensiveEvaluation
    main.top.TOPTWGRASP, 30
computeGreedySolution
    main.top.TOPTWGRASP, 30
create
    es.ull.esit.utils.Pair< F, S >, 20

DEFAULT_COLUMN_WIDTH
    es.ull.esit.utilities.ExpositoUtilities, 19

equals
    es.ull.esit.utils.Pair< F, S >, 20
    main.top.TOPTWSolution, 35
es.ull.esit.utilities, 9
es.ull.esit.utilities.BellmanFord, 13
    BellmanFord, 14
    getDistances, 14
    getValue, 14
    solve, 14
es.ull.esit.utilities.ExpositoUtilities, 15
    ALIGNMENT_LEFT, 19
    ALIGNMENT_RIGHT, 19
    DEFAULT_COLUMN_WIDTH, 19
    getFormat, 15–17
    isAcyclic, 17
    isDouble, 17
    isInteger, 18
    multiplyMatrices, 18
    printFile, 18
    simplifyString, 18
    thereIsPath, 18
    writeTextToFile, 18
es.ull.esit.utilities.PowerSet< E >, 21
    hasNext, 22
    iterator, 22
    next, 22
    PowerSet, 22
    remove, 23
es.ull.esit.utils, 9
es.ull.esit.utils.Pair< F, S >, 20
    create, 20
    equals, 20
    first, 21
    hashCode, 20
    Pair, 20
    second, 21
evaluate
    main.top.TOPTWEvaluator, 29
evaluateFitness
    main.top.TOPTWSolution, 35

first
    es.ull.esit.utils.Pair< F, S >, 21
fuzzySelectionAlphaCutRCL
    main.top.TOPTWGRASP, 30
fuzzySelectionBestFDRCL
    main.top.TOPTWGRASP, 30

getAvailableVehicles
    main.top.TOPTWSolution, 35
getCreatedRoutes
    main.top.TOPTWSolution, 35
getDistance
    main.top.TOPTW, 24, 25
    main.top.TOPTWSolution, 35
getDistances
    es.ull.esit.utilities.BellmanFord, 14
getDueTime
    main.top.TOPTW, 25
getFormat

es.ull.esit.utilities.ExpositoUtilities, 15–17
getId
main.top.TOPTWRoute, 33
getIndexRoute
main.top.TOPTWSolution, 35
getInfoSolution
main.top.TOPTWSolution, 35
getMaxRoutes
main.top.TOPTW, 25
getMaxScore
main.top.TOPTWGRASP, 31
getMaxTimePerRoute
main.top.TOPTW, 25
getNodes
main.top.TOPTW, 25
getObjectiveFunctionValue
main.top.TOPTWSolution, 36
getPOIs
main.top.TOPTW, 25
getPositionInRoute
main.top.TOPTWSolution, 36
getPredeccesor
main.top.TOPTWRoute, 33
getPredecessor
main.top.TOPTWSolution, 36
getPredecessors
main.top.TOPTWSolution, 36
getProblem
main.top.TOPTWSolution, 36
getReadyTime
main.top.TOPTW, 25
getScore
main.top.TOPTW, 26
getServiceTime
main.top.TOPTW, 26
getSolution
main.top.TOPTWGRASP, 31
getSolutionTime
main.top.TOPTWGRASP, 31
getSuccesor
main.top.TOPTWRoute, 33
getSuccessor
main.top.TOPTWSolution, 36
getSuccessors
main.top.TOPTWSolution, 36
getTime
main.top.TOPTW, 26
getValue
es.ull.esit.utilities.BellmanFord, 14
getVehicles
main.top.TOPTW, 26
getWaitingTime
main.top.TOPTWSolution, 37
getX
main.top.TOPTW, 26
getY
main.top.TOPTW, 26
GRASP
main.top.TOPTWGRASP, 31

hashCode
es.ull.esit.utils.Pair< F, S >, 20
hasNext
es.ull.esit.utilities.PowerSet< E >, 22

initSolution
main.top.TOPTWSolution, 37
isAcyclic
es.ull.esit.utilities.ExpositoUtilities, 17
isDepot
main.top.TOPTW, 27
main.top.TOPTWSolution, 37
isDouble
es.ull.esit.utilities.ExpositoUtilities, 17
isInteger
es.ull.esit.utilities.ExpositoUtilities, 18
iterator
es.ull.esit.utilities.PowerSet< E >, 22

main
$Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.App, 11
main.top.mainTOPTW, 19
main.top, 9
main.top.mainTOPTW, 19
main, 19
main.top.TOPTW, 23
addNode, 24
addNodeDepot, 24
calculateDistanceMatrix, 24
getDistance, 24, 25
getDueTime, 25
getMaxRoutes, 25
getMaxTimePerRoute, 25
getNodes, 25
getPOIs, 25
getReadyTime, 25
getScore, 26
getServiceTime, 26
getTime, 26
getVehicles, 26
getX, 26
getY, 26
isDepot, 27
setDueTime, 27
setMaxRoutes, 27
setMaxTimePerRoute, 27
setNodes, 27
setReadyTime, 27
setScore, 27
setServiceTime, 28
setX, 28
setY, 28
TOPTW, 24
toString, 28
main.top.TOPTWEvaluator, 28
evaluate, 29

NO_EVALUATED, 29
main.top.TOPTWGRASP, 29
aleatorySelectionRCL, 30
comprehensiveEvaluation, 30
computeGreedySolution, 30
fuzzySelectionAlphaCutRCL, 30
fuzzySelectionBestFDRCL, 30
getMaxScore, 31
getSolution, 31
getSolutionTime, 31
GRASP, 31
NO_EVALUATED, 32
setSolution, 31
setSolutionTime, 31
TOPTWGRASP, 30
updateSolution, 31
main.top.TOPTWReader, 32
readProblem, 32
main.top.TOPTWRoute, 32
getId, 33
getPredeccesor, 33
getSuccesor, 33
setId, 33
setPredeccesor, 33
setSuccesor, 33
main.top.TOPTWSolution, 34
addRoute, 34
equals, 35
evaluateFitness, 35
getAvailableVehicles, 35
getCreatedRoutes, 35
getDistance, 35
getIndexRoute, 35
getInfoSolution, 35
getObjectiveFunctionValue, 36
getPositionInRoute, 36
getPredecessor, 36
getPredecessors, 36
getProblem, 36
getSuccessor, 36
getSuccessors, 36
getWaitingTime, 37
initSolution, 37
isDepot, 37
NO_INITIALIZED, 38
printSolution, 37
setAvailableVehicles, 37
setObjectiveFunctionValue, 37
setPositionInRoute, 37
setPredecessor, 38
setSuccessor, 38
setWaitingTime, 38
TOPTWSolution, 34
multiplyMatrices
es.ull.esit.utilities.ExpositoUtilities, 18

next
es.ull.esit.utilities.PowerSet< E >, 22
NO_EVALUATED
main.top.TOPTWEvaluator, 29
main.top.TOPTWGRASP, 32
NO_INITIALIZED
main.top.TOPTWSolution, 38

Pair
es.ull.esit.utils.Pair< F, S >, 20
PowerSet
es.ull.esit.utilities.PowerSet< E >, 22
printFile
es.ull.esit.utilities.ExpositoUtilities, 18
printSolution
main.top.TOPTWSolution, 37

readProblem
main.top.TOPTWReader, 32
remove
es.ull.esit.utilities.PowerSet< E >, 23

second
es.ull.esit.utils.Pair< F, S >, 21
setAvailableVehicles
main.top.TOPTWSolution, 37
setDueTime
main.top.TOPTW, 27
setId
main.top.TOPTWRoute, 33
setMaxRoutes
main.top.TOPTW, 27
setMaxTimePerRoute
main.top.TOPTW, 27
setNodes
main.top.TOPTW, 27
setObjectiveFunctionValue
main.top.TOPTWSolution, 37
setPositionInRoute
main.top.TOPTWSolution, 37
setPredeccesor
main.top.TOPTWRoute, 33
setPredecessor
main.top.TOPTWSolution, 38
setReadyTime
main.top.TOPTW, 27
setScore
main.top.TOPTW, 27
setServiceTime
main.top.TOPTW, 28
setSolution
main.top.TOPTWGRASP, 31
setSolutionTime
main.top.TOPTWGRASP, 31
setSuccesor
main.top.TOPTWRoute, 33
setSuccessor
main.top.TOPTWSolution, 38
setWaitingTime
main.top.TOPTWSolution, 38
setX
main.top.TOPTW, 28

setY
main.top.TOPTW, 28
simplifyString
es.ull.esit.utilities.ExpositoUtilities, 18
solve
es.ull.esit.utilities.BellmanFord, 14
src/main/java/es/ull/esit/utilities/BellmanFord.java, 39
src/main/java/es/ull/esit/utilities/ExpositoUtilities.java, 39
src/main/java/es/ull/esit/utilities/PowerSet.java, 39
src/main/java/es/ull/esit/utils/Pair.java, 40
src/main/resources/archetype-resources/src/main/java/App.java, 40
src/main/resources/archetype-resources/src/test/java/AppTest.java, 40
src/main/top/mainTOPTW.java, 40
src/main/top/TOPTW.java, 41
src/main/top/TOPTWEvaluator.java, 41
src/main/top/TOPTWGRASP.java, 41
src/main/top/TOPTWReader.java, 41
src/main/top/TOPTWRoute.java, 42
src/main/top/TOPTWSolution.java, 42
suite
$Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.AppTest, 13

testApp
$Pr3ExposiTOPMavenGroupID.Pr3ExposiTOPMaven.AppTest, 13
thereIsPath
es.ull.esit.utilities.ExpositoUtilities, 18
TOPTW
main.top.TOPTW, 24
TOPTWGRASP
main.top.TOPTWGRASP, 30
TOPTWSolution
main.top.TOPTWSolution, 34
toString
main.top.TOPTW, 28

updateSolution
main.top.TOPTWGRASP, 31

writeTextToFile
es.ull.esit.utilities.ExpositoUtilities, 18