Evaluación automática de la accesibilidad

Realizar un comentario respecto a la evaluación automática de la accesibilidad que proporcionan las siguientes herramientas:

- Validadores html y CSS del W3C
- WAVE
- Contraste de colores

Sobre las páginas de inicio de los sitios:

- Cermi
- Cabildo de Tenerife
- La caixa

Análisis de la página web Cermi

Validador HTML del W3C

t">↔

Hemos encontrado los siguientes errores al utilizar la herramienta del W3C

```
Error Attribute xmlns:content not allowed here.
From line 1, column 16; to line 11, column 48
 TYPE html>+ <a href="html">+ <a href="html">+ <a href="html">+ <a href="html">+ <a href="http://purl.org/rss/1.0/modules/content/"→ mlns:dc="http://purl.org/dc/terms/"→ mlns:dc="http://purl.org/d
 xmlns:foaf="http://xmlns.com/foaf/0.1/"← xmlns:og="http://ogp.me/ns#"← xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"← xmlns:sioc="http://rdfs.org/sioc/ns#"←
```

Este error aparece al validar utilizando la etiqueta <!DOCTYPE html>, este validador utiliza las normas de HTML5 donde los atributos xmlns no son válidos, este error aparece tanto para content, rdfs, sioc, sioct ...

```
Error When the attribute xm1:1ang in no namespace is specified, the element must also have the attribute lang present with the same value.
From line 1, column 16; to line 11, column 48
TYPE html>-<html xml:lang="es" version="HTML 5" dir="ltr" wmlns:content="http://purl.org/rss/1.0/modules/content/" xmlns:dc="http://purl.org/dc/terms/" xmlns:foaf="http://xmlns.com/foaf/0.1/" xmlns:og="http://ogp.me/ns#" xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#" xmlns:sioc="http://rdfs.org/sioc/ns#" xmlns:sioct="http://rdfs.org/sioc/types#" xmlns:skos="http://www.w3.org/2004/02/skos/core#" xmlns:xsd="http://www.w3.org/2001/XMLSchema#" xwchea
```

Error debido a que no se especifica al principio del documento lang, por tanto hay que especificarlo en los elementos.

Error The version attribute on the html element is obsolete. You can safely omit it.									
From line 1, column 16; to line 11, column 48									
TYPE html>="ctml wrising="es" version="HTML 5" dir="ltr"= xmlns:content="http://purl.org/rss/1.0/modules/content/"= xmlns:dc="http://purl.org/dc/terms/"= xmlns:do="http://mns.com/foaf/0.1/"= xmlns:og="http://ogp.me/ns#"= xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"= xmlns:sioc="http://rdfs.org/sioc/ns#"= xmlns:sioc="http://rdfs.org/sioc/types#"= xmlns:skos="http://www.w3.org/2004/02/skos/core#"= xmlns:xsd="http://www.w3.org/2001/XMLSchema#"= xmlns:sioc="http://www.w3.org/2001/XMLSchema#"= xmlns:xsd="http://www.w3.org/2001/XMLSchema#"= xmlns:xsd="http://www.w3.org/2001/XMLSchem									
Error When the attribute xm1:lang in no namespace is specified, the element must also have the attribute lang present with the same value.									
From line 109, column 74; to line 109, column 130									
t active"> Españo									
Error Attribute value not allowed on element input at this point.									
From line 123, column 58; to line 123, column 236									
-actions">cinput class="icon-search form-submit" type="image" id="edit-submit" name="submit" value="Buscar" src="https://www.cermi.es/sites/all/themes/cermi/images/ico-									
button-search.png" />									
Error Element input is missing required attribute alt.									
From line 123, column 58; to line 123, column 236									
-actions">cinput class="icon-search form-submit" type="image" id="edit-submit" name="submit" value="Buscar" src="https://www.cermi.es/sites/all/themes/cermi/images/ico-									
button-search.png" />									
Error Bad value banner for attribute role on element h1.									
From line 132, column 5; to line 132, column 50									
per">→									
Error The main element must not appear as a descendant of the main element.									
From line 292, column 7; to line 292, column 24									
t">↩ <mark><main role="main"></main></mark> ↩									
Error A document must not include more than one visible main element.									
From line 292, column 7; to line 292, column 24									
t">↔									

Validador CSS del W3C

Se aprecian los 3 siguientes errores de CSS donde uno de ellos es de análisis sintáctico.



Muchas de las advertencias dadas por esta herramienta se deben a un tema de compatibilidad, por eso W3C no las reconoce.


Herramientas para facilitar la revisión de la accesibilidad según las WCAG



A la hora de analizar la accesibilidad de esta página encontramos 16 errores, 12 de ellos se deben a que las imágenes no presentan texto alternativo, esto se puede entender debido a que muchas de las imágenes son meramente decorativas. Otro de los errores se debe a la definición inadecuado del lang de la página y otros 3 errores por la existencia de botones vacíos.

Contraste de colores

Para el contraste de colores hemos utilizado la herramienta del navegador a11y y no se ha encontrado ningún problema en esta página.



Análisis de la página web Cabildo de Tenerife

Validador HTML del W3C

```
From line 39, column 1; to line 39, column 7

[mid-277">—cstyle—#syst]

Contexts in which element style may be used:
Where metadata content is expected.

In a noscript element that is a child of a head element.

Content model for element body:
Flow content.
```

Este error nos dice que incluye la etiqueta <style> dentro <body> y eso no está permitido .

```
| Error | Bad value | for attribute | Size | on element | Input |: The empty string is not a valid positive integer.
| From line | 19, column 3; to line | 21, column 53 |
| earch'>= | <input type="text" class="fc text filter fc index complete simple fc basic complete fc label internat"= | data-fc label text="Ahadir término" name="searchword" size=" maxlength="280" | id="search searchword" value="Ahadir término" /><input | Size=" maxlength="280" | id="search searchword" value="Ahadir término" /><input | Size=" maxlength="280" | id="search searchword" value="Ahadir término" | id="search searchword" | id="search searchword" value="Ahadir término" | id="search searchword" | id="search searchwo
```

Este error nos dice que dejar el size igualado a un string vacío no está permitido.

```
Error Duplicate attribute class.

At line 167, column 92

136/1750" class="link">Ver más
```

```
Error Bad value https://sede.tenerife.es/sede/es/tramites-y-servicios?filter 15[3]=1] for attribute href on element a: Illegal character in query: [] is not allowed.
From line 295, column 5; to line 295, column 83

[
```

Los siguientes errores de bad value son por usar caracteres que no están permitidos.

```
Error Bad value https://sede.tenerife.es/es/tramites.y-servicios?p=all&filter 16[22]=TRANSPORTES&filter 15[2]=F07.51&filter 15[4]=F07.52&cc=p for attribute href on element
 a: Illegal character in query: [ is not allowed.
Tom line 323, column 5; to line 323, column 5
 Error Bad value https://sede.tenerife.es/es/tramites.y-servicios?p=all&filter_15[2]=F07.Sl&filter_15[3]=F07.S2&cc=p for attribute href on element a: Illegal character in query:
 is not allowed.
      m line 326, column 20; to line 326, column 151
 "masinfo"><a href="https://sede.tenerife.es/es/tramites-y-servicios?p=all&amp;filter_15[2]=F97.51&amp;filter_15[3]=F97.52&amp;cc=p" lang="es">Todas
 Error Bad value /portalcabtfe/es/agenda?filter 245[0]=3 for attribute href on element a: Illegal character in query: [ is not allowed.
 From line 515, column 4; to line 515, column 53
 left">= <a href="/portalcabtfe/es/agenda?filter_245[0]=3">Toda l
   Error Duplicate attribute id.
   At line 518, column 121
   id" value="" id="agenda_date"
Error A Link element must not appear as a descendant of a body element unless the Link element has an itemprop attribute or has a ret attribute whose value contains dos-
prefetch, [module preload], [pingback], [preconnect], [prefetch], [preload], [prerender], \\ \textbf{or} [style sheet].
script>== <link rel="alternate" href="https://www.tenerife.es/portalcabtfe/es/" hreflang="es" />== <li
```

```
A Link element must not appear as a descendant of a body element unless the Link element has an itemprop attribute or has a ret attribute whose value contains dissorbed to the contains at the work of the contains at the contains at the work of the contains at th
```


Se debe proporcionar explícitamente un tipo de propiedad "name".

Validador CSS del W3C

Discu	ilpas! Hemos encontrado las :	siguientes errores (8)					
URI : htt	ps://www.tenerife.es/portalcabtfe/components/	com_flexicontent/librairies/jquery/css/ui-lightness/jquery-ui-	1.9.2.css				
142	.ui-datepicker-cover	Error de análisis sintáctico mask()					
URI : htt	ps://www.tenerife.es/portalcabtfe/components/	com_flexicontent/librairies/select2/select2.css					
717	.select2-results ul.select2-result-sub		Propiedad no válida : margin-bottom Faltan valores o no se reconocen los valores : $\left[0.0.4\text{px}.0\right]$				
813		s .select2-search-field input.select2-input, n-open .select2-choices .select2-search-field	Propiedad no válida : background The first argument to the linear-gradient function should be to top, not top;)				
URI : htt	ps://www.tenerife.es/portalcabtfe/components/	com_flexicontent/templates/cabtfe-frontpage/css/category.c	<u>ess</u>				
315	.group Error de análisis sintáctico this.runtimeStyle.zoom="1", this.appendChild(document.createElement("br")).style.cssText="clear:both;font:0/0 serif")						
URI : htt	ps://www.tenerife.es/portalcabtfe/templates/cal	otfe-1/css/template.css					
2217	button.close		Propiedad no válida : padding Únicamente 0 puede ser un unit. Debe especificarse una unidad detrás de la cifra : [3]				
6315	[data-icon]:before		Propiedad no válida : speak none no es un valor de speak none				
6337	[class^="icon-"]:before, [class*=" icon-"]:before		Propiedad no válida : speak none no es un valor de speak none				
10562	<pre>.menuitem152 .fc_text_filter.fc_index_cor autocomplete-input</pre>	mplete_simple.fc_basic_complete.fc_label_internal.ui	Propiedad no válida : border-width Únicamente 0 puede ser un [unit]. Debe especificarse una unidad detrás de la cifra : [1]				


El error de speak puede presentar un problema al usar herramientas de control de voz.

Herramientas para facilitar la revisión de la accesibilidad según las WCAG



Tiene dos errores, un label incorrecto en el formulario y un botón que está vacío, además también se aprecian cinco errores de bajo contraste entre los elementos de primer plano y el fondo.

• Contraste de colores



Encontramos 3 errores de contraste, se necesitaría una corrección mínima para cumplir con los criterios del WCAG.

Análisis de la página web La Caixa

Validador HTML del W3C

La mayoría de estos errores tienen que ver con el contenido de la etiqueta meta, pero no debería afectar a la accesibilidad.

```
Error Bad value Pragma for attribute http-equiv on element meta.
From line 28, column 1; to line 28, column 45
t=UTF-8">+<meta http-equiv="Pragma" content="no-cache">+<meta
Error Bad value Cache-Control for attribute http-equiv on element meta.
From line 30, column 1; to line 30, column 52
scale=1">-<meta http-equiv="Cache-Control" content="no-cache">-<meta
Error Bad value Expires for attribute http-equiv on element meta.
From line 31, column 1; to line 31, column 40
o-cache">-<meta http-equiv="Expires" content="-1">-<meta
Error Stray end tag link.
From line 100, column 102; to line 100, column 108
ylesheet"></link>~<scri
Error Stray end tag link.
From line 105, column 73; to line 105, column 79
ylesheet"></link>+<titl
Error Bad value for attribute id on element div : An ID must not be the empty string.
From line 386, column 1; to line 386, column 35
ctive -->-<div class="articulo_ligero" id="">--<div
```

Este error nos dice que este id está vacío por lo que puede llevar al error de alguna herramienta de lectura.

Validador CSS del W3C



Encontramos dos errores, uno de sintaxis y otro de propiedad no válida que no deberían de afectar a la accesibilidad.

• Herramientas para facilitar la revisión de la accesibilidad según las WCAG



Encontramos 3 errores de botones vacíos, el resto son errores de bajo contraste con el fondo.

• Contraste de colores



Utilizando la herramienta a11y se detectan dos errores de contraste, en el primer error (la palabra familia) el contraste es de 1,14:1 y en el segundo (el número 1 en gris) es de 2,61:1

Scan redirected URL instead: https://www.caixabank.es/index_es.html

☐ Free analysis of your website using WCAG 2.1 A/AA guidelines

Problems Detected!
Some color contrast issues were found on the webpage tested

Samples of FAILED contrast color-pairs.

Item	Background Color	Text Color	Font		Content	Ratio Failure
1	HEX: #efefef rgb(239,239,239)	HEX: #ffffff rgb(255,255,255)	Family: serif Size: Style: Weight: Line-Height:	OpenSans-Bold, Helvetica, Arial, sans- 18px (13.5pt) normal 400 20px (15pt)	€ Code Snippet 1	Required ratio: 4.5:1 Current ratio: 1.14:1 Increase contrast by at least 294.74% to pass. ① Test Colors 1
2	HEX: #ffffff rgb(255,255,255)	HEX: #a0a0a0 rgb(160,160,160)	Family: Size: Style: Weight: Line-Height:	Arial, Helvetica, sans-serif 30px (22.5pt) normal 700 20px (15pt)	€€ 1 99 Code Snippet 2	Required ratio: 3: Current ratio: 2.61: Increase contrast by at least 14.94% to pass. ① Test Colors 2