

NOTES 01: DATA

Stat 120 | Spring 2026


Prof Amanda Luby

1 The Structure of Data

Cases

Variables

2 Types of Variables



Explanatory

Response


3 Examples

Label the *cases* and *variables*. For each variable, state whether it is *categorical* or *quantitative*. Indicate if there's clear *response* or *explanatory* variables

3.1 Penguins

```
# A tibble: 344 x 8
  species island bill_length_mm bill_depth_mm flipper_length_mm body_mass_g
  <fct>   <fct>         <dbl>         <dbl>          <int>      <int>
1 Adelie Torgersen     39.1          18.7           181       3750
2 Adelie Torgersen     39.5          17.4           186       3800
3 Adelie Torgersen     40.3           18           195       3250
4 Adelie Torgersen     NA           NA            NA         NA
5 Adelie Torgersen     36.7          19.3           193       3450
6 Adelie Torgersen     39.3          20.6           190       3650
7 Adelie Torgersen     38.9          17.8           181       3625
8 Adelie Torgersen     39.2          19.6           195       4675
9 Adelie Torgersen     34.1          18.1           193       3475
10 Adelie Torgersen     42           20.2           190       4250
# i 334 more rows
# i 2 more variables: sex <fct>, year <int>
```

3.2 Price of diamonds by carat and cut quality



3.3 Is there a "Sprinting Gene"?

A gene called ACTN3 encodes a protein which functions in fast-twitch muscles. Some people have a variant of this gene that cannot yield this protein. To address the question of whether this gene is associated with sprinting ability, geneticists tested people from three different groups: world-class sprinters, world-class marathon runners, and a control group of non-athletes. In the same test, 6% of the sprinters had the gene variant, compared with 18% of non-athletes and 24% of the marathon runners.

Sketch out a possible dataset, and then answer the questions.