


AUTENTIFICAÇÃO


1 - CRIO A ROTA DE AUTENTICAÇÃO



2 - RODO OS COMANDOS

```
npm install react-hook-form @hookform/resolvers zod
npx shadcn add card field input tabs textarea
npm i better-auth
```

3 - FAÇO A CRIAÇÃO DA ESTRUTURA



4 - FAÇO A CRIAÇÃO DO MEU SCHEMA

```
import * as z from 'zod'

export const loginSchema = z.object({
  email: z.string().email('E-mail inválido'),
  password: z.string().min(8, 'A senha deve ter 8+ caracteres'),
})

export const registerSchema = z
  .object({
    name: z.string().min(3, 'Mínimo 3 caracteres'),
    email: z.string().email('E-mail inválido'),
    password: z.string().min(8, 'A senha deve ter 8+ caracteres'),
    confirmPassword: z.string().min(8, 'Confirme sua senha'),
  })
```

```

    })
    .refine((data) => data.password === data.confirmPassword, {
      message: 'As senhas precisam ser iguais',
      path: ['confirmPassword'],
    })
  })

export type LoginValues = z.infer<typeof loginSchema>
export type RegisterValues = z.infer<typeof registerSchema>

```

5 - CRIO O COMPONENTE QUE IRÁ CHAMAR OS FILHOS

```

import { Card, CardContent } from '@components/ui/card'
import { Tabs, TabsContent, TabsList, TabsTrigger } from '@components/ui/tabs'

import { LoginForm } from './components/login-form'
import { RegisterForm } from './components/register-form'

export function AuthForm() {
  return (
    <div className="flex w-full justify-center">
      <Tabs
        defaultValue="sign-in"
        className="w-full max-w-md flex flex-col gap-4"
      >
        {/* Tabs Header */}
        <TabsList className="grid w-full grid-cols-2 bg-muted p-1 rounded-lg">
          <TabsTrigger
            value="sign-in"
            className="
              rounded-md px-4 py-2 text-sm font-medium
              transition-all duration-200
              data-[state=active]:bg-background
              data-[state=active]:shadow-sm
              data-[state=active]:text-foreground
              data-[state=inactive]:text-muted-foreground
            "
          >
            Entrar
          </TabsTrigger>

          <TabsTrigger
            value="sign-up"
            className="
              rounded-md px-4 py-2 text-sm font-medium
              transition-all duration-200
              data-[state=active]:bg-background
              data-[state=active]:shadow-sm
              data-[state=active]:text-foreground
              data-[state=inactive]:text-muted-foreground
            "
          >
            Criar
          </TabsTrigger>
        </TabsList>

        <LoginForm />
        <RegisterForm />
      </div>
    )
  }

```

```

    >
      Criar conta
    </TabsTrigger>
  </TabsList>

  { /* LOGIN */ }
  <TabsContent
    value="sign-in"
    className="
      w-full
      data-[state=active]:animate-in
      data-[state=active]:fade-in
      data-[state=active]:zoom-in-95
    "
  >
    <Card className="border bg-background/95 shadow-lg backdrop-blur">
      <CardContent className="p-6">
        <LoginForm />
      </CardContent>
    </Card>
  </TabsContent>

  { /* REGISTER */ }
  <TabsContent
    value="sign-up"
    className="
      w-full
      data-[state=active]:animate-in
      data-[state=active]:fade-in
      data-[state=active]:zoom-in-95
    "
  >
    <Card className="border bg-background/95 shadow-lg backdrop-blur">
      <CardContent className="p-6">
        <RegisterForm />
      </CardContent>
    </Card>
  </TabsContent>
</Tabs>
</div>
)
}

```

6 - CRIO OS COMPONENTES FILHOS

```

'use client'

import { zodResolver } from '@hookform/resolvers/zod'
import { Controller, useForm } from 'react-hook-form'

```

```

import { Button } from '@components/ui/button'
import { CardDescription, CardHeader, CardTitle } from '@components/ui/card'
import {
  Field,
  FieldContent,
  FieldDescription,
  FieldError,
  FieldGroup,
  FieldLabel,
} from '@components/ui/field'
import { Input } from '@components/ui/input'

import { loginSchema, type LoginValues } from '../schema/auth-schemas'

export function LoginForm() {
  const form = useForm<LoginValues>({
    resolver: zodResolver(loginSchema),
    defaultValues: {
      email: '',
      password: '',
    },
  })

  const onSubmit = (data: LoginValues) => {
    console.log('Login:', data)
  }

  return (
    <>
      <CardHeader className="p-0 border-none mb-4">
        <CardTitle>Entrar</CardTitle>
        <CardDescription>Faça login para continuar.</CardDescription>
      </CardHeader>

      <form className="space-y-5" onSubmit={form.handleSubmit(onSubmit)}>
        <FieldGroup>
          <Controller
            name="email"
            control={form.control}
            render={({ field, fieldState }) => (
              <Field data-invalid={fieldState.invalid}>
                <FieldContent>
                  <FieldLabel htmlFor="login-email">E-mail</FieldLabel>
                  <Input
                    {...field}
                    id="login-email"
                    type="email"
                    autoComplete="email"
                    placeholder="voce@exemplo.com"
                    aria-invalid={fieldState.invalid}
                  />
                  {fieldState.invalid && (
                    <FieldError errors={[fieldState.error]} />

```

```

    })
    </FieldContent>
  </Field>
})
/>

<Controller
  name="password"
  control={form.control}
  render={({ field, fieldState }) => (
    <Field data-invalid={fieldState.invalid}>
      <FieldContent>
        <FieldLabel htmlFor="login-password">Senha</FieldLabel>
        <Input
          {...field}
          id="login-password"
          type="password"
          autoComplete="current-password"
          placeholder="Sua senha"
          aria-invalid={fieldState.invalid}
        />
        <FieldDescription>Use a senha da sua conta.
      </FieldDescription>
      {fieldState.invalid && (
        <FieldError errors={[fieldState.error]} />
      )}
    </FieldContent>
  </Field>
  )}
/>
</FieldGroup>

<Button className="w-full" type="submit">
  Entrar
</Button>
</form>
</>
)
}

```

```

'use client'

import { zodResolver } from '@hookform/resolvers/zod'
import { Controller, useForm } from 'react-hook-form'

import { Button } from '@components/ui/button'
import {
  Field,
  FieldContent,

```

```

FieldDescription,
FieldError,
FieldGroup,
FieldLabel,
} from '@components/ui/field'
import { Input } from '@components/ui/input'

import { registerSchema, type RegisterValues } from '../schema/auth-schemas'

export function RegisterForm() {
  const form = useForm<RegisterValues>({
    resolver: zodResolver(registerSchema),
    defaultValues: {
      name: '',
      email: '',
      password: '',
      confirmPassword: '',
    },
  })

  const onSubmit = (data: RegisterValues) => {
    console.log('Register:', data)
  }

  return (
    <form className="space-y-5" onSubmit={form.handleSubmit(onSubmit)}>
      <FieldGroup className="gap-4">
        <div className="grid gap-4 md:grid-cols-2">
          <Controller
            name="name"
            control={form.control}
            render={({ field, fieldState }) => (
              <Field data-invalid={fieldState.invalid}>
                <FieldContent>
                  <FieldLabel htmlFor="register-name">Nome</FieldLabel>
                  <Input
                    {...field}
                    id="register-name"
                    autoComplete="name"
                    placeholder="Seu nome"
                    aria-invalid={fieldState.invalid}
                  />
                  {fieldState.invalid && (
                    <FieldError errors={fieldState.error} />
                  )}
                </FieldContent>
              </Field>
            )}
          </Controller>
          <Controller
            name="email"
            control={form.control}

```

```

render=(({ field, fieldState }) => (
  <Field data-invalid={fieldState.invalid}>
    <FieldContent>
      <FieldLabel htmlFor="register-email">E-mail</FieldLabel>
      <Input
        {...field}
        id="register-email"
        type="email"
        autoComplete="email"
        placeholder="voce@exemplo.com"
        aria-invalid={fieldState.invalid}
      />
      {fieldState.invalid && (
        <FieldError errors={[fieldState.error]} />
      )}
    </FieldContent>
  </Field>
)}
/>
</div>

<Controller
  name="password"
  control={form.control}
  render=(({ field, fieldState }) => (
    <Field data-invalid={fieldState.invalid}>
      <FieldContent>
        <FieldLabel htmlFor="register-password">Senha</FieldLabel>
        <Input
          {...field}
          id="register-password"
          type="password"
          autoComplete="new-password"
          placeholder="Mínimo de 8 caracteres"
          aria-invalid={fieldState.invalid}
        />
        <FieldDescription>Mínimo de 8 caracteres.</FieldDescription>
        {fieldState.invalid && (
          <FieldError errors={[fieldState.error]} />
        )}
      </FieldContent>
    </Field>
  )}
/>

<Controller
  name="confirmPassword"
  control={form.control}
  render=(({ field, fieldState }) => (
    <Field data-invalid={fieldState.invalid}>
      <FieldContent>
        <FieldLabel htmlFor="register-confirm-password">
          Confirmar senha

```

```

        </FieldLabel>
        <Input
            {...field}
            id="register-confirm-password"
            type="password"
            autoComplete="new-password"
            placeholder="Repita sua senha"
            aria-invalid={fieldState.invalid}
        />
        {fieldState.invalid && (
            <FieldError errors={[fieldState.error]} />
        )}
    </FieldContent>
</Field>
    )}
  />
</FieldGroup>

    <Button className="w-full" type="submit">
        Criar conta
    </Button>
</form>
)
}

```