

DPR-VIEW-01 · Working tree after · SiteReport

Mockup DPR409 numbers, explicitly fixture-only. Not live auth. No production writes.

DPR FIXTURE

NOT LIVE AUTH

Daily Progress Report

Submitted

Road

DPR-409

DPR409 isolated fixture



Date

October 2nd, 2026



Site Name

alladurg pwd road to pampad



Engineer

DPR409 fixture engineer



Draft created by User unavailable — Oct 2, 2026, 7:30 AM



Submitted by User unavailable — Oct 2, 2026, 6:30 PM

Road

1

Activities

3

Equipment

2

Workers

42.000 L

Total Diesel

Activity Progress

Road DPR

Wet Mix Macadam

Details ▼

0+280 → 0+380 Measured: 56.25 CUM BOQ: 56.25 Cum

Equipment Log

Machine	Work	Usage	Diesel	Consumption	Notes
SOIL COMPACTOR TS08JG4572 Hired · Nafeez Monthly Operator: Ramesh	Wet Mix Macadam 7.4 h Compacting WMM lift	2,594.4 → 2,595.5 = 1.1 h	20.0 L tank 54.0 → 62.5 ✓	10.5 L/hr measured ✓ norm 9.0 L/hr ▲ 16%	Plant stock

Machine day: 1

Entry / hire type: monthly

Daily status: Working

Status reason: Saved fixture status reason

Breakdowns: 0

Opening / closing meter: 2594.4 / 2595.5

Start / end time: 9:50 AM / 5:13 PM

Clock duration: 7 h 23 min

Saved operating quantity: 1.100 h

Calculated preview quantity: 1.100 h

Usage basis: hour meter

Trips / one-way distance: — / — km

Diesel issued: 20.000 L

Opening / closing tank: 54.000 / 62.500 L

Physical tank balance: Confirmed

Saved expected diesel: 9.900 L

Fuel-summary expected: 9.900 L

Issued – saved expected: 10.100 L

Saved norm: 9.000 L/hr

Current master norm (reference): 9.000 L/hr

DPR snapshot consumed: 11.500 L

DPR snapshot consumed – expected variance: 1.600 L

Diesel source: Plant stock

Fuel station / bill / amount: — / — / —

Work assignments / segments:

🕒 WORK ASSIGNMENT

Wet Mix Macadam

9:50 AM → 5:13 PM

7 h 24 min

Assigned: 7 h 23 min **Unassigned: 0 min** Machine Day: 7 h 23 min

Saved segment links:

Segment 1 · 9:50 AM → 5:13 PM · saved 7.400 h

Machine	Work	Usage	Diesel	Consumption	Notes
BOQ #7 Breakdown / stoppage audit: —					
TRACTOR – RATNAM 0930 Hired · Ratnam Monthly Operator: Yovan	Wet Mix Macadam 8.2 h Compacting WMM lift	5,193.3 → 5,196.4 = 3.1 h	5.0 L tank 10.0 → 10.0 ✓	1.6 L/hr measured ✓ norm 4.0 L/hr check ▼ 60%	Plant stock
Machine day: 2 Entry / hire type: monthly Daily status: Working Status reason: Saved fixture status reason Breakdowns: 0 Opening / closing meter: 5193.3 / 5196.4 Start / end time: 9:56 AM / 6:10 PM Clock duration: 8 h 14 min Saved operating quantity: 3.100 h Calculated preview quantity: 3.100 h Usage basis: hour meter Trips / one-way distance: — / — km Diesel issued: 5.000 L Opening / closing tank: 10.000 / 10.000 L Physical tank balance: Confirmed Saved expected diesel: 12.400 L Fuel-summary expected: 12.400 L Issued – saved expected: -7.400 L Saved norm: 4.000 L/hr Current master norm (reference): 4.000 L/hr DPR snapshot consumed: 5.000 L DPR snapshot consumed – expected variance: -7.400 L Diesel source: Plant stock Fuel station / bill / amount: — / — / — Work assignments / segments:					
 WORK ASSIGNMENT					
Wet Mix Macadam 9:56 AM → 6:10 PM 8 h 12 min					
Assigned: 8 h 14 min Unassigned: 0 min Machine Day: 8 h 14 min Saved segment links: Segment 1 · 9:56 AM → 6:10 PM · saved 8.200 h BOQ #7 Breakdown / stoppage audit: —					

Machine	Work	Usage	Diesel	Consumption	Notes
TRACTOR DOZER TS34TA8581 Hired · Mahipal Monthly Operator: Nagesh	Wet Mix Macadam 2.8 h Compacting WMM lift	8,819.1 → 8,820.5 = 1.4 h	17.0 L tank 2.0 → 15.0 ✓	2.9 L/hr measured ✓ norm 2.5 L/hr ▲ 14%	Plant stock

Machine day: 3
Entry / hire type: monthly
Daily status: Working
Status reason: Saved fixture status reason
Breakdowns: 0
Opening / closing meter: 8819.1 / 8820.5
Start / end time: 2:40 PM / 5:30 PM
Clock duration: 2 h 50 min
Saved operating quantity: 1.400 h
Calculated preview quantity: 1.400 h
Usage basis: hour meter
Trips / one-way distance: — / — km
Diesel issued: 17.000 L
Opening / closing tank: 2.000 / 15.000 L
Physical tank balance: Confirmed
Saved expected diesel: 3.500 L
Fuel-summary expected: 3.500 L
Issued – saved expected: 13.500 L
Saved norm: 2.500 L/hr
Current master norm (reference): 2.500 L/hr
DPR snapshot consumed: 4.000 L
DPR snapshot consumed – expected variance: 0.500 L
Diesel source: Plant stock
Fuel station / bill / amount: — / — / —
Work assignments / segments:

 WORK ASSIGNMENT

Wet Mix Macadam

2:40 PM → 5:30 PM

2 h 48 min

Assigned: 2 h 50 min **Unassigned: 0 min** Machine Day: 2 h 50 min

Saved segment links:
Segment 1 · 2:40 PM → 5:30 PM · saved 2.800 h
BOQ #7
Breakdown / stoppage audit:
—

Total · 3 machines 5.600 h 0.000 km 42.000 L issued 25.800 L expected
16.200 L issued – expected

Measured ✓ uses canonical confirmed performance when available, otherwise the confirmed DPR tank snapshot (opening + issued – closing). Issued uses diesel issued ÷ recorded usage; it can read high when the tank was topped up ahead. Vehicles use km/L. ✓ is within ±10% of norm; ▲ is more than 10% worse; amber check ▼ is more than 10% better — check diesel entries and readings. Clock duration and calculated previews are separate audit facts. Snapshot variance is consumed – expected; totals difference is issued – saved expected. Assignment validation uses machine-day clock duration; segments are clock times, and gaps and partial assignment are allowed. Meter working hours use opening/closing meter difference; vehicle distance uses odometer or recorded round trips.

Labour Strength

Category	Gender	Count	Hours	Task/Work	Contractor/Gang
Skilled	Male	1	8 h	WMM	Fixture gang
Unskilled	Male	1	7.5 h	-	-

Materials Log

Materials Received

alladurg pwd road to pampad · 2026-10-02

No materials received this day.

Materials Consumed / Issued

Bulk vehicle deliveries are tracked separately in Materials Received.

No materials consumed or issued recorded.

Activity Photos

No photos attached