

DPR-22601

DPR Browser Fixture



Date

August 5th, 2026



Site Name

**NARASIMHULU
ROAD**



Engineer

SURESH KUMAR



Draft created by User
unavailable — Aug 5,
2026, 4:00 PM

Road

1

Activities

11

Equipment

2

Workers

 **77.000 L**

Total Diesel

 **1**

Purchases

Activity Progress

Road DPR

GSB LAYING

Details ▼

12+000 → 12+100 Measured: 700 SQM BOQ: 700 Sqm

Equipment Log

Machine	Vehicle No	Operator	Task	Time/Meter	Operating Quantity	Diesel (L)	Expected Diesel	Norm / Efficiency	Breakdown / Stoppage	Diesel Source
SYNTHETIC B2 HOURS Hourly Hire Machine day: 1 Entry / Hire Type: hourly Daily Status: Working Status Reason: Synthetic shift note Breakdowns: 1	SYN-B2-HOURS	RAJU	Synthetic incidental diversion Non-BOQ / Incidental Work — Not a BOQ item — not payable progress. ⌚ WORK ASSIGNMENT GSB LAYING 8:00 AM → 10:00 AM 2 h Assigned: 2 h Unassigned: 2 h Machine Day: 4 h Assignment validation uses the machine-day Clock Duration (4 h). Assignment segments are clock times; gaps and partial assignment are allowed.	Opening Meter: 100 Closing Meter: 108 Start Time: 8:00 AM End Time: 12:00 PM Clock Duration: 4 h Meter Working Hours come from the opening and closing meter difference. Clock duration is shown separately.	Saved quantity: 8.000 h Meter Working Hours : 8.00 h	20 Diesel Issued / Added: 20.00 L Opening Tank (L): 10.00 L Closing Tank / Physical Dip (L): 20.00 L Physical Tank Balance: Confirmed	Saved expected: 40.000 L Fuel-summary expected: 40.00 L	Norm: 5.000 L/hr Actual: unavailable (multiple same-day records; source rate cannot be isolated safely) Issued – expected: -20.000 L DPR snapshot consumed: 10.00 L DPR snapshot consumed – expected variance: -30.00 L These fuel facts use the saved DPR snapshot, not the canonical performance record; a positive variance means more fuel was consumed than expected.	Synthetic authoritative hydraulic hose 10:00 AM–11:30 AM · 1 h 30 min Responsibility: vendor · Repair/payment scope: vendor · Debitable to vendor: Yes Remarks: Synthetic repair paid by vendor. Synthetic long audit note preserves responsibility, work assignment, fuel evidence and repair history across printed page boundaries. Synthetic long audit note preserves responsibility, work assignment, fuel evidence and repair history across printed page boundaries. Synthetic long audit note preserves responsibility, work assignment, fuel evidence and repair history across printed page boundaries. Synthetic long audit note preserves responsibility, work assignment, fuel evidence and repair history across printed page boundaries. Synthetic long audit note preserves responsibility, work assignment, fuel evidence and repair history across printed page boundaries.	Plant Stock

Machine	Vehicle No	Operator	Task	Time/Meter	Operating Quantity	Diesel (L)	Expected Diesel	Norm / Efficiency	Breakdown / Stoppage	Diesel Source
									Synthetic long audit note preserves responsibility, work assignment, fuel evidence and repair history across printed page boundaries. Synthetic long audit note preserves responsibility, work assignment, fuel evidence and repair history across printed page boundaries. SYNTHETIC_DPR20_LONG_REFERENCE_ABCDEFGHIJKLMNOPQRSTUVWXYZ_0123456789_ABCDEFGHIJKLMNOPQRSTUVWXYZ DPR20_LONG_NOTE_END View attachment: synthetic-dpr20-hose.svg	
SYNTHETIC B2 ODOMETER Daily Hire Machine day: 2 Entry / Hire Type: daily Daily Status: Idle · Operator Unavailable Status Reason: Synthetic operator unavailable	SYN-D20-02	RAJU	 WORK ASSIGNMENT No BOQ item assigned to this machine day. Assigned: 0 min Unassigned: 4 h Machine Day: 4 h	Opening Odometer: 200 Closing Odometer: 240 Start Time: 1:00 PM End Time: 5:00 PM Clock Duration: 4 h Distance comes from the odometer or trip calculation . Clock	Saved quantity: 40.000 km Calculated Distance: 40.00 km	0 Diesel Issued / Added: 0.00 L Opening Tank (L): 20.00 L Closing Tank / Physical Dip (L): 15.00 L Physical Tank Balance: Confirmed	Saved expected: 12.000 L Fuel-summary expected: 12.00 L	Norm: 0.300 L/km Actual: 0.200 L/km Confirmed tank consumption; distance from recorded odometer readings. Issued – expected: -12.000 L DPR snapshot consumed: 5.00 L DPR snapshot	—	Plant Stock

Machine	Vehicle No	Operator	Task	Time/Meter	Operating Quantity	Diesel (L)	Expected Diesel	Norm / Efficiency	Breakdown / Stoppage	Diesel Source
			Assignment validation uses the machine-day Clock Duration (4 h). Assignment segments are clock times; gaps and partial assignment are allowed.	duration is shown separately.				consumed – expected variance: -7.00 L These fuel facts use the saved DPR snapshot, not the canonical performance record; a positive variance means more fuel was consumed than expected.		
SYNTHETIC B2 ZERO Machine day: 3 Entry / Hire Type: time meter Daily Status: Breakdown	SYN-D20-03	-	🕒 WORK ASSIGNMENT No BOQ item assigned to this machine day. Assigned: 0 min Unassigned: 2 h Machine Day: 2 h Assignment validation uses the machine-day Clock Duration (2 h). Assignment segments are clock times; gaps and partial assignment are allowed.	Opening Meter: 100 Closing Meter: 102 Start Time: 8:00 AM End Time: 10:00 AM Clock Duration: 2 h Meter Working Hours come from the opening and closing meter difference. Clock duration is shown separately.	Saved quantity: 2.000 h Meter Working Hours : 2.00 h	0 Diesel Issued / Added: 0.00 L Opening Tank (L): 10.00 L Closing Tank / Physical Dip (L): 10.00 L Physical Tank Balance: Confirmed	Saved expected: 10.000 L Fuel-summary expected: 10.00 L	Norm: 5.000 L/hr Actual: 0.000 L/hr Confirmed tank consumption; runtime from recorded hour-meter readings. Issued – expected: -10.000 L DPR snapshot consumed: 0.00 L DPR snapshot consumed – expected variance: -10.00 L These fuel facts use the saved DPR snapshot, not the canonical performance record; a positive variance means more fuel was consumed than expected.	—	Plant Stock

Machine	Vehicle No	Operator	Task	Time/Meter	Operating Quantity	Diesel (L)	Expected Diesel	Norm / Efficiency	Breakdown / Stoppage	Diesel Source
SYNTHETIC B2 PENDING Machine day: 4 Entry / Hire Type: time meter Daily Status: Breakdown	SYND20-03	-	🕒 WORK ASSIGNMENT No BOQ item assigned to this machine day. Assigned: 0 min Unassigned: 3 h Machine Day: 3 h Assignment validation uses the machine-day Clock Duration (3 h). Assignment segments are clock times; gaps and partial assignment are allowed.	Opening Meter: 310 Closing Meter: 312 Start Time: 2:00 PM End Time: 5:00 PM Clock Duration: 3 h Meter Working Hours come from the opening and closing meter difference. Clock duration is shown separately.	Saved quantity: 2.000 h Meter Working Hours : 2.00 h	4 Diesel Issued / Added: 4.00 L Opening Tank (L): 20.00 L Closing Tank / Physical Dip (L): 15.00 L Physical Tank Balance: Pending confirmation Physical tank balance has not been confirmed.	Saved expected: — Fuel-summary expected: 10.00 L	Norm: 5.000 L/hr Actual: pending confirmed tank / usage data DPR snapshot consumed: 9.00 L DPR snapshot consumed – expected variance: -1.00 L Current master norm (reference): 5.00 L/hr These fuel facts use the saved DPR snapshot, not the canonical performance record; a positive variance means more fuel was consumed than expected.	—	Plant Stock
SYNTHETIC B2 NO RUNTIME Machine day: 5 Entry / Hire Type: time meter Daily Status: Working Usage warning: No hour meter reading or start/end time entered.	-	-	🕒 WORK ASSIGNMENT No BOQ item assigned to this machine day. Assigned: 0 min	Opening Meter: — Closing Meter: — Start Time: — End Time: — Clock Duration: — No hour-meter difference is available. Clock duration is shown separately	Saved quantity: — Meter Working Hours : —	10 Diesel Issued / Added: 10.00 L Opening Tank (L): 20.00 L Closing Tank / Physical Dip (L): 15.00 L Physical Tank Balance: Confirmed	Saved expected: — Fuel-summary expected: —	Norm: 5.000 L/hr Actual: unavailable (runtime or distance is missing) DPR snapshot consumed: 15.00 L DPR snapshot consumed – expected variance: — Current master norm (reference): 5.00 L/hr These fuel facts use the	—	Plant Stock

Machine	Vehicle No	Operator	Task	Time/Meter	Operating Quantity	Diesel (L)	Expected Diesel	Norm / Efficiency	Breakdown / Stoppage	Diesel Source
				and is not labelled as meter working time.				saved DPR snapshot, not the canonical performance record; a positive variance means more fuel was consumed than expected.		
SYNTHETIC B2 EXCLUDED Machine day: 6 Entry / Hire Type: time meter Daily Status: Breakdown	SYN-D20-03	-	🕒 WORK ASSIGNMENT No BOQ item assigned to this machine day. Assigned: 0 min Unassigned: 3 h Machine Day: 3 h Assignment validation uses the machine-day Clock Duration (3 h). Assignment segments are clock times; gaps and partial assignment are allowed.	Opening Meter: 310 Closing Meter: 312 Start Time: 2:00 PM End Time: 5:00 PM Clock Duration: 3 h Meter Working Hours come from the opening and closing meter difference. Clock duration is shown separately.	Saved quantity: — Meter Working Hours : 2.00 h	4 Diesel Issued / Added: 4.00 L Opening Tank (L): 20.00 L Closing Tank / Physical Dip (L): 15.00 L Physical Tank Balance: Confirmed	Saved expected: — Fuel-summary expected: 10.00 L	Norm: 5.000 Actual: unavailable (no matching canonical performance record) DPR snapshot consumed: 9.00 L DPR snapshot consumed – expected variance: -1.00 L These fuel facts use the saved DPR snapshot, not the canonical performance record; a positive variance means more fuel was consumed than expected.	—	Plant Stock
SYNTHETIC B2 HOURS SECOND SHIFT Hourly Hire Machine day: 7 Entry / Hire Type: hourly	SYN-D20-01	RAJU	🕒 WORK ASSIGNMENT No BOQ item assigned to this machine day.	Opening Meter: 108 Closing Meter: 110 Start Time: 1:00 PM End Time: 3:00 PM Clock Duration: 2 h	Saved quantity: 2.000 h Meter Working Hours : 2.00 h	5 Diesel Issued / Added: 5.00 L Opening Tank (L): 20.00 L Closing Tank / Physical Dip (L): 22.00 L	Saved expected: 10.000 L Fuel-summary expected: 10.00 L	Norm: 5.000 L/hr Actual: unavailable (multiple same-day records; source rate cannot be isolated safely) Issued – expected: -5.000 L	—	Plant Stock

Machine	Vehicle No	Operator	Task	Time/Meter	Operating Quantity	Diesel (L)	Expected Diesel	Norm / Efficiency	Breakdown / Stoppage	Diesel Source
Daily Status: Working Status Reason: Synthetic shift note			Assigned: 0 min Unassigned: 2 h Machine Day: 2 h Assignment validation uses the machine-day Clock Duration (2 h). Assignment segments are clock times; gaps and partial assignment are allowed.	Meter Working Hours come from the opening and closing meter difference. Clock duration is shown separately.		Physical Tank Balance: Confirmed		DPR snapshot consumed: 3.00 L DPR snapshot consumed – expected variance: -7.00 L These fuel facts use the saved DPR snapshot, not the canonical performance record; a positive variance means more fuel was consumed than expected.		
SYNTHETIC B2 LEGACY EXACT LOG Machine day: 8 Entry / Hire Type: time meter Daily Status: Not specified	-	-	 WORK ASSIGNMENT No BOQ item assigned to this machine day. Assigned: 0 min Unassigned: 1 h Machine Day: 1 h Assignment validation uses the machine-day Clock Duration (1 h). Assignment segments are clock times; gaps and partial assignment are allowed.	Opening Meter: 102 Closing Meter: 103 Start Time: 12:00 PM End Time: 1:00 PM Clock Duration: 1 h Meter Working Hours come from the opening and closing meter difference. Clock duration is shown separately.	Saved quantity: 1.000 h Meter Working Hours: 1.00 h	4 Diesel Issued / Added: 4.00 L Opening Tank (L): 10.00 L Closing Tank / Physical Dip (L): 5.00 L Physical Tank Balance: Confirmed	Saved expected: — Fuel-summary expected: 5.00 L	Norm: 5.000 L/hr Actual: pending confirmed tank / usage data DPR snapshot consumed: 9.00 L DPR snapshot consumed – expected variance: +4.00 L These fuel facts use the saved DPR snapshot, not the canonical performance record; a positive variance means more fuel was consumed than expected.	—	Plant Stock

Machine	Vehicle No	Operator	Task	Time/Meter	Operating Quantity	Diesel (L)	Expected Diesel	Norm / Efficiency	Breakdown / Stoppage	Diesel Source
SYNTHETIC B2 SINGLE CANONICAL Hourly Hire Machine day: 9 Entry / Hire Type: hourly Daily Status: Working Status Reason: Synthetic shift note	SYNB2-SINGLE	RAJU	🕒 WORK ASSIGNMENT No BOQ item assigned to this machine day. Assigned: 0 min Unassigned: 4 h Machine Day: 4 h Assignment validation uses the machine-day Clock Duration (4 h). Assignment segments are clock times; gaps and partial assignment are allowed.	Opening Meter: 100 Closing Meter: 108 Start Time: 8:00 AM End Time: 12:00 PM Clock Duration: 4 h Meter Working Hours come from the opening and closing meter difference. Clock duration is shown separately.	Saved quantity: 8.000 h Meter Working Hours : 8.00 h	20 Diesel Issued / Added: 20.00 L Opening Tank (L): 10.00 L Closing Tank / Physical Dip (L): 20.00 L Physical Tank Balance: Confirmed	Saved expected: 40.000 L Fuel-summary expected: 40.00 L	Norm: 5.000 L/hr Actual: 3.750 L/hr Confirmed tank consumption; runtime from recorded hour-meter readings. Issued – expected: -20.000 L DPR snapshot consumed: 10.00 L DPR snapshot consumed – expected variance: -30.00 L These fuel facts use the saved DPR snapshot, not the canonical performance record; a positive variance means more fuel was consumed than expected.	—	Plant Stock
SYNTHETIC B2 ESTIMATED ODOMETER Machine day: 10 Entry / Hire Type: time meter Daily Status: Working Usage warning: KM not entered —	-	-	🕒 WORK ASSIGNMENT No BOQ item assigned to this machine day. Assigned: 0 min Unassigned: 4 h	Opening Odometer: — Closing Odometer: — Start Time: 8:00 AM End Time: 12:00 PM Clock Duration: 4 h Distance comes from the odometer	Saved quantity: — Calculated Distance: 100.00 km	5 Diesel Issued / Added: 5.00 L Opening Tank (L): 20.00 L Closing Tank / Physical Dip (L): 15.00 L Physical Tank Balance: Confirmed	Saved expected: — Fuel-summary expected: 30.00 L	Norm: 0.300 Actual: unavailable (distance is estimated, not measured or recorded from trips) DPR snapshot consumed: 10.00 L DPR snapshot consumed – expected variance: -20.00 L	—	Plant Stock

Machine	Vehicle No	Operator	Task	Time/Meter	Operating Quantity	Diesel (L)	Expected Diesel	Norm / Efficiency	Breakdown / Stoppage	Diesel Source
using time fallback (assumed 25 km/hr).			Machine Day: 4 h Assignment validation uses the machine-day Clock Duration (4 h). Assignment segments are clock times; gaps and partial assignment are allowed.	or trip calculation . Clock duration is shown separately.				These fuel facts use the saved DPR snapshot, not the canonical performance record; a positive variance means more fuel was consumed than expected.		
SYNTHETIC B2 REAL CLOCK HOURS Machine day: 11 Entry / Hire Type: time meter Daily Status: Working Usage warning: Hour meter not entered — using start/end time.	-	-	🕒 WORK ASSIGNMENT No BOQ item assigned to this machine day. Assigned: 0 min Unassigned: 4 h Machine Day: 4 h Assignment validation uses the machine-day Clock Duration (4 h). Assignment segments are clock times; gaps and partial assignment are allowed.	Opening Meter: — Closing Meter: — Start Time: 8:00 AM End Time: 12:00 PM Clock Duration: 4 h No hour-meter difference is available. Clock duration is shown separately and is not labelled as meter working time.	Saved quantity: 4.000 h Meter Working Hours : —	5 Diesel Issued / Added: 5.00 L Opening Tank (L): 20.00 L Closing Tank / Physical Dip (L): 15.00 L Physical Tank Balance: Confirmed	Saved expected: — Fuel-summary expected: 20.00 L	Norm: 5.000 L/hr Actual: 2.500 L/hr Confirmed tank consumption; runtime from recorded start/end clock time, not hour-meter readings. DPR snapshot consumed: 10.00 L DPR snapshot consumed – expected variance: -10.00 L These fuel facts use the saved DPR snapshot, not the canonical performance record; a positive variance means more fuel was consumed than expected.	—	Plant Stock

Labour Strength

Category	Gender	Count	Task/Work	Contractor/Gang
Skilled	Male	2	GSB LAYING	FIXTURE GANG

Materials Log

Materials Received

NARASIMHULU ROAD · 2026-08-05

No materials received this day.

DPR material records

Type	Material	Quantity	UOM	Vehicle No.	Supplier	Location/Task	Receipt No.
Issued	GSB	10.000	MT	FIX-TRUCK-01	FIXTURE SUPPLIER	KM 12	FIX-REC-01

Site Purchases

Item Description	Vendor	Bill No	Amount	Qty	UOM
DIESEL FOR CLEANING	FIXTURE FUEL	FIX-BILL-01	1500.000	15.000	LITRES

Activity Photos

No photos attached