

English correction and evaluation from technical meeting ✓

WEG - Modular
All Drives -
MASMEC
(Italy).docx

DOCX

Read what i said during the technical meeting with Masmec, my name is aluizio, so please correct my phrases, and avalie my english, suggest improvements

I'll read the meeting document first.

Viewed a file, ran a command >

Here's an assessment of your English in the Masmec meeting, Aluizio, with corrections and improvements.

Overall assessment

Your English is solid and effective for a technical business meeting. You communicated complex concepts (modular test systems, electrical connections, conveyor logic, test timing) clearly enough that Stefano understood and confirmed each point. Your main strengths are vocabulary range and the ability to redirect and clarify when there was a misunderstanding (the fixture/drive automation point). The recurring issues are small grammar patterns: preposition choice ("depends of/off" → "depends on"), verb forms after "to" and "want/need" (using base verbs instead of "-ing" or infinitive correctly), and noun forms ("needings" isn't a word). None of these blocked communication, but fixing them will make you sound more polished.

Phrase-by-phrase corrections

1. "Just a point, Stefano, Franklim and Alissonn, they are developing the assembly line for this project."

→ "Just a quick point, Stefano. Franklim and Alissonn are developing the assembly line for this project."

(Drop "they" — the names are already the subject. "Just a point" is understandable but "a quick note/point" is more natural.)

2. "It takes 12 minutes to end the functional test."

→ "It takes 12 minutes to complete the functional test."

("End" sounds abrupt; "complete" or "finish" is the natural verb for a test.)

3. "And all the electrical connections are made by the operator."

✓ Correct. Good sentence.

4. "And for you use the probe contacting the needles for power connections, it's okay. Do you have expertise doing this?"

→ "Do you use probe needles for the power connections? Do you have expertise doing this?"

(The original was tangled. Simplify into a direct question.)

5. "Do you build the bus bars and the needles, or do you buy them from another supplier?"

✓ Correct and clear. Well phrased.

6. "And for you guys, it's okay to work with back components like PLCs, contractors, or..."

→ "And for you guys, is it okay to work with customer-supplied components like PLCs, contactors, etc.?"

(Two important fixes: "contractors" → "contactors" — a contractor is a person/company, a contactor is the electrical switch you meant. Also "back components" isn't clear; you likely meant "customer-supplied" or "third-party" components. And use question word order: "is it okay" not "it's okay.")

7. "It's kind of open. It depends off the solution by for us, like if the solution meets our needings, it's okay."

→ "It's kind of open. It depends on the solution — if the solution meets our needs, it's okay."

(Three fixes: "depends off" → "depends on"; remove "by for us"; "needing" is not a word → "needs.")

8. "We will provide."

✓ Correct.

9. "For the code, you can consider that you are going to buy everything, but later we can talk about providing the components to make a little discount on the code."

→ "For the quote, you can assume you'll buy everything, but later we can discuss us supplying the components to get a small discount on the quote."

(Important: "code" should be "quote" throughout — you said "code" many times meaning the price quotation. "Code" means something else entirely in English and could confuse a supplier. Also "a little discount" → "a small discount.")

10. "For our needs, we don't measure the humidity of the chamber; actually, we just measure the temperature, and it's for us, it's OK to be 50 degrees Celsius."

→ "For our needs, we don't measure chamber humidity — we only measure temperature, and 50 degrees Celsius is fine for us."

(Remove the doubled "it's for us, it's OK.")

11. "Some of them are manual, some of them are automated, but any of them are fully automated..."

→ "...but none of them are fully automated..."

(Critical error: "any of them are" should be "none of them are." As said, it reverses your meaning — you told them your systems ARE fully automated when you meant they are NOT yet.)

12. "So we are looking for produce these drives in many countries..."

→ "So we are looking to produce these drives in many countries..."

("looking for + verb" → "looking to + verb.")

13. "Let me correct myself. We need the wiring between the drive and the fixture be automatically done."

→ "Let me correct myself: we need the wiring between the drive and the fixture to be done automatically."

(Add "to be"; move "automatically" to the end.)

14. "It depends off the solution by for us, like if the solution meets our needings" — same as #7 above.

15. "When the product is near to the module, then a door or a window will open up here, and then the product will enter in the module."

→ "When the product is near the module, a door or window will open here, and the product will enter the module."

("near to" → "near"; "enter in the module" → "enter the module" — enter takes no preposition.)

16. "we want the conveyor to be free if other products wants to move along the modules to another modules"

→ "we want the conveyor to be free in case other products want to move along the line to other modules"

("products wants" → "products want"; "another modules" → "other modules.")

17. "the hypotest module takes about 3 seconds. Until 60 seconds to test a drive, it depends of the drive"

→ "the hipot test module takes about 3 to 60 seconds to test a drive, depending on the drive"

("depends of" → "depending on." This "from X until Y" → "from X to Y" pattern recurs; use "to.")

18. "the load test module takes from 6 minutes to 20 minutes depending of the drive"

→ "...from 6 to 20 minutes, depending on the drive." ✓ (just "depends of" → "depending on")

19. "So one high pot module and one functional module can support three, 4, 5 load test modules."

✓ Clear and correct.

20. "Just the load test module needs to be heated."

✓ Correct.

21. "We were looking for using electronic loads on this project."

→ "We were looking at using electronic loads for this project." (or "We were considering electronic loads...")

("looking for using" → "looking at using" or "considering.")

22. "And how is the support from Mass Mech here in Brazil?"

✓ Correct and well phrased.

23. "It was really good to us to see what MazMac can do, and I'm looking forward to keep this conversation"

→ "It was really good for us to see what Masmec can do, and I'm looking forward to continuing this conversation."

("good to us" → "good for us"; "looking forward to keep" → "looking forward to continuing" — after "looking forward to" use the -ing form.)

The patterns worth drilling

If you fix just a few habits, your English jumps a level:

The biggest one is "**depends of/off**" → "**depends on**." You said it at least four times. It's always "depend on" in English.

Second, "**looking forward to / looking for + verb**." After "looking forward to," use the -ing form ("looking forward to continuing"). For intentions, use "looking to + base verb" ("looking to produce").

Third, watch "**any**" vs "**none**" in negative sentences — "none of them are automated," never "any of them are" when you mean zero.

And finally, "**code**" → "**quote**." That one's a vocabulary swap rather than grammar, but in a procurement meeting it matters: say "quote" or "quotation" for the price proposal.

Would you like me to produce a clean one-page reference sheet of these corrections as a document you can keep?

Good, now make some notes that we need to take about the meeting, technical notes to pay attention, points that stefano said, points that we said, or anything that maybe i didnt payed attention

Here are technical notes from the Masmec meeting, organized so you can act on them. I've flagged the open items, the commitments Stefano made, and a few things that went by quickly that are worth pinning down.

Company / capability context (Masmec)

Masmec is based in Bari, southeast Italy, 44,000 m² plant, ~300 employees, target production value around 50M EUR, with ~84% of business in automation. They have global presence including some South America and Brazil installations. All machines are manufactured in Italy (Stefano confirmed this explicitly when Franklim probed — relevant because some of your other suppliers represent in Germany but build in China). Their core market is automotive component assembly and testing, which they pitched as transferable to your VFD application given automotive's demanding quality/safety requirements.

Their project structure once an order is placed: a dedicated 5-person team (project manager, sales engineer, project engineer, buyer, assembly leader). Stefano is the sales engineer; he is your current point of contact in the sales phase.

Points Stefano confirmed they can do

They have direct experience with hipot testing (insulation resistance, leakage current), and noted they handle master/calibration cycles and machine-fault self-check routines to validate that a "pass" judgment is trustworthy. They have continuity / equipotential testing experience. On functional test, they described idle current, HV DC bus consumption, passive and active discharge (monitoring bus voltage trend with acquisition/oscilloscope), resolver verification (emulating sin/cos signals and comparing speed via CAN), and sensor/temperature calibration. They confirmed experience with probe-needle contacting for power connections, and with both manual and automatic DUT connection (DC, AC, comms, low-voltage DC, coolant fill/drain). They confirmed the Bosch TS2 conveyor with the "free flow" function that lets the main line stay free for pallet movement while a unit is pulled aside for test — which directly matches your modular requirement. They confirmed ESD-proof handling experience.

Open items / things Stefano must come back on

These are the things he could NOT answer fully and committed to cross-checking internally. Track each one:

He needs to cross-check **active load** capability with their R&D department — he only confirmed passive load (inductive reactor) experience with certainty. This is significant for you given the load test discussion below.

He needs to confirm **regenerative / electronic AC load** capability — he said R&D made investigations but he couldn't confirm what was actually built.

He needs to confirm **non-LabVIEW software languages** (Julio asked about C#, Python, Java; Stefano mentioned "G Sharp" which is almost certainly a transcription of "C Sharp"). He'll check with their software department. Worth confirming in writing what languages they can actually deliver in, since this affects your ability to maintain/co-develop the test software.

He needs to check the **Siemens PLC question** — see the conflict point below.

He committed to bringing their **R&D specialist into the loop** for the detailed technical discussions on drive testing.

Point of potential conflict to watch — the PLC

This is the most important thing to nail down. Stefano said Masmec normally builds with **Siemens PLCs**, and asked whether you'd be open to that since the automation level on these benches is low. Franklim pushed back clearly: WEG produces drives, inverters, and PLCs, so using Siemens contradicts WEG's directives. Aluizio, you softened it ("kind of open... depends on the solution"), and then Raphael confirmed WEG will **supply its own PLCs, drives, and safety hardware from the WEG portfolio** as customer-supplied components.

The note to yourselves: there's a slight gap between your two messages — "open if the solution fits" (Aluizio) versus "Siemens is not acceptable per our directives" (Franklim). Make sure the RFQ/quote instruction to Masmec is unambiguous: WEG PLC (e.g. PLC500) and WEG portfolio hardware will be customer-supplied, and Masmec should architect the bench accordingly. Otherwise their quote may come back built around Siemens.

Commercial points captured

You told Stefano to quote the full scope as if buying everything, with a later conversation about WEG supplying components for a discount. Confirm internally that the quote is structured so the customer-supplied components are a clearly separable line item — otherwise the "discount later" conversation gets messy.

You requested **three separate quotes**: testing line, assembly line, and the full integrated line. Make sure all three suppliers in your RFQ are asked for the same breakdown so you can compare on equal terms.

Deadline communicated: both assembly and testing **installed in Brazil by end of 2027**. Stefano said this is within a comfortable time window.

Support in Brazil — needs firming up

Stefano said Masmec takes the project through to final acceptance with their own Italy-based team coming on-site, and *may* set up a partnership with a local Brazilian company for immediate/routine support, but specialized support comes from Italy.

This was deliberately non-committal. Given your flagged risk about Brazil-based installation and commissioning support for foreign integrators, this is an item to press: get specifics on guaranteed response times, what counts as "routine" vs "specialized," and whether the local partnership is real or aspirational.

Technical things that went by quickly — worth revisiting

A few items you may want to revisit because they were stated fast or left loose:

The functional test timing: Stefano mentioned their automotive functional sequence runs ~12 minutes total, and they hit cycle time by running multiple parallel benches. Your own numbers (functional 1.5–7 min, load 6–20 min, hipot 3–60 s) imply the same parallelization need — one hipot + one functional feeding 3–5 load modules. Confirm Masmec understands the modular/parallel architecture is fixed, not just a Masmec optimization choice.

The climatic chamber: Stefano initially assumed you might need humidity control, which drives cost way up. You corrected this — temperature only, fixed 50°C, no humidity. Good catch in the meeting; make sure it's written into the spec so their quote doesn't include an oversized chamber.

Contacts / bus bars / needles: Stefano said Masmec either develops contacts in-house or sources from a specialist (he named "Creatic" / "Critique" — likely CRETEC or similar; verify the actual supplier name). For a high-mix modular system this matters — ask whether per-product fixture contacts are in their scope or yours.

Automatic drive-to-fixture connection: Stefano flagged a real constraint — automatic connection only works if the drive's connectors are *designed* for automated mating (defined surfaces, tolerances). If WEG connectors aren't, it falls back to manual. This is a design dependency on your side. Worth raising with your product team early, because it affects whether the "fully automated" vision is achievable for the current drive designs.

The Hitachi/JR Automation parallel (your own note)

Not from this meeting, but worth keeping in your cross-supplier file: Masmec has no WEG-competitive overlap that you flagged (unlike JR Automation / Hitachi). So NDA sensitivity here is normal commercial confidentiality rather than the heightened concern you have with JR.

Want me to turn this into a structured Word document or a one-page action-item tracker with owners and an "awaiting Masmec response" column?

Please structure this to a word document, make it simple and clear, also to your knowledge, JR Automation declined the project, so they arent

quoting.

I'll note that JR Automation is out and create the document.

Ran a command, used a tool >

Network is disabled. Let me check for a local docx install.

Locating an existing docx install >

docx is already installed globally. Let me build the document.

Ran 2 commands, created a file, read a file >

Done. The document is organized into nine sections: company snapshot, confirmed capabilities, open items Masmec owes you, the PLC alignment point, commercial points, Brazil support, the quick technical items worth revisiting, a supplier-pool note (with JR Automation marked as declined and the Hitachi NDA concern closed), and a clean action tracker table at the end with owners and status.

Two things to verify when you have a moment: the contact supplier name (transcribed as "Cretec/Critec") and the "C# vs G Sharp" software point, both flagged in the notes as items to confirm in writing.



Masmec meeting notes

Document · DOCX

[Download](#)

to com o fireflies e quero integrar ele com o notion pra que ele crie arquivos no notion com base na transcrição gerada, tu consegue me ajudar ou fazer isso pra mim com a transcrição? Preciso do fireflies?

Boa pergunta. Vou separar as duas coisas, porque são diferentes.

Sobre integrar Fireflies com Notion automaticamente

Isso eu não consigo fazer por você daqui. Configurar a integração Fireflies → Notion exige acessar as suas contas (logar no Fireflies, autorizar o Notion, configurar a automação), e eu não tenho acesso às suas contas nem consigo clicar nos botões por você. É uma configuração que só você consegue fazer dentro das plataformas.

Mas posso te explicar como fazer. Existem basicamente três caminhos:

O **mais simples** é a integração nativa. O Fireflies tem integração direta com o Notion nos planos pagos. Você vai em Integrations dentro do Fireflies, conecta o Notion, autoriza o acesso e escolhe em qual database/página as transcrições e resumos vão cair automaticamente depois de cada reunião. Não precisa de ferramenta extra.

O **intermediário** é usar Zapier ou Make (Integromat). Você cria um fluxo do tipo "quando o Fireflies finalizar uma transcrição → criar uma página no Notion". Dá muito mais controle sobre o formato (você decide quais campos preencher, como estruturar o conteúdo), mas exige montar o fluxo e provavelmente um plano pago do Zapier/Make.

O **mais técnico** é via API — webhook do Fireflies disparando para a API do Notion. Flexibilidade total, mas precisa de código rodando em algum lugar.

Quer que eu verifique como está a integração nativa Fireflies-Notion hoje (planos, passo a passo atual)? Posso pesquisar para te dar o caminho exato.

Você precisa do Fireflies?

Aqui está o ponto importante: **para esta transcrição da Masmec, você não precisa do Fireflies**. Você já tem a transcrição completa (foi o que você me enviou). O Fireflies só seria necessário para *gerar* transcrições de reuniões futuras automaticamente. Se o seu objetivo é só levar o conteúdo desta reunião para o Notion, dá para fazer agora, sem ferramenta nenhuma.

O que eu consigo fazer por você

Posso pegar as notas que já montamos e formatar do jeito que o Notion gosta, para você só copiar e colar (ou importar). Por exemplo:

Posso gerar um **arquivo Markdown** com as notas da reunião — o Notion importa Markdown direto (Import → Markdown) e ele vira uma página já com títulos, listas e estrutura prontos. Isso é provavelmente o caminho mais rápido para o seu caso.

Ou, se você usa um **database de reuniões** no Notion (com propriedades tipo Data, Fornecedor, Status, Projeto), posso montar os campos e o conteúdo já no formato certo para colar.

Me diz duas coisas para eu acertar de primeira:

tu nao tem um conector com o notion?

Deixa eu verificar.

Searching connectors >


Existe sim. Há um conector oficial do Notion disponível, com ferramentas para criar páginas, atualizar, criar databases, etc. Mas ele ainda não está conectado na sua conta — precisa de uma autorização sua (login/OAuth no Notion). É um clique.

Repara também que apareceu o **tl;dv** na lista — é um conector que busca transcrições de Meet/Zoom/Teams. Não é o Fireflies (não vi um conector do Fireflies disponível aqui), mas resolve o mesmo problema de pegar transcrições de reuniões futuras, caso te interesse.

Sobre o fluxo: se você conectar o Notion aqui, eu consigo criar a página da reunião da Masmec diretamente no seu workspace, com as notas já estruturadas. Mas vale entender a diferença entre dois cenários:

Para **esta reunião agora**, conectar o Notion comigo já resolve — eu crio a página com o conteúdo que montamos. Não precisa de Fireflies nem de Zapier.

Para **reuniões futuras automáticas** (transcrever sozinho e jogar no Notion sem você fazer nada), aí sim você precisaria da integração nativa Fireflies→Notion ou de um Zapier/Make, porque isso roda sem mim no meio.



Aí está o conector do Notion. Conecte no botão acima (vai pedir login no Notion e autorização) e, assim que estiver ligado, é só me avisar que eu crio a página da reunião da Masmec direto no seu workspace, com toda a estrutura que montamos.

Quando você conectar, me diga onde quer a página: dentro de um database de reuniões específico, ou solta dentro de alguma página/seção do projeto Modular All Drives. Se você já tiver um database de reuniões com propriedades (Data, Fornecedor, Status, Projeto), me fala os nomes dos campos que eu preencho certo de primeira.

cria um markdown e usa o connector com o notion pra criar a página lá dentro direto, n consegue?

Vou primeiro carregar a ferramenta do Notion e verificar a conexão.

Searched available tools >

O conector está conectado. Vou criar a página direto no seu Notion. Primeiro deixa eu localizar onde colocar — vou procurar se você tem um lugar para o projeto Modular All Drives.

Search Notion and connected sources >

Encontrei algumas páginas. A "ORION AUTOMATED TEST SYSTEM" parece relacionada (test system, modularidade, conexões de potência automáticas). Deixa eu ver onde ela está e se há um espaço de fornecedores do Modular All Drives.

Search Notion and connected sources >

Não há ainda um espaço claro de fornecedores do Modular All Drives no Notion. Em vez de adivinhar onde colocar, deixa eu te perguntar rápido para não criar a página no lugar errado:

Q: Onde quer que eu crie a página da reunião da Masmec no seu Notion?

A: Crio um database de reuniões de fornecedores

Perfeito. Vou criar um database de reuniões de fornecedores e já adicionar a página da Masmec como primeiro registro.

Create Notion database >

Parece que a criação do database precisa de uma aprovação que não foi confirmada (deve ter aparecido um prompt de permissão no seu lado, ou expirou). Quer tentar de novo?

Quando você reenviar, o Notion provavelmente vai mostrar um pedido de autorização para eu criar o database — é só aprovar. Me confirma que pode tentar novamente e eu refaço a chamada na hora. O database vai ter estas propriedades:

Fornecedor (título), Data, Status (Cotando / Aguardando retorno / Qualificado / Declinou / Em avaliação), País, Tipo de Reunião, Próxima Ação e Participantes WEG.

Se preferir ajustar os campos antes — adicionar algo como "Payback / Orçamento" ou "Módulo" (hipot / funcional / carga), por exemplo — me diz que eu incluo antes de criar.

Use Notion for this

Create Notion database >

A chamada continua voltando sem aprovação. Isso quer dizer que o pop-up de permissão do Notion não chegou a ser confirmado no seu lado — quando eu disparo a criação, deve aparecer um pedido de autorização na interface (um botão de aprovar/permitir), e ele não foi aceito (ou nem apareceu).

Algumas coisas que costumam causar isso:

O prompt de aprovação às vezes aparece discretamente no topo ou ao lado da mensagem — vale olhar se há algo pedindo confirmação para a ação do Notion. Se aparecer, é só aprovar e a página é criada na hora.

Em alguns casos a conexão do Notion precisa ser reautorizada. Lá atrás o conector apareceu com status "needs_reconnect", então pode ser que a sessão tenha expirado. Vale dar uma olhada nas configurações de conectores (menu de ferramentas → Notion) e reconectar se estiver pedindo.

Quer tentar de novo? Me dá o sinal e eu refaço a chamada imediatamente. Se aparecer o pedido de permissão, aprove e seguimos para criar a página da Masmec dentro do database.

Se continuar travando na aprovação, o caminho garantido é eu gerar o Markdown da reunião e você importar no Notion (Import → Markdown) — fica praticamente idêntico, só sem a parte automática. É só me dizer qual prefere.

Faça automatico, gere o markdown e crie a página diretamente no notion

Vou tentar criar direto no Notion novamente.

 Claude's response was interrupted.

Try again

gera so o markdown que eu faço manualmente, nao entendi pq tu nao consegue escrever direto lá o database dos suppliers

Você está certo em estranhar, e a explicação é simples: o problema não é falta de capacidade minha, é uma etapa de **aprovação** que precisa acontecer do seu lado. Quando eu disparo uma ação de escrita no Notion (criar database, criar página),

aparece um pedido de permissão na interface que você precisa confirmar. As duas tentativas voltaram com "No approval received" — ou seja, esse "ok" não foi dado (o pop-up pode não ter aparecido, expirou, ou a conexão do Notion está pedindo reconexão, já que mais cedo ela apareceu como "needs_reconnect"). Leitura/busca funciona sem aprovação; escrita exige esse aval. Por isso eu consigo procurar no seu workspace mas travou na hora de gravar.

Mas sem problema — segue o Markdown pronto. Importa no Notion por Import → Markdown e ele já vira página estruturada.

Created a file, ran a command, read a file >

Pronto, o Markdown está aí em cima.

Para importar: no Notion, abra a página onde quer guardar, clique em **Import** (ou `/import`) → **Markdown & CSV** → selecione o arquivo. Ele vira uma página com todos os títulos, listas e a tabela do tracker já formatados.

Sobre a sua dúvida — só reforçando para ficar claro: não é que eu não consiga escrever no database. Eu disparei a criação duas vezes; o que faltou foi a **confirmação de permissão** do lado do Notion (voltou "No approval received" nas duas). Escrita no Notion exige esse aval; leitura não — por isso a busca no seu workspace funcionou normal. Como mais cedo a conexão apareceu como "needs_reconnect", o mais provável é que ela precise ser reautorizada nas configurações de conectores (menu de ferramentas → Notion → reconectar). Depois disso, se quiser, eu crio o database e já jogo a Masmec como primeiro registro numa tentativa só — aí com a permissão passando.

Quer que eu deixe o database pronto para essa hora? Eu já tenho o schema montado: Fornecedor, Data, Status, País, Tipo de Reunião, Próxima Ação e Participantes WEG. Só me avisar quando tiver reconectado.



Masmec reuniao notas

Document · MD

Download

MAKE IN ENGLISH

Created a file, ran a command, read a file >

Done — the notes are now in English.

To import: in Notion, open the page where you want it, click **Import** (or type `/import`) → **Markdown & CSV** → select the file. All headings, lists, and the action tracker table come in already formatted.

And whenever you reconnect the Notion connector (tools menu → Notion → reconnect), tell me and I'll create the supplier-meetings database and add Masmec as the first record in one shot. The schema is ready: Supplier, Date, Status, Country, Meeting Type, Next Action, WEG Attendees.



Masmec meeting notes
Document · MD

[Download](#)