


Supplier follow-up management and tracking ▾



Help me to manage my suppliers follow ups that i need to do. Some of them I need to answer, some of them i need to send another email asking to schedule a meeting, some of them i need to wait for the quotation so i will send you bellow the suppliers, and what i need:

The first meeting I had was with Comau on thursday 11 june. From them im waiting for the quotation.

The second meeting was with Autec on monday 15 iune. from them im

Show more

I'll help you build a supplier follow-up tracker. Let me first read the uploaded files and search our past conversations for the meeting details you mentioned.

Viewed a file, ran a command >

Now let me search our past conversations for the MASMEC and BBS details you mentioned.

Relevant chats >

Let me get the specific MASMEC technical notes and the BBS meeting details.

Relevant chats >

I have what I need on MASMEC (Stefano requested test prescriptions, and there was a technical-requirements email you need to answer) and BBS. Let me pull the specific MASMEC email requirements and the Develop notes to round out the picture.

Relevant chats >

I now have a complete picture of all eight suppliers. Let me build you a structured tracker. Given you'll want to update statuses over time, I'll create it as an interactive HTML dashboard with persistent storage, plus a clean reference document.

Read the docx skill before creating the reference document >

I have everything I need. Rather than a Word doc, the best fit here is an interactive tracker dashboard you can update as statuses change — it persists your edits across sessions. Let me build it.

Ran a command, created a file, read a file >

Here's your live tracker for all eight suppliers. Filter by status at the top, click any card to expand, check off to-dos, change a status, edit the "next step", and add private notes — everything saves automatically and persists across sessions.

Here's the summary, sorted by what actually needs you:

⚠ **You must act (4):**

- **DMC (Brent)** — Send the inverter's IO connection points as a flat drawing or 3D model. They're blocked until you do; this is their highest-risk item (how to auto-contact the test points).
- **MASMEC (Stefano)** — Reply to his email with one test prescription per module (hipot AC/DC, voltage, max leakage; functional; load). Also confirm WEG supplies its own PLC, not Siemens.
- **Bosch (Victor/Marcelo)** — Send one prescription per module, a dimensions+weight table for *all* product families (not just the largest), and terminal drawings. Wait for their email listing exactly what the RFQ needs.
- **Develop LLC (Matt)** — Send the modules spec document you promised. But flag for an internal call: **they will not commission in Brazil** — decide whether that disqualifies them before investing more.

🕒 **Waiting on supplier (3):** Comau, Autec, Mondragon — pure quotation wait, nothing owed by you. BBS is also waiting (capacity feedback) but you owe them the test spec + assembly scope to unblock pricing.

A couple of suggestions: your test prescriptions go to MASMEC, Bosch, and BBS — write them **once** as a standard package and reuse, since you're explicitly comparing like-for-like. And the assembly-line scope (Alisson/Franklin's separate project) is owed to Develop, BBS, and Bosch — worth batching that too. Want me to draft the reply emails to Brent and Stefano next?



Supplier tracker

Code · HTML

Download

i liked the software you built, please add the function to add "to do's" if needed, also, exclude what was done

I'll add two things: a way to add your own to-dos per supplier, and a way to delete to-dos (so you can remove ones that are done or no longer relevant). Let me update the tracker.

Check the todo rendering and binding section to edit >

I need to handle this carefully. The current to-dos come from the `SUPPLIERS` array with checkbox state stored separately by index. To support adding and deleting, I'll restructure so each supplier's to-do list lives in `state` (seeded from the defaults on first load), with a stable id per item. Let me first add the CSS for the new controls.

Add CSS for add/delete todo controls >

Now let me look at the state-loading section to add seeding of todos into state.

View state loading and helpers >

Now I'll add a function that returns the supplier's to-do list as objects living in state (seeded once from defaults, each with a stable id), so add/delete work cleanly.

Add todo-list helper that seeds from defaults and lives in state >

Now update the render logic to use `getTodos` and add the delete button + add-row.

Replace todo count + list rendering with state-backed list, delete buttons, and add row >

Now update the event bindings. Let me view that section.

View binding section >

Now I want add/delete to preserve the open card and scroll. Let me add a helper to re-render just one card's todo section instead of full `render()` for checkbox/add/delete, to avoid the card collapsing or jumping. Simplest robust approach: keep `render()` but it already respects `st.open`, so the card stays open. I'll update the bindings to use todo ids.

Update checkbox binding to id-based and add delete + add handlers >


There's one issue: after `render()`, the add-input loses focus, which is fine, but I should make sure the click-to-collapse handler doesn't swallow the delete/add button clicks. The `.thead` click handler only fires on the header, and the new buttons are in `.body`, so that's fine. Let me verify the file is valid by checking the structure.

Ran a command, read a file >

Done. Each supplier card now has:

- An "Add a new to-do..." field with a + **Add** button at the bottom of its to-do list (press Enter or click to add).
- A small × delete button on every to-do — use it to remove items that are done or no longer relevant.

The checkbox still lets you mark something complete (strike-through) if you'd rather keep a record; the × removes it entirely. Both adds and deletes save automatically and persist across sessions, and the to-do count `(done/total)` updates live. Your original to-dos and all notes are preserved.



Ficou legal mas não está salvando minhas alterações, fechei a página WEB e perdi todos os dados que eu tinha salvo ontem, por favor faça com que ele salve tudo, e também adicione o seguinte supplier:
-Pia automation the meeting was on thursday 18 june, from them you can access the transcription attached to generate the actions and notes in this management software

Entendi os dois problemas. Vou primeiro ler a transcrição da PIA para extrair as ações e notas, e depois resolver a questão do salvamento.

Sobre o salvamento: o problema é que a versão atual usa `window.storage`, que só funciona dentro do ambiente de artifacts do Claude. Quando você abre o arquivo HTML fora daqui (baixado no navegador), esse storage não existe e nada é salvo. Vou trocar para `localStorage`, que funciona em qualquer navegador e persiste mesmo fechando a aba.

Extract PIA Automation meeting transcript >

Tenho as notas da PIA. Agora vou fazer as duas mudanças: (1) trocar `window.storage` por `localStorage` para salvar de verdade no seu navegador, e (2) adicionar a PIA Automation.

Primeiro, o storage. Vou substituir as funções de load/save.

Viewed a file, edited a file >

Now the init call at the bottom uses `await loadState()` — let me fix that since it's no longer async.

Ran a command, edited a file >

Now let me add PIA Automation to the SUPPLIERS array. Let me find the end of the array (after Bosch).

Ran a command, viewed a file, edited a file >

Now let me validate the JS parses and confirm there are no leftover `window.storage` references.

Validate JS and confirm storage swap + supplier count >

Tudo certo: 9 fornecedores, zero referências a `window.storage`, e o `localStorage` está ativo.

Presented file >

Pronto. Duas mudanças feitas:

1. Salvamento corrigido. A versão anterior usava o armazenamento interno do ambiente do Claude, que não existe quando você abre o arquivo no navegador — por isso você perdeu os dados de ontem. Troquei para `localStorage`, que salva direto no seu navegador e persiste mesmo fechando a aba. Importante saber:

- **Baixe o arquivo HTML e abra ele a partir do seu computador** (sempre o mesmo arquivo, no mesmo navegador). Aí os dados ficam salvos.
- Os dados ficam guardados **por navegador e por dispositivo** — se você abrir em outro PC ou em aba anônima, não verá as alterações.
- Se aparecer " could not save (storage blocked)" no rodapé, é porque você está em modo anônimo ou o navegador bloqueou o storage.

Uma observação honesta: como o salvamento depende de você reabrir o mesmo arquivo no mesmo navegador, ele é confiável, mas não é um backup. De vez em quando vale copiar suas notas para um lugar seguro, caso limpe o cache do navegador.

2. PIA Automation adicionada (novo fornecedor, reunião de 18 jun, contatos Abel Wang / David Cui). Status  **aguardando** — eles vão mandar as 3 cotações provavelmente na próxima semana, após um feriado de 3 dias. Pontos principais que registrei:

- Eles **confirmaram comissionamento e suporte no Brasil** (já têm um projeto de montagem automática de conectores no Brasil) — diferente da Develop LLC.
- Você ficou de **enviar as imagens do produto** (conexões de potência/control) e a **especificação de teste**. Hipot confirmado em **máx. 4 kV**.
- Abel perguntou **quantos grupos/pinos de contato** são necessários no hipot — isso define o projeto mecânico, então é bom já preparar essa resposta.
- HMI **não** precisa ser testado (Julio esclareceu); o PLC controla via RS485/Modbus. Teste de USB ficou pendente para decidir depois.

Quer que eu prepare o e-mail para a PIA com as imagens e a especificação, ou o pacote padrão de prescrições de teste para reaproveitar com PIA, MASMEC, Bosch e BBS?



Supplier tracker

Code · HTML

Download

