

question(1).

```
MariaDB [movie_co_db]> create table membership(  
-> mem_num int primary key,  
-> mem_fname varchar(30),  
-> mem_lname varchar(30),  
-> mem_street varchar(100),  
-> mem_city varchar(50),  
-> mem_state varchar(50),  
-> mem_zip varchar(10),  
-> mem_balance decimal(6,2)  
-> );
```

Query OK, 0 rows affected (0.093 sec)

```
MariaDB [movie_co_db]> create table price(  
-> price_code int primary key,  
-> price_description varchar(150),  
-> price_rentfee decimal(6,2),  
-> price_dailylatefee decimal(6,2)  
-> );
```

Query OK, 0 rows affected (0.039 sec)

```
MariaDB [movie_co_db]> create table movie(  
-> movie_num int primary key,  
-> movie_title varchar(100),  
-> movie_year year,  
-> movie_cost decimal(6,2),  
-> movie_genre varchar(50),  
-> price_code int,  
-> foreign key (price_code)  
-> references price(price_code));
```

Query OK, 0 rows affected (0.047 sec)

```
MariaDB [movie_co_db]> create table video(  
-> vid_num int primary key,  
-> vid_indate varchar(10),  
-> movie_num int,  
-> foreign key(movie_num) references movie(movie_num));
```

Query OK, 0 rows affected (0.017 sec)

```
MariaDB [movie_co_db]> create table rental(  
-> rent_num int primary key,  
-> rent_date varchar(10),  
-> mem_num int,  
-> foreign key(mem_num) references membership(mem_num));
```

Query OK, 0 rows affected (0.040 sec)

```
MariaDB [movie_co_db]> create table detailrental(  
-> rent_num int,
```

```

-> vid_num int,
-> detail_fee decimal(6,2),
-> detail_duedate varchar(10),
-> detail_returndate varchar(10),
-> detail_dailylatefee varchar(10),
-> primary key (rent_num, vid_num),
-> foreign key (rent_num) references rental(rent_num),
-> foreign key (vid_num) references video(vid_num)
-> );

```

Query OK, 0 rows affected (0.040 sec)

MariaDB [movie_co_db]> show tables;

```

+-----+
| Tables_in_movie_co_db |
+-----+
| detailrental          |
| membership            |
| movie                 |
| price                 |
| rental                |
| video                 |
+-----+

```

6 rows in set (0.009 sec)

MariaDB [movie_co_db]> DESCRIBE MEMBERSHIP;

Field	Type	Null	Key	Default	Extra
mem_num	int(11)	NO	PRI	NULL	
mem_fname	varchar(30)	YES		NULL	
mem_lname	varchar(30)	YES		NULL	
mem_street	varchar(100)	YES		NULL	
mem_city	varchar(50)	YES		NULL	
mem_state	varchar(50)	YES		NULL	
mem_zip	varchar(10)	YES		NULL	
mem_balance	decimal(6,2)	YES		NULL	

8 rows in set (0.042 sec)

MariaDB [movie_co_db]> DESCRIBE PRICE;

Field	Type	Null	Key	Default	Extra
price_code	int(11)	NO	PRI	NULL	
price_description	varchar(150)	YES		NULL	
price_rentfee	decimal(6,2)	YES		NULL	
price_dailylatefee	decimal(6,2)	YES		NULL	

4 rows in set (0.049 sec)

MariaDB [movie_co_db]> DESCRIBE MOVIE;

Field	Type	Null	Key	Default	Extra
movie_num	int(11)	NO	PRI	NULL	
movie_title	varchar(100)	YES		NULL	
movie_year	year(4)	YES		NULL	
movie_cost	decimal(6,2)	YES		NULL	
movie_genre	varchar(50)	YES		NULL	
price_code	int(11)	YES	MUL	NULL	

6 rows in set (0.007 sec)

MariaDB [movie_co_db]> DESCRIBE VIDEO;

Field	Type	Null	Key	Default	Extra
vid_num	int(11)	NO	PRI	NULL	
vid_indate	varchar(10)	YES		NULL	
movie_num	int(11)	YES	MUL	NULL	

3 rows in set (0.006 sec)

MariaDB [movie_co_db]> DESCRIBE RENTAL;

Field	Type	Null	Key	Default	Extra
rent_num	int(11)	NO	PRI	NULL	
rent_date	varchar(10)	YES		NULL	
mem_num	int(11)	YES	MUL	NULL	

3 rows in set (0.009 sec)

MariaDB [movie_co_db]> DESCRIBE DETAILRENTAL;

Field	Type	Null	Key	Default	Extra
rent_num	int(11)	NO	PRI	NULL	
vid_num	int(11)	NO	PRI	NULL	
detail_fee	decimal(6,2)	YES		NULL	
detail_duedate	varchar(10)	YES		NULL	
detail_returndate	varchar(10)	YES		NULL	
detail_dailylatefee	varchar(10)	YES		NULL	

6 rows in set (0.043 sec)

question (2):Insert Sample Data into Tables

```
MariaDB [movie_co_db]> INSERT INTO MEMBERSHIP VALUES (102, 'Tami', 'Dawson', '2632  
Takli Circle', 'Norene', 'TN', '37136', 11);  
Query OK, 1 row affected (0.035 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO MEMBERSHIP VALUES (103, 'Curt', 'Knight', '4025  
Cornell Court', 'Flatgap', 'KY', '41219', 6);  
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO MEMBERSHIP VALUES (104, 'Jamal', 'Melendez',  
'788 East 145th Avenue', 'Quebeck', 'TN', '38579', 0);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO MEMBERSHIP VALUES (105, 'Iva', 'Mcclain', '6045  
Musket Ball Circle', 'Summit', 'KY', '42783', 15);  
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO MEMBERSHIP VALUES (106, 'Miranda', 'Parks',  
'4469 Maxwell Place', 'Germantown', 'TN', '38183', 0);  
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO MEMBERSHIP VALUES (107, 'Rosario', 'Elliott',  
'7578 Danner Avenue', 'Columbia', 'TN', '38402', 5);  
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO MEMBERSHIP VALUES (108, 'Mattie', 'Guy', '4390  
Evergreen Street', 'Lily', 'KY', '40740', 0);  
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO MEMBERSHIP VALUES (109, 'Clint', 'Ochoa', '1711  
Elm Street', 'Greeneville', 'TN', '37745', 10);  
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO MEMBERSHIP VALUES (110, 'Lewis', 'Rosales',  
'4524 Southwind Circle', 'Counce', 'TN', '38326', 0);  
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO MEMBERSHIP VALUES (111, 'Stacy', 'Mann', '2789  
East Cook Avenue', 'Murfreesboro', 'TN', '37132', 8);  
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO MEMBERSHIP VALUES (112, 'Luis', 'Trujillo',  
'7267 Melvin Avenue', 'Heiskell', 'TN', '37754', 3);  
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO MEMBERSHIP VALUES (113, 'Minnie', 'Gonzales',  
'6430 Vasili Drive', 'Williston', 'TN', '38076', 0);  
Query OK, 1 row affected (0.026 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO PRICE VALUES (1, 'Standard', 2.00, 1.00);
```

Query OK, 1 row affected (0.035 sec)

MariaDB [movie_co_db]> INSERT INTO PRICE VALUES (2, 'New Release', 3.50, 3.00);
Query OK, 1 row affected (0.002 sec)

MariaDB [movie_co_db]> INSERT INTO PRICE VALUES (3, 'Discount', 1.50, 1.00);
Query OK, 1 row affected (0.002 sec)

MariaDB [movie_co_db]> INSERT INTO PRICE VALUES (4, 'Weekly Special', 1.00, 0.50);
Query OK, 1 row affected (0.034 sec)

MariaDB [movie_co_db]> INSERT INTO MOVIE VALUES (1234, 'The Cesar Family
Christmas', 2014, 39.95, 'FAMILY', 2);
Query OK, 1 row affected (0.003 sec)

MariaDB [movie_co_db]> INSERT INTO MOVIE VALUES (1235, 'Smokey Mountain Wildlife',
2011, 59.95, 'ACTION', 1);
Query OK, 1 row affected (0.002 sec)

MariaDB [movie_co_db]> INSERT INTO MOVIE VALUES (1236, 'Richard Goodhope', 2015,
59.95, 'DRAMA', 2);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO MOVIE VALUES (1237, 'Beatnik Fever', 2014,
29.95, 'COMEDY', 2);
Query OK, 1 row affected (0.002 sec)

MariaDB [movie_co_db]> INSERT INTO MOVIE VALUES (1238, 'Constant Companion', 2015,
89.95, 'DRAMA', NULL);
Query OK, 1 row affected (0.005 sec)

MariaDB [movie_co_db]> INSERT INTO MOVIE VALUES (1239, 'Where Hope Dies', 2005,
25.49, 'DRAMA', 3);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO MOVIE VALUES (1245, 'Time to Burn', 2012, 45.49,
'ACTION', 1);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO MOVIE VALUES (1246, 'What He Doesn\'t Know',
2013, 58.29, 'COMEDY', 1);
Query OK, 1 row affected (0.002 sec)

MariaDB [movie_co_db]> INSERT INTO VIDEO VALUES (54321, '2015-06-18', 1234);
Query OK, 1 row affected (0.005 sec)

MariaDB [movie_co_db]> INSERT INTO VIDEO VALUES (54324, '2015-06-18', 1234);
Query OK, 1 row affected (0.002 sec)

MariaDB [movie_co_db]> INSERT INTO VIDEO VALUES (54325, '2015-06-18', 1234);

Query OK, 1 row affected (0.003 sec)

MariaDB [movie_co_db]> INSERT INTO VIDEO VALUES (34341, '2014-01-22', 1235);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO VIDEO VALUES (34342, '2014-01-22', 1235);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO VIDEO VALUES (34366, '2016-03-02', 1236);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO VIDEO VALUES (34367, '2016-03-02', 1236);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO VIDEO VALUES (34368, '2016-03-02', 1236);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO VIDEO VALUES (34369, '2016-03-02', 1236);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO VIDEO VALUES (44392, '2015-10-21', 1237);
Query OK, 1 row affected (0.002 sec)

MariaDB [movie_co_db]> INSERT INTO VIDEO VALUES (44397, '2015-10-21', 1237);
Query OK, 1 row affected (0.002 sec)

MariaDB [movie_co_db]> INSERT INTO VIDEO VALUES (59237, '2016-02-14', 1237);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO VIDEO VALUES (61388, '2014-01-25', 1239);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO VIDEO VALUES (61353, '2013-01-28', 1245);
Query OK, 1 row affected (0.003 sec)

MariaDB [movie_co_db]> INSERT INTO VIDEO VALUES (61354, '2013-01-28', 1245);
Query OK, 1 row affected (0.002 sec)

MariaDB [movie_co_db]> INSERT INTO VIDEO VALUES (61367, '2015-07-30', 1246);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO VIDEO VALUES (61369, '2015-07-30', 1246);
Query OK, 1 row affected (0.027 sec)

MariaDB [movie_co_db]> INSERT INTO RENTAL VALUES (1001, '2016-03-01', 103);
Query OK, 1 row affected (0.027 sec)

MariaDB [movie_co_db]> INSERT INTO RENTAL VALUES (1002, '2016-03-01', 105);
Query OK, 1 row affected (0.002 sec)

MariaDB [movie_co_db]> INSERT INTO RENTAL VALUES (1003, '2016-03-02', 102);
Query OK, 1 row affected (0.002 sec)

MariaDB [movie_co_db]> INSERT INTO RENTAL VALUES (1004, '2016-03-02', 110);
Query OK, 1 row affected (0.002 sec)

MariaDB [movie_co_db]> INSERT INTO RENTAL VALUES (1005, '2016-03-02', 111);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO RENTAL VALUES (1006, '2016-03-02', 107);
Query OK, 1 row affected (0.002 sec)

MariaDB [movie_co_db]> INSERT INTO RENTAL VALUES (1007, '2016-03-02', 104);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO RENTAL VALUES (1008, '2016-03-03', 105);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO RENTAL VALUES (1009, '2016-03-03', 111);
Query OK, 1 row affected (0.026 sec)

MariaDB [movie_co_db]> INSERT INTO DETAILRENTAL VALUES (1001, 34342, 2.00,
'2016-03-04', '2016-03-02', NULL);
Query OK, 1 row affected (0.030 sec)

MariaDB [movie_co_db]> INSERT INTO DETAILRENTAL VALUES (1001, 61353, 2.00,
'2016-03-04', '2016-03-03', 1.00);
Query OK, 1 row affected (0.002 sec)

MariaDB [movie_co_db]> INSERT INTO DETAILRENTAL VALUES (1002, 59237, 3.50,
'2016-03-04', '2016-03-04', 3.00);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO DETAILRENTAL VALUES (1003, 54325, 3.50,
'2016-03-04', '2016-03-09', 3.00);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO DETAILRENTAL VALUES (1003, 61369, 2.00,
'2016-03-06', '2016-03-09', 1.00);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO DETAILRENTAL VALUES (1003, 61388, 0.00,
'2016-03-06', '2016-03-09', 1.00);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO DETAILRENTAL VALUES (1004, 44392, 3.50,
'2016-03-05', '2016-03-07', 3.00);
Query OK, 1 row affected (0.001 sec)

MariaDB [movie_co_db]> INSERT INTO DETAILRENTAL VALUES (1004, 34367, 3.50,

```
'2016-03-05', '2016-03-07', 3.00);
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO DETAILRENTAL VALUES (1004, 34341, 2.00,
'2016-03-07', '2016-03-07', 1.00);
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO DETAILRENTAL VALUES (1005, 34342, 2.00,
'2016-03-07', '2016-03-05', 1.00);
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO DETAILRENTAL VALUES (1005, 44397, 3.50,
'2016-03-05', '2016-03-05', 3.00);
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO DETAILRENTAL VALUES (1006, 34366, 3.50,
'2016-03-05', '2016-03-04', 3.00);
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO DETAILRENTAL VALUES (1006, 61367, 2.00,
'2016-03-07', NULL, 1.00);
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO DETAILRENTAL VALUES (1007, 34368, 3.50,
'2016-03-05', NULL, 3.00);
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO DETAILRENTAL VALUES (1008, 34369, 3.50,
'2016-03-05', '2016-03-05', 3.00);
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO DETAILRENTAL VALUES (1009, 54324, 3.50,
'2016-03-05', NULL, 3.00);
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [movie_co_db]> INSERT INTO DETAILRENTAL VALUES (1001, 34366, 3.50,
'2016-03-04', '2016-03-02', 3.00);
Query OK, 1 row affected (0.026 sec)
```

question 3.

```
MariaDB [movie_co_db]> SELECT MOVIE_NUM, MOVIE_TITLE, MOVIE_YEAR FROM MOVIE WHERE
MOVIE_NUM = 1245;
```

```
+-----+-----+-----+
| MOVIE_NUM | MOVIE_TITLE | MOVIE_YEAR |
+-----+-----+-----+
|      1245 | Time to Burn |        2012 |
+-----+-----+-----+
```


1 row in set (0.033 sec)

MariaDB [movie_co_db]> UPDATE MOVIE SET MOVIE_YEAR = 2010 WHERE MOVIE_NUM = 1245;
Query OK, 1 row affected (0.036 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [movie_co_db]> SELECT MOVIE_NUM, MOVIE_TITLE, MOVIE_YEAR FROM MOVIE WHERE MOVIE_NUM = 1245;

MOVIE_NUM	MOVIE_TITLE	MOVIE_YEAR
1245	Time to Burn	2010

1 row in set (0.001 sec)

question 4

MariaDB [movie_co_db]> SELECT MOVIE_NUM, MOVIE_TITLE, MOVIE_GENRE, PRICE_CODE FROM MOVIE WHERE MOVIE_GENRE = 'ACTION';

MOVIE_NUM	MOVIE_TITLE	MOVIE_GENRE	PRICE_CODE
1235	Smokey Mountain Wildlife	ACTION	1
1245	Time to Burn	ACTION	1

2 rows in set (0.030 sec)

MariaDB [movie_co_db]> UPDATE MOVIE SET PRICE_CODE = 3 WHERE MOVIE_GENRE = 'ACTION';

Query OK, 2 rows affected (0.028 sec)
Rows matched: 2 Changed: 2 Warnings: 0

MariaDB [movie_co_db]> SELECT MOVIE_NUM, MOVIE_TITLE, MOVIE_GENRE, PRICE_CODE FROM MOVIE WHERE MOVIE_GENRE = 'ACTION';

MOVIE_NUM	MOVIE_TITLE	MOVIE_GENRE	PRICE_CODE
1235	Smokey Mountain Wildlife	ACTION	3
1245	Time to Burn	ACTION	3

2 rows in set (0.001 sec)

question 5.

MariaDB [movie_co_db]> SELECT * FROM PRICE;

PRICE_CODE	PRICE
------------	-------

price_code	price_description	price_rentfee	price_dailylatefee
1	Standard	2.00	1.00
2	New Release	3.50	3.00
3	Discount	1.50	1.00
4	Weekly Special	1.00	0.50

4 rows in set (0.001 sec)

MariaDB [movie_co_db]> UPDATE PRICE SET PRICE_RENTFEE = PRICE_RENTFEE + 0.50;

Query OK, 4 rows affected (0.030 sec)

Rows matched: 4 Changed: 4 Warnings: 0

MariaDB [movie_co_db]> SELECT * FROM PRICE;

price_code	price_description	price_rentfee	price_dailylatefee
1	Standard	2.50	1.00
2	New Release	4.00	3.00
3	Discount	2.00	1.00
4	Weekly Special	1.50	0.50

4 rows in set (0.001 sec)

question 6.

MariaDB [movie_co_db]> SELECT MOVIE_TITLE, MOVIE_YEAR, MOVIE_GENRE FROM MOVIE;

MOVIE_TITLE	MOVIE_YEAR	MOVIE_GENRE
The Cesar Family Christmas	2014	FAMILY
Smokey Mountain Wildlife	2011	ACTION
Richard Goodhope	2015	DRAMA
Beatnik Fever	2014	COMEDY
Constant Companion	2015	DRAMA
Where Hope Dies	2005	DRAMA
Time to Burn	2010	ACTION
What He Doesn't Know	2013	COMEDY

8 rows in set (0.002 sec)

question 7.

MariaDB [movie_co_db]> SELECT MOVIE_YEAR, MOVIE_TITLE, MOVIE_COST FROM MOVIE ORDER BY MOVIE_YEAR DESC;

+-----+-----+-----+

MOVIE_YEAR	MOVIE_TITLE	MOVIE_COST
2015	Richard Goodhope	59.95
2015	Constant Companion	89.95
2014	The Cesar Family Christmas	39.95
2014	Beatnik Fever	29.95
2013	What He Doesn't Know	58.29
2011	Smokey Mountain Wildlife	59.95
2010	Time to Burn	45.49
2005	Where Hope Dies	25.49

8 rows in set (0.003 sec)

Question 8.

```
MariaDB [movie_co_db]> SELECT MOVIE_TITLE, MOVIE_YEAR, MOVIE_GENRE
-> FROM MOVIE
-> ORDER BY MOVIE_GENRE ASC, MOVIE_YEAR DESC;
```

MOVIE_TITLE	MOVIE_YEAR	MOVIE_GENRE
Smokey Mountain Wildlife	2011	ACTION
Time to Burn	2010	ACTION
Beatnik Fever	2014	COMEDY
What He Doesn't Know	2013	COMEDY
Richard Goodhope	2015	DRAMA
Constant Companion	2015	DRAMA
Where Hope Dies	2005	DRAMA
The Cesar Family Christmas	2014	FAMILY

8 rows in set (0.002 sec)

question 9.

```
MariaDB [movie_co_db]> SELECT MOVIE_NUM, MOVIE_TITLE, PRICE_CODE FROM MOVIE WHERE
MOVIE_TITLE LIKE 'R%';
```

MOVIE_NUM	MOVIE_TITLE	PRICE_CODE
1236	Richard Goodhope	2

1 row in set (0.028 sec)

question 10.

```
MariaDB [movie_co_db]> SELECT MOVIE_TITLE, MOVIE_YEAR, MOVIE_COST
-> FROM MOVIE
-> WHERE MOVIE_TITLE LIKE '%hope%'
```

-> ORDER BY MOVIE_TITLE ASC;

MOVIE_TITLE	MOVIE_YEAR	MOVIE_COST
Richard Goodhope	2015	59.95
Where Hope Dies	2005	25.49

2 rows in set (0.001 sec)

question 11.

MariaDB [movie_co_db]> SELECT MOVIE_TITLE, MOVIE_YEAR, MOVIE_GENRE
-> FROM MOVIE
-> WHERE MOVIE_GENRE = 'ACTION';

MOVIE_TITLE	MOVIE_YEAR	MOVIE_GENRE
Smokey Mountain Wildlife	2011	ACTION
Time to Burn	2010	ACTION

2 rows in set (0.027 sec)

question 12.

MariaDB [movie_co_db]> SELECT MOVIE_NUM, MOVIE_TITLE, MOVIE_COST
-> FROM MOVIE
-> WHERE MOVIE_COST > 40;

MOVIE_NUM	MOVIE_TITLE	MOVIE_COST
1235	Smokey Mountain Wildlife	59.95
1236	Richard Goodhope	59.95
1238	Constant Companion	89.95
1245	Time to Burn	45.49
1246	What He Doesn't Know	58.29

5 rows in set (0.029 sec)

question 13.

MariaDB [movie_co_db]> SELECT MOVIE_NUM, MOVIE_TITLE, MOVIE_COST, MOVIE_GENRE
-> FROM MOVIE
-> WHERE MOVIE_COST < 50
-> ORDER BY MOVIE_GENRE ASC;

MOVIE_NUM	MOVIE_TITLE	MOVIE_COST	MOVIE_GENRE
1245	Time to Burn	45.49	ACTION
1237	Beatnik Fever	29.95	COMEDY

1239	Where Hope Dies	25.49	DRAMA
1234	The Cesar Family Christmas	39.95	FAMILY

4 rows in set (0.002 sec)

Question 14.

```
MariaDB [movie_co_db]> SELECT MEM_NUM, MEM_FNAME, MEM_LNAME, MEM_STREET, MEM_STATE,
MEM_BALANCE
-> FROM MEMBERSHIP
-> WHERE MEM_STATE = 'TN'
-> AND MEM_BALANCE < 5
-> AND MEM_STREET LIKE '%Avenue';
```

MEM_NUM	MEM_FNAME	MEM_LNAME	MEM_STREET	MEM_STATE	MEM_BALANCE
104	Jamal	Melendez	788 East 145th Avenue	TN	0.00
112	Luis	Trujillo	7267 Melvin Avenue	TN	3.00

2 rows in set (0.002 sec)

question 15.

```
MariaDB [movie_co_db]> SELECT MOVIE_GENRE, COUNT(*) AS "Number of Movies"
-> FROM MOVIE
-> GROUP BY MOVIE_GENRE;
```

MOVIE_GENRE	Number of Movies
ACTION	2
COMEDY	2
DRAMA	3
FAMILY	1

4 rows in set (0.010 sec)

question 16.

```
MariaDB [movie_co_db]> SELECT AVG(Movie_Cost) AS "Average Movie Cost"
```

-> FROM MOVIE;

```
+-----+
| Average Movie Cost |
+-----+
|          51.127500 |
+-----+
1 row in set (0.004 sec)
```

question 17.

```
MariaDB [movie_co_db]> SELECT Movie_Genre, AVG(Movie_Cost) AS "Average Cost"
-> FROM MOVIE
-> GROUP BY Movie_Genre;
```

```
+-----+-----+
| Movie_Genre | Average Cost |
+-----+-----+
| ACTION      | 52.720000    |
| COMEDY      | 44.120000    |
| DRAMA       | 58.463333    |
| FAMILY      | 39.950000    |
+-----+-----+
4 rows in set (0.008 sec)
```

question 18.

```
MariaDB [movie_co_db]> SELECT M.Movie_Title, M.Movie_Genre, P.Price_Description,
P.Price_RentFee
-> FROM MOVIE M
-> JOIN PRICE P ON M.Price_Code = P.Price_Code;
```

```
+-----+-----+-----+-----+
| Movie_Title          | Movie_Genre | Price_Description | Price_RentFee |
+-----+-----+-----+-----+
| The Cesar Family Christmas | FAMILY      | New Release      | 4.00          |
| Smokey Mountain Wildlife  | ACTION      | Discount         | 2.00          |
| Richard Goodhope         | DRAMA       | New Release      | 4.00          |
| Beatnik Fever            | COMEDY      | New Release      | 4.00          |
| Where Hope Dies          | DRAMA       | Discount         | 2.00          |
| Time to Burn             | ACTION      | Discount         | 2.00          |
| What He Doesn't Know     | COMEDY      | Standard         | 2.50          |
+-----+-----+-----+-----+
7 rows in set (0.001 sec)
```

Question 19.

```
MariaDB [movie_co_db]> SELECT M.Movie_Genre, AVG(P.Price_RentFee) AS "Average
Rental Fee"
-> FROM MOVIE M
```

```
-> JOIN PRICE P ON M.Price_Code = P.Price_Code
-> GROUP BY M.Movie_Genre;
```

Movie_Genre	Average Rental Fee
ACTION	2.000000
COMEDY	3.250000
DRAMA	3.000000
FAMILY	4.000000

4 rows in set (0.002 sec)

question 20.

```
MariaDB [movie_co_db]> SELECT M.Movie_Title,
-> M.Movie_Cost / P.Price_RentFee AS "Breakeven Rentals"
-> FROM MOVIE M
-> JOIN PRICE P ON M.Price_Code = P.Price_Code;
```

Movie_Title	Breakeven Rentals
The Cesar Family Christmas	9.987500
Smokey Mountain Wildlife	29.975000
Richard Goodhope	14.987500
Beatnik Fever	7.487500
Where Hope Dies	12.745000
Time to Burn	22.745000
What He Doesn't Know	23.316000

7 rows in set (0.004 sec)

question 21.

```
MariaDB [movie_co_db]> SELECT Movie_Title, Movie_Year
-> FROM MOVIE
-> WHERE Price_Code IS NOT NULL;
```

Movie_Title	Movie_Year
What He Doesn't Know	2013
The Cesar Family Christmas	2014
Richard Goodhope	2015
Beatnik Fever	2014
Smokey Mountain Wildlife	2011
Where Hope Dies	2005
Time to Burn	2010

7 rows in set (0.010 sec)

question 22.

```
MariaDB [movie_co_db]> SELECT Movie_Title, Movie_Genre, Movie_Cost
-> FROM MOVIE
-> WHERE Movie_Cost BETWEEN 44.99 AND 49.99;
```

Movie_Title	Movie_Genre	Movie_Cost
Time to Burn	ACTION	45.49

1 row in set (0.007 sec)

Question 23

```
MariaDB [movie_co_db]> SELECT M.Movie_Title, M.Movie_Genre, P.Price_Description,
P.Price_RentFee
-> FROM MOVIE M
-> JOIN PRICE P ON M.Price_Code = P.Price_Code
-> WHERE M.Movie_Genre IN ('FAMILY', 'COMEDY', 'DRAMA');
```

Movie_Title	Movie_Genre	Price_Description	Price_RentFee
The Cesar Family Christmas	FAMILY	New Release	4.00
Richard Goodhope	DRAMA	New Release	4.00
Beatnik Fever	COMEDY	New Release	4.00
Where Hope Dies	DRAMA	Discount	2.00
What He Doesn't Know	COMEDY	Standard	2.50

5 rows in set (0.005 sec)

question 24

```
MariaDB [movie_co_db]> SELECT DISTINCT M.MEM_NUM, M.MEM_FNAME, M.MEM_LNAME,
M.MEM_BALANCE
-> FROM MEMBERSHIP M
-> JOIN RENTAL R ON M.MEM_NUM = R.MEM_NUM;
```

MEM_NUM	MEM_FNAME	MEM_LNAME	MEM_BALANCE
102	Tami	Dawson	11.00
103	Curt	Knight	6.00
104	Jamal	Melendez	0.00
105	Iva	Mcclain	15.00
107	Rosario	Elliott	5.00
110	Lewis	Rosales	0.00
111	Stacy	Mann	8.00

7 rows in set (0.009 sec)

question 25.

```
MariaDB [movie_co_db]> SELECT MIN(M.MEM_BALANCE) AS "Minimum Balance",
->      MAX(M.MEM_BALANCE) AS "Maximum Balance",
->      ROUND(AVG(M.MEM_BALANCE), 2) AS "Average Balance"
-> FROM MEMBERSHIP M
-> WHERE M.MEM_NUM IN (SELECT DISTINCT MEM_NUM FROM RENTAL);
```

Minimum Balance	Maximum Balance	Average Balance
0.00	15.00	6.43

1 row in set (0.006 sec)

question 26.

```
MariaDB [movie_co_db]> SELECT R.RENT_NUM, R.RENT_DATE, DR.VID_NUM, M.MOVIE_TITLE,
->      DR.DETAIL_DUEDATE, DR.DETAIL_RETURNDATE
-> FROM RENTAL R
-> JOIN DETAILRENTAL DR ON R.RENT_NUM = DR.RENT_NUM
-> JOIN VIDEO V ON DR.VID_NUM = V.VID_NUM
-> JOIN MOVIE M ON V.MOVIE_NUM = M.MOVIE_NUM
-> WHERE DR.DETAIL_RETURNDATE > DR.DETAIL_DUEDATE
-> ORDER BY R.RENT_NUM, M.MOVIE_TITLE;
```

RENT_NUM	RENT_DATE	VID_NUM	MOVIE_TITLE	DETAIL_DUEDATE	DETAIL_RETURNDATE
1003	2016-03-02	54325	The Cesar Family Christmas	2016-03-04	2016-03-09
1003	2016-03-02	61369	What He Doesn't Know	2016-03-06	2016-03-09
1003	2016-03-02	61388	Where Hope Dies	2016-03-06	2016-03-09
1004	2016-03-02	44392	Beatnik Fever	2016-03-05	2016-03-07
1004	2016-03-02	34367	Richard Goodhope	2016-03-05	2016-03-07

5 rows in set (0.007 sec)

question 27.

```
MariaDB [movie_co_db]> SELECT R.RENT_NUM, R.RENT_DATE, M.MOVIE_TITLE, DR.DETAIL_FEE
-> FROM RENTAL R
-> JOIN DETAILRENTAL DR ON R.RENT_NUM = DR.RENT_NUM
-> JOIN VIDEO V ON DR.VID_NUM = V.VID_NUM
-> JOIN MOVIE M ON V.MOVIE_NUM = M.MOVIE_NUM
-> WHERE DR.DETAIL_RETURNDATE IS NOT NULL
-> AND DR.DETAIL_RETURNDATE <= DR.DETAIL_DUEDATE;
```

RENT_NUM	RENT_DATE	MOVIE_TITLE	DETAIL_FEE
1001	2016-03-01	Smokey Mountain Wildlife	2.00
1001	2016-03-01	Richard Goodhope	3.50
1001	2016-03-01	Time to Burn	2.00
1002	2016-03-01	Beatnik Fever	3.50
1004	2016-03-02	Smokey Mountain Wildlife	2.00
1005	2016-03-02	Smokey Mountain Wildlife	2.00
1005	2016-03-02	Beatnik Fever	3.50
1006	2016-03-02	Richard Goodhope	3.50
1008	2016-03-03	Richard Goodhope	3.50

9 rows in set (0.001 sec)

question 28.

```
MariaDB [movie_co_db]> SELECT M.MOVIE_NUM, M.MOVIE_GENRE,
-> ROUND(AVG_GENRE.AVG_COST, 2) AS "Average Cost",
-> M.MOVIE_COST AS "Movie Cost",
-> ROUND((M.MOVIE_COST - AVG_GENRE.AVG_COST) / AVG_GENRE.AVG_COST * 100,
2) AS "Percent Difference"
-> FROM MOVIE M
-> JOIN (
-> SELECT MOVIE_GENRE, AVG(MOVIE_COST) AS AVG_COST
-> FROM MOVIE
-> GROUP BY MOVIE_GENRE
-> ) AS AVG_GENRE ON M.MOVIE_GENRE = AVG_GENRE.MOVIE_GENRE
-> ORDER BY M.MOVIE_NUM;
```

MOVIE_NUM	MOVIE_GENRE	Average Cost	Movie Cost	Percent Difference
1234	FAMILY	39.95	39.95	0.00
1235	ACTION	52.72	59.95	13.71
1236	DRAMA	58.46	59.95	2.54
1237	COMEDY	44.12	29.95	-32.12
1238	DRAMA	58.46	89.95	53.86
1239	DRAMA	58.46	25.49	-56.40
1245	ACTION	52.72	45.49	-13.71
1246	COMEDY	44.12	58.29	32.12

8 rows in set (0.008 sec)

