80

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

NAMES AND LABELS

⚠ Image elements do not have `[alt]` attributes ⌄

⚠ Links do not have a discernible name ⌄

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

TABLES AND LISTS

⚠ `<dl>`'s do not contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ⌄

⚠ Lists do not contain only `<li>` elements and script supporting elements (`<script>` and `<template>`). ⌄

These are opportunities to improve the experience of reading tabular or list data using assistive technology, like a screen reader.

CONTRAST

⚠ Links rely on color to be distinguishable. ⌄

These are opportunities to improve the legibility of your content.

BEST PRACTICES

⚠ Touch targets do not have sufficient size or spacing. ⌄

These items highlight common accessibility best practices.

ARIA

⚠ Uses ARIA roles on incompatible elements ⌄

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)   Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (26)   Show

NOT APPLICABLE (24)   Show