1				
Box+Jum+Duc L4H3 3204500 1/14 Venstre bagende	Box+Jum+Duc L4H3 3204500	Box+Jum+Duc L4H3 3204500		
side	2/14 Venstre side midt	3/14 Venstre side for		
Box+Jum+Duc L4H3 3204500	Box+Jum+Duc L4H3 3204500	Box+Jum+Duc L4H3 3204500		
4/14 Højre side bag	5/14 Højre side for	6/14 Øverste skydedør		
Box+Jum+Duc L4H3 3204500	Box+Jum+Duc L4H3 3204500	Box+Jum+Duc L4H3 3204500		
7/14 Nederste skydedør	8/14 Øverste bagdør	9/14 Øverste bagdør		
Box+Jum+Duc L4H3 3204500	Box+Jum+Duc L4H3 3204500	Box+Jum+Duc L4H3 3204500		
10/14 Bagdør midt	11/14 Bagdør midt	12/14 Bagdør nederst		
Box+Jum+Duc L4H3 3204500	Box+Jum+Duc L4H3 3204500			
13/14 Bagdør nederst	14/14 Over skydedør			

	Sanis	stål S				Jun 10er + Box + L4 H3 DUC 3204500
						14 plader
	Mr	tylchelse	boutur probe	huller probe	beskmelste	bruse bring
	1	6,5 mm	kvyli	5 ma lun	V. Guijedie side	
	2	6,5	hig.	5 mm lone	V. side mid	L
	3	6,5 m	Tigli	5 no lan	V.side for	
	4	6,5			H side lang	sperwend v
•	5	6,5 m	Aryle	5 mm lare	H side for	
	6	4 mm	11114	5 mm tour	overstsluyda	la
	7	4 mm	livyk	1 () in N . Luire	inderst Skydodor	
	8	4 mm	kugte	5 mm Lere	dverst basda	
	4	4000	111-	+ (1-)	Overst basda	spejlvrud [
•	10	4 mm	tops	5 mas love	midt basdar	
		4 mm	tugle	5 mm lon	mid bagda	
	. 12	4 mm	hug le	18 mm Loure stat hot: House	nedest basdar	
	: 13	y na m	<b>-</b> 111-	-11-	nederst Eagolar	spellend nr 12
		6,5	1 Arugle	5 mm	over Shydeda	
•						

9791


BOXUR CY HS 3204500

6,5mm BO-L5-1B

3204500 9791 72 6,5 mm BO-L5-2B

BOXUR LY H3

3204500 P3 6,5 mm BO-L5-3B



BOXER LYH3
3204500
PS
4mm

9791

30-15-53



BOXUR L4H3 3204500 PG 4mm 30-15-63

9791