#### INFORMACIÓN COMERCIO

Nombre Comercio: Chileautos SpA

**Url comercio:** https://operaciones.chileautos.cl

Rubro Comercio: Publicidad en Internet

Rut Comercio:77.535.570-0Código de Comercio:32631274Tipo de desarrollo:SDK

S.O. Servidor: Windows Server 2008

Ubicación geográfica Servidor: Chile

#### INFORMACIÓN CONTACTO COMERCIAL DEL COMERCIO.

Nombre: Andres Cooper Mail: acooper@chileautos.cl Teléfono: +56981569824

#### INFORMACIÓN DE CONTACTO TÉCNICO DEL COMERCIO

Nombre:

Alvaro Emparán / Jesús Andrade

Mail

aemparan@chileautos.cl / jandrade@chileautos.cl


Teléfono: +569 9886 3981

# Evidencia para TransBank

# 1 PAGO EXITOSO DE CRÉDITO (SIN CUOTAS)

Los print de pantalla de un flujo de pago <u>exitoso de crédito (sin cuotas)</u>, además los datos del *request* y *response* de cada método (log).

o Captura de pantalla antes de pasar a WebPay Plus (obtiene un número de OC único)



o Formulario de Transbank, donde se seleccione "sin cuotas"




o Banco emisor aceptando la transacción



o Print de pantalla del Voucher de Transbank con el pago exitoso.



Print de pantalla página de éxito



- Metodos request y response (Log):
  - Log Entry: 2:17:34 PM Monday, February 20, 2017
    - :Init
    - :Request

:{"wsTransactionType":"TR\_NORMAL\_WS","comerceld":"597020000541","a mount":"1234567","buyOrder":"OC\_201722014173","sessionId":"OC\_201722014173","urlReturn":"https://operaciones.chileautos.cl/pagoTBK/tbk-normal.aspx?action=result","urlFinal":"https://operaciones.chileautos.cl/pagoTBK/tbk-normal.aspx?action=end"}

Rassa 1

**☆** □ ⊕

\_\_\_\_\_

:Response

:{"token":"eb09e32e8331c9e67665108d4057cf6afd59a6bfddeed8ca8bc3d96 9075428bf","url":"https://webpay3gint.transbank.cl/filtroUnificado/initTransaction"}

\_\_\_\_\_

- Log Entry: 2:18:28 PM Monday, February 20, 2017
  - :Get Result
  - :Request

:{"token":"eb09e32e8331c9e67665108d4057cf6afd59a6bfddeed8ca8bc3d96 9075428bf"}

-----

:Response

:{"accountingDate":"0220","buyOrder":"OC\_201722014173","cardDetail":{"cardNumber":"6623","cardExpirationDate":null},"detailOutput":[{"authorizationCode":"1213","paymentTypeCode":"VN","responseCode":0,"sharesAmount":0,"sharesAmountSpecified":false,"sharesNumber":0,"sharesNumberSpecified":true,"amount":1234567,"commerceCode":"597020000541","buyOrder":"OC\_201722014173"}],"sessionId":"OC\_201722014173","transactionDate":"\/Date(1487610950993)\/","transactionDateSpecified":true,"urlRedirection":"https://webpay3gint.transbank.cl/filtroUnificado/voucher.cgi","VCI":"TSY"}

\_\_\_\_\_

Log Entry: 2:18:49 PM Monday, February 20, 2017
 :Get Result Con llamda a acknowledgeTransaction, toke:
 eb09e32e8331c9e67665108d4057cf6afd59a6bfddeed8ca8bc3d969075428bf
 :Request
 :eb09e32e8331c9e67665108d4057cf6afd59a6bfddeed8ca8bc3d969075428bf
 :Response
 :

# 2 PAGO EXITOSO DE CRÉDITO (CON CUOTAS)

Los print de pantalla de un flujo de pago <u>exitoso de crédito (con cuotas)</u>, además los datos del *request* y *response* de cada método (log).

Captura de pantalla antes de pasar a WebPay Plus

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0 x 

- 0

o Formulario de Transbank, donde se seleccione "con cuotas"






Print de pantalla del Voucher de Transbank con el pago exitoso.



Print de pantalla página de éxito



#### Metodos request y response (Log):

Log Entry: 2:24:19 PM Monday, February 20, 2017

:Init

0

:Request

:{"wsTransactionType":"TR\_NORMAL\_WS","comerceId":"597020000541","am ount":"1234567","buyOrder":"OC\_2017220142353","sessionId":"OC\_2017220142353","urlReturn":"https://operaciones.chileautos.cl/pagoTBK/tbk-normal.aspx?action=result","urlFinal":"https://operaciones.chileautos.cl/pagoTBK/tbk-normal.aspx?action=end"}

\_\_\_\_\_

:Response

 $: \{ "token" : "e9db373b42f05ec764121634bbd30513f26ca8a646a2783288102b4384ba7afc", "url" : "https://webpay3gint.transbank.cl/filtroUnificado/initTransaction" \}$ 

-----

Log Entry: 2:25:15 PM Monday, February 20, 2017

:Get Result

:Request

:{"token":"e9db373b42f05ec764121634bbd30513f26ca8a646a2783288102b43 84ba7afc"}

\_\_\_\_\_

:Response


:{"accountingDate":"0220","buyOrder":"OC\_2017220142353","cardDetail":{"cardNumber":"6623","cardExpirationDate":null},"detailOutput":[{"authorizationCode":"1213","paymentTypeCode":"VC","responseCode":0,"sharesAmount":0,"sharesAmountSpecified":false,"sharesNumber":8,"sharesNumberSpecified":true, "amount":1234567,"commerceCode":"597020000541","buyOrder":"OC\_2017220142353"}],"sessionId":"OC\_2017220142353","transactionDate":"\Date(1487611355755)\/","transactionDateSpecified":true,"urlRedirection":"https://webpay3gint.transbank.cl/filtroUnificado/voucher.cgi","VCI":"TSY"}

\_\_\_\_\_


Log Entry: 2:25:15 PM Monday, February 20, 2017
 :Get Result Con llamda a acknowledgeTransaction, toke:
 e9db373b42f05ec764121634bbd30513f26ca8a646a2783288102b4384ba7afc
 :Request
 :e9db373b42f05ec764121634bbd30513f26ca8a646a2783288102b4384ba7afc
 :Response
 :

## 3 PAGO EXITOSO DÉBITO

Los print de pantalla de un flujo de pago <u>exitoso de débito</u>, además los datos del *request* y *response* de cada método (log).



o Formulario de Transbank, donde se seleccione "<u>DEBITO</u> "




- Metodos request y response (Log):
  - Log Entry: 2:32:20 PM Monday, February 20, 2017

```
:Init
 :Request
 :{"wsTransactionType":"TR_NORMAL_WS","comerceId":"597020000541","am
ount":"1234567","buyOrder":"OC_2017220143151","sessionId":"OC_20172201
43151", "urlReturn": "https://operaciones.chileautos.cl/pagoTBK/tbk-
normal.aspx?action=result","urlFinal":"https://operaciones.chileautos.cl/pagoT
BK/tbk-normal.aspx?action=end"}
_____
 :Response
 :{"token":"edc6296a908068fa2dff12b466fa4e94900b092915c2b7f0b9560fa4e
2b43384","url":"https://webpay3gint.transbank.cl/filtroUnificado/initTransactio
_____
Log Entry: 2:33:09 PM Monday, February 20, 2017
 :Get Result
 :Request
 :{"token":"edc6296a908068fa2dff12b466fa4e94900b092915c2b7f0b9560fa4e
2b43384"}
_____
 :Response
 :{"accountingDate":"0220","buyOrder":"OC 2017220143151","cardDetail":{"ca
rdNumber":"6623","cardExpirationDate":null},"detailOutput":[{"authorizationC
ode":"1213","paymentTypeCode":"VD","responseCode":0,"sharesAmount":0,"s
haresAmountSpecified":false, "sharesNumber":0, "sharesNumberSpecified":true,
"amount":1234567,"commerceCode":"597020000541","buyOrder":"OC_20172
20143151"}], "sessionId": "OC 2017220143151", "transactionDate": "\/Date(1487
611836883)\/","transactionDateSpecified":true,"urlRedirection":"https://webpa
y3gint.transbank.cl/filtroUnificado/voucher.cgi","VCI":"TSY"}
Log Entry: 2:33:09 PM Monday, February 20, 2017
 :Get Result Con llamda a acknowledgeTransaction, toke:
edc6296a908068fa2dff12b466fa4e94900b092915c2b7f0b9560fa4e2b43384
 :Request
 :edc6296a908068fa2dff12b466fa4e94900b092915c2b7f0b9560fa4e2b43384
 :Response
```

## 4 PAGO RECHAZADO

Los print de pantalla de un flujo de pago <u>rechazado</u>, además los datos del <u>request</u> y <u>response</u> de cada método (log).

 Print de pantalla antes del pago, mostrando el botón de pago en el sitio web del comercio al servidor de pago.



o Formulario de Transbank, donde se seleccione Crédito o Redcompra.



 Se debe utilizar la tarjeta MASTERCARD para esta prueba. En caso que se use la tarjeta VISA, debe adjuntar print de pantalla del banco indicando la opción RECHAZAR.



☆ 回 9

Página de fracaso.



- Metodos request y response (Log):
  - Log Entry: 2:37:08 PM Monday, February 20, 2017
    - :Init
    - :Request

:{"wsTransactionType":"TR\_NORMAL\_WS","comerceld":"597020000541","a mount":"1234567","buyOrder":"OC\_2017220143647","sessionId":"OC\_20172 20143647","urlReturn":"https://operaciones.chileautos.cl/pagoTBK/tbk-normal.aspx?action=result","urlFinal":"https://operaciones.chileautos.cl/pagoTBK/tbk-normal.aspx?action=end"}

\_\_\_\_\_

:Response

:{"token":"ee763e23d383b9d7cff06f81e3191717b4327c5f1ca0627273e0c12a 07843ed0","url":"https://webpay3gint.transbank.cl/filtroUnificado/initTransaction"}

\_\_\_\_\_

- Log Entry: 2:38:31 PM Monday, February 20, 2017
  - :Get Result
  - :Request

:{"token":"ee763e23d383b9d7cff06f81e3191717b4327c5f1ca0627273e0c12a 07843ed0"}

-----


- :Response
- :{"accountingDate":"0220","buyOrder":"OC\_2017220143647","cardDetail":{"cardNumber":"6623","cardExpirationDate":null},"detailOutput":[{"authorizationCode":"000000","paymentTypeCode":"VC","responseCode":-
- 1,"sharesAmount":0,"sharesAmountSpecified":false,"sharesNumber":10,"sharesNumberSpecified":true,"amount":1234567,"commerceCode":"59702000054 1","buyOrder":"OC\_2017220143647"}],"sessionId":"OC\_2017220143647","transactionDate":"\/Date(1487612124811)\/","transactionDateSpecified":true,"

## 5 PAGO ANULADO

El print de pantalla que se despliega, después de presionar el <u>botón "Anular" del Formulario de Webpay</u> y explicar la estrategia utilizada para controlar este flujo.

El proceso de anulación, está siendo controlado con una cookie donde se guardan los datos de la transacción para ser cargado en Base de datos, si está cookie no está creada, se toma como flujo nulo. Porque no hay datos para contrastar con la Oc creada en el paso 1 de la transacción. Por tanto, queda en nuestra base de datos un Oc sin código de autorización y en un estado definido para este caso.

 Print de pantalla antes del pago, mostrando el botón de pago en el sitio web del comercio al servidor de pago.



Mensaje Pagina de anulación.



## 6 Validación de Certificado

Describir el <u>código fuente</u> y <u>explicar</u> las partes en que se realizan las validaciones del certificado de Transbank para cada método. Recordar que se debe validar que todos los *response* proviene de Transbank.

Para este punto necesitamos el extracto de código el cual realiza la validación del certificado de Transbank para cada uno de los métodos. Está en C#.

```
Configuration configuration = new Configuration();
configuration.Environment = certificate["environment"];
configuration.CommerceCode = certificate["commerce_code"];
configuration.PublicCert = certificate["public_cert"];
configuration.WebpayCert = certificate["webpay cert"];
configuration.Password = certificate["password"];
/** Creacion Objeto Webpay */
Webpay.Transbank.Library.Webpay webpay = new
Webpay.Transbank.Library.Webpay(configuration);
/** Ejecutamos metodo initTransaction desde Libreria */
wsInitTransactionOutput result = webpay.getNormalTransaction().initTransaction(amount,
buyOrder, sessionId, urlReturn, urlFinal);
string urlrespuesta = result.url;
/** Verificamos respuesta de inicio en webpay */
if (result.token != null && result.token != "" && urlrespuesta ==
"https://webpay3gint.transbank.cl/filtroUnificado/initTransaction")
      {
             message = "Sesion iniciada con exito en Webpay";
             HttpContext.Current.Response.Write("" + message + "</br></br>");
```

```
HttpContext.Current.Response.Write("<form action=" + result.url + " method='post'><input</pre>
type='hidden' name='token ws' value=" + result.token + "><input type='submit' class='btn
btn-success btn-large btn-block IdClassBtnEnviar' value='Continuar »'></form>");
      }Else{
             message = "webpay no disponible";
             HttpContext.Current.Response.Write("" + message + "</br></br>");
      }
/** metodo getTransactionResult **/
Configuration configuration = new Configuration();
configuration.Environment = certificate["environment"];
configuration.CommerceCode = certificate["commerce_code"];
configuration.PublicCert = certificate["public_cert"];
configuration.WebpayCert = certificate["webpay_cert"];
configuration.Password = certificate["password"];
/** Creacion Objeto Webpay */
Webpay.Transbank.Library.Webpay webpay = new
Webpay.Transbank.Library.Webpay(configuration);
 /** Obtiene Información POST */
string[] keysPost = Request.Form.AllKeys;
/** Token de la transacción */
string token = Request.Form["token ws"];
request.Add("token", token.ToString());
transactionResultOutput result =
webpay.getNormalTransaction().getTransactionResult(token);
if (result.detailOutput[0].responseCode == 0)
                              message = "Pago ACEPTADO por webpay (se deben guardar datos
para mostrar voucher)";
                        else
                            message = "Pago RECHAZADO por webpay <br />Código : " +
result.detailOutput[0].responseCode + "<br /> Descripción: " +
codes[result.detailOutput[0].responseCode.ToString()];
}
/** metodo acknoewledgeTransaction **/
Configuration configuration = new Configuration();
configuration.Environment = certificate["environment"];
configuration.CommerceCode = certificate["commerce_code"];
```

```
configuration.PublicCert = certificate["public_cert"];
configuration.WebpayCert = certificate["webpay_cert"];
configuration.Password = certificate["password"];

/** Creacion Objeto Webpay */
Webpay.Transbank.Library.Webpay webpay = new
Webpay.Transbank.Library.Webpay(configuration);

transactionResultOutput result =
webpay.getNormalTransaction().getTransactionResult(token);

if (result.detailOutput[0].responseCode == 0)
{
HttpContext.Current.Response.Write("<form action=" + result.urlRedirection + "
name='acknowledgeTransaction' method='post'><input type='hidden' name='token_ws' value="
+ token + "><input type='submit' class='btn btn-success btn-large btn-block
IdClassBtnEnviar' value='Continuar &raquo;'></form>");
```

#### 7 CERTIFICADO NO PERTENECE A TRANSBANK

El print de pantalla que se despliega cuando el <u>certificado no pertenece a Transbank</u> y explicar la estrategia utilizada para controlar este flujo.



El proceso se toma como una excepción, generando un log que entrega la hora y la descripción del error, además en la pantalla indica al usuario que sucedió. Adicionalmente tiene la opción de regresar al formulario de inicio de la transacción para volver a intentarlo.


### 8 Orden de Compras Duplicada

Los print de pantalla de un flujo de pago con una <u>Orden de Compra duplicada</u>, además los datos del *request* y *response* de cada método (log).Para realizar este flujo debes generar una transacción de autorización y luego realizar una nueva transacción con la misma Orden de Compra autorizada anteriormente, siempre debes validar contra la base de datos que la orden de compra no se encuentre autorizada, en caso de detectarse esta situación NO debes consumir el método acknowledgeTransaction, de esta forma generas una reversa forzada. Finalmente debes desplegar la página de rechazo.

• La validación lo realiza de forma interna

Para este punto necesitamos las siguientes capturas de pantallas:


- Para esta validación se puede ocupar alguna orden de compra utilizada anteriormente o una nueva.



- Formulario de Transbank, donde se seleccione Crédito o Redcompra. Pagar con VISA y print de pantalla.



- Pagina de éxito con el detalle de la transacción



- request y response de todos los métodos.

Log Entry: 18:47:18 martes, 28 de febrero de 2017

:Get Result

:Request

 $: \{ \text{"token": "e560d8c06d237250576693ca814faa57317206cee15b19b1d326c45357b43278"} \}$ 

\_\_\_\_\_

:Response

:{"accountingDate":"0228","buyOrder":"OC\_20172071415693","cardDetail":{"cardNumber":"6623","cardExpirationDate":null},"detailOutput":[{"authorizationCode":"1213","paymentTypeCode":"VC","responseCode":0,"sharesAmount":0,"sharesAmountSpecified":false,"sharesNumber":6,"sharesNumberSpecified":true,"amount":123456,"commerceCode":"597020000541","buyOrder":"OC\_20172071415693"}],"sessionId":"OC\_20172071415693","transactionDate":"\Date(1488318271750)\\","transactionDateSpecified":true,"urlRedirection":"https://webpay3gint.transbank.cl/filtroUnificado/voucher.cgi","VCI":"TSY"}

\_\_\_\_\_

- Log Entry: 18:47:22 martes, 28 de febrero de 2017
  - :Get Result Con llamda a acknowledgeTransaction, toke:
  - e560d8c06d237250576693ca814faa57317206cee15b19b1d326c45357b43278
  - :Request
  - :e560d8c06d237250576693ca814faa57317206cee15b19b1d326c45357b43278

-----

:Response

:

\_\_\_\_\_

#### Reintento de pago...

- Formulario de Transbank, donde se seleccione Crédito o Redcompra. Pagar con VISA y print de pantalla.



- Pagina de fracaso con el respectivo print de pantalla.



- Request y response donde no se consuma el método acknowledgeTransaction
  - Log Entry: 18:58:12 martes, 28 de febrero de 2017
    - :Init
    - :Request

 $: \{ \text{"wsTransactionType": "TR\_NORMAL\_WS", "comerceId": "597020000541", "amount": "123456", "buyOrder": "OC\_20172071415693", "sessionId": "OC\_20172071415693", "urlReturn": "http://localhost: 54128/tbk-$ 

normal.aspx?action=result","urlFinal":"http://localhost:54128/tbk-normal.aspx?action=end"}

.....

:Response

 $: \{ \text{"token": "e3a0dd9fdaf2167e6f391e1a6b5311a6b9784e590ae1ad2178ef9fc8c df88fa7", "url": "https://webpay3gint.transbank.cl/filtroUnificado/initTransaction "} \\$ 

\_\_\_\_\_

- Log Entry: 19:00:02 martes, 28 de febrero de 2017
  - :Get Result
  - :Request

:{"token":"e3a0dd9fdaf2167e6f391e1a6b5311a6b9784e590ae1ad2178ef9fc8cdf88fa7"}

.....

:Response

 $: \{\text{"accountingDate":"0228","buyOrder":"OC\_20172071415693","cardDetail":} \{\text{"cardNumber":"6623","cardExpirationDate":null},"detailOutput":[\{\text{"authorizationCode":"1213","paymentTypeCode":"VC","responseCode":0,"sharesAmount":0,"sharesAmountSpecified":false,"sharesNumber":6,"sharesNumberSpecified":true," amount":123456,"commerceCode":"597020000541","buyOrder":"OC\_20172071415693"\}],"sessionId":"OC\_20172071415693","transactionDate":"VDate(1488318985744)\\","transactionDateSpecified":true,"urlRedirection":"https://webpay3gint.transbank.cl/filtroUnificado/voucher.cgi","VCl":"TSY"\}$ 

-----

• Log Entry: 19:00:02 martes, 28 de febrero de 2017

:Get Result Sin llamda a acknowledgeTransaction e3a0dd9fdaf2167e6f391e1a6b5311a6b9784e590ae1ad2178ef9fc8cdf88fa7 :Request

 $: \{ "token" : "e3a0dd9fdaf2167e6f391e1a6b5311a6b9784e590ae1ad2178ef9fc8cdf88fa7" \}$ 

\_\_\_\_\_

:Response

:{"accountingDate":"0228","buyOrder":"OC\_20172071415693","cardDetail":{"cardNumber":"6623","cardExpirationDate":null},"detailOutput":[{"authorizationCode":"1213","paymentTypeCode":"VC","responseCode":0,"sharesAmount":0,"sharesAmountSpecified":false,"sharesNumber":6,"sharesNumberSpecified":true,"amount":123456,"commerceCode":"597020000541","buyOrder":"OC\_20172071415693"}],"sessionId":"OC\_20172071415693","transactionDate":"\Date(1488318985744)\\","transactionDateSpecified":true,"urlRedirection":"https://webpay3gint.transbank.cl/filtroUnificado/voucher.cgi","VCI":"TSY"}

\_\_\_\_\_\_

## 9 WEBSERVICES DE ANULACIÓN

- Indicar si integrarán, el Webservice de Anulación, en caso que:
  - SI lo integren, indicar si realizaran anulaciones totales o parciales.
  - o NO lo integren, el comercio (no el programador) debe indicar el motivo.
- No será usado el webservices de anulación, debido a que el área de finanzas de la empresa posee sus propios procedimientos para la anulación de pagos.

## 10 DATOS DE PRUEBA

Enviar URL y datos de prueba.

URL de formulario único de pago:
<a href="http://desarrollo.chileautos.cl/pago-v2.asp?i=0">http://desarrollo.chileautos.cl/pago-v2.asp?i=0</a>

Datos de Prueba:

