






@alvarosaburido1








```
<form
```

```
  class="dynamic-form"
```

```
  novalidate
```

```
  :id="id"
```

```
  :name="id"
```

```
  v-bind="formattedOptions"
```

```
  @submit.prevent="handleSubmit"
```

```
>
```

```
<dynamic-input
```

```
  v-for="control in controls"
```

```
  :key="control.name"
```

```
  :control="control"
```

```
  :submitted="submitted"
```

```
  @change="valueChange"
```

```
  @blur="onBlur"
```

```
>
```

```
</form>
```

<dynamic-form />



Props

Events

{  }

`<dynamic-form />`

Props

- Id
- Fields
- Options

Events

- @submit
- @change
- @error

```
<form
  class="dynamic-form"
  novalidate
  :id="id"
  :name="id"
  v-bind="formattedOptions"
  @submit.prevent="handleSubmit"
>
  <dynamic-input
    v-for="control in controls"
    :key="control.name"
    :control="control"
    :submitted="submitted"
    @change="valueChange"
    @blur="onBlur"
  />
</form>
```



```
<div :class="getClasses">
  <input-text
    v-if="
      FormControl.type === 'text' ||
      FormControl.type === 'email' ||
      FormControl.type === 'password' ||
      FormControl.type === 'url' ||
      FormControl.type === 'number'
    "
    :formControl="formControl"
    @change="valueChange"
    :style="getStyles"
  />
  <input-select
    v-if="FormControl.type === 'select'"
    :formControl="formControl"
    @change="valueChange"
    :style="getStyles"
  />
  ...
  <label
    class="form-label"
    :for="FormControl.name"
    v-if="FormControl.type !== 'checkbox'"
  >
    {{ FormControl.label }}
  </label>
</div>
```

