
DAILY ASSESSMENT FORMAT


Date:	10-06-2020	Name:	BINDUSHRI
Course:	KICAD-PCB	USN:	4AL17EC011
Topic:	completed		6 th A
Github	Bindushri		
Repository:			



Date:10june202

0 Name:Bindushri
Course: MYSQL USN:4AL17EC011
Topic:sec4 Sem&Sec:6th A

AFTERNOON SESSION DETAILS



C'value 31', Value 32, value

- -> 10/06/2020 Myson outputting & processing data.
 - I use echo to desplay content en absourser
 - v use lescaped characters
 - & format output wath sprint & print.
 - I use date to format dates & times as you need them.

X The Echo And Quotes

<?Php

echo ¿Litte > php Training Expurt 4 </tites echo & 'echo treak double gioures & striglo govilles defferontled.

ocho loc Ephp>

Faimative of

Pronthe sprontb

are exhaust quely complete ways of formattip numerical data ready for a browser

Piral -ochos et derette to the Browsor. Spirati- 98 the Spleut version which makes the who leady for a learrable.

```
< 9 Php
echo c'table bordor = 1'>
echce ¿tr>'
  echoictd > salut 
  echo ctas first noamo cltas
   echo "Ctd > Last neamoc/td>"
   cence 'Has company clas;
  echce "</tos
  echo 'ctrz';
   echo'add > mr cltd >;
  echo ctos goe citos;
  echo Etd, Bloggs cHd;
  echo istas 3 c/td>
 eono'cltis:
echo! ablos;
 3>
Dates Froms
 Dates are stored an mysician the form.
   YYYY_mm-dd on YYY-mm-dd H!il:Ss
(convert a data-storing-to a clase with westrations()
     eg: echo stroteme ("1 gune 2010")
          echo stitotimo ("no uo +2 mecores")
  Accorded a date up to the date () function
        gl My scan date - date (">-m-d H:9:5", Str D-Hmo ("now")).
       & human Date -date ("9: 140'gmy", Stito Home ("now))
```

Repetion constructs Rhp Proudole Arepeticus contras constructs. -. achier () 29 dof y while () were (condetion) { duil Statement; statement; I we wile (coudition): tan () 29 Jor eachOly. tor (explicates; exp3) toreach (S'a as fv) Statement; & Statement; Son SELECT SELECT ecolumn > ... < (olumn No From z table N eg & SIOL SCAPI = SELECT Salutation, Existingame, Last Many FROM tPersion Iren an pho presult = mysql-iquery (\$souscrape); where (strong = mysq1-fetch _array (\$ result, \$ array This) E process - the assoc array procury famay Type 48 one of 'Mysol_Assoc', 'Mysca_ NUM'COR MYSCOL - BOTH!

