	•
C bedin to check crepether of new steppe is begracious as wat man	houd
using builtin function.	
Alapoithon:0	
() Stont	
Diapul stoing, length = 0. flog=0	
@ too (1=0; stoing [:] { = 10' : 1+ +)	
benoth ++	
@ output leagth of a storing	
@ for (= length -1; 1>=0; ?)	
[] priote: [1-1-stonal] eriotes 3 erouse	
6 fox (florg: 1 a i=0; iZlength + i++)	
97 (reserve - stoing (?))	6
+(max =0:	6
(flag ==1)	et .
aufout paladrone	
else	•
output not a paladrome	
(2) 8to 0	•
	0-
Flocochant (3tcm)	•
	0
[1 april storing, length 20, flog 20]	•
	9
(++) (120; storing [7] 12'(0': "++)	0
	0
length it +	or
out put length of stoing	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
(tox (9= length: 1; 9>=0:9)	- W
7, 113=0:5	₩
219-C N 4 7	· • • • • • • • • • • • • • • • • • • •
J severis - 2-13 = 2-10 July 2012 - 2 Remark - 3 - 1] = 2-10 July 2013	
	U
	Camlin

