
DAILY ASSESSMENT FORMAT

| Date: | 22-05-2020 | Name: | M V Ramya |
|-----------------------|--|---------------------|----------------|
| Course: | TCS iON digital | USN: | 4AL17EC045 |
| Topic: | Communication skills, Effective presentation and soft skills | Semester & Section: | 6th sem, A sec |
| Github Repository: | M V Ramya-045 | | |

FORENOON SESSION DETAILS





Date:22may2020 Name: MV Ramya

Course: python USN:4AL17EC045

Topic: Basics Semester & 6th sem Asec

Section:

AFTERNOON SESSION DETAILS

Image of session



. Adding Plaython for co # Elpplication 2: Create weboups with pythog . we can . Adding multiple point . colour follum Ar coordinates in [38.2, -94.1]. [37.2, -47.1]]; det a Nebmap is a map that is displayed by the , we can use HTML In the popula windows brows and can be visited by the web. . colour point det color-produce (elevation); we need to use library called follow . The bout map it elevation <1000; To install falium type - pip install folium. return 'grun' clif 1000 <= clevation 23000 · map = falium , map (location = [50, -100]) return 'or anyo' map else. return 'red' map . save ("map1. html") . 11 . Add & styll point . . Alu = "mapboa bright" we can use dir (tolium) to look for possible methods Ail4 = "Stamen Jerrain!" of creating circle markes Both type of baremaps, but mapbox bright doesn't work anymore . Stamen berain works great · I can about population map. · Import folium map = foliom . Map (tocation = [55.58 , -94.04] , zeem shirt fil4 = "mapbox bright") tg = follow , feature Group (name = "my map") tg.add.child (folium. merlet (location = [38.2, -971] popup = "Hi I'am a morter", icon = folium. Icon map add wild (fy) Color = "grund map. savi (* Mapi, html)