


DAILY ASSESSMENT FORMAT

Date:	31/07/2020	Name:	Prajwal Kamagethi Chakravarti P L
Course:	Coursera	USN:	4AL17EC073
Topic:	<ul style="list-style-type: none"> Basic Statics 	Semester & Section:	6 & B
Github Repository:	https://github.com/alvas-education-foundation/Prajwal-Kamagethi.git		

SESSION DETAILS

Session images

The screenshot displays the Coursera interface for the 'Basic Statistics' course by the University of Amsterdam. The main heading is 'Basic Statistics' with the subtitle 'by University of Amsterdam'. A large 'Congratulations!' message states: 'You've successfully completed Course 3 of 5: Basic Statistics!'. Below this, there are links for 'Read course reviews', 'View your certificate', and 'Keep going!'. An 'Instructor's Note' from the University of Amsterdam is visible, welcoming the student to the course. On the left sidebar, there is a list of weeks (Week 1 to Week 8) and a 'Course Info' section. At the bottom, there are two rows showing 'Week 1' and 'Week 2' with green checkmarks indicating completion.



Report:

Low statistical power:

Power is the probability of correctly rejecting the null hypothesis when it is false (inverse of the type II error rate). Experiments with low power have a higher probability of incorrectly accepting the null hypothesis—that is, committing a type II error and concluding that there is no effect when there actually is (I.e. there is real covariation between the cause and effect). Low power occurs when the sample size of the study is too small given other factors (small effect sizes, large group variability, unreliable measures, etc.).

Violated assumptions of the test statistics:

Most statistical tests (particularly inferential statistics) involve assumptions about the data that make the analysis suitable for testing a hypothesis. Violating the assumptions of statistical tests can lead to incorrect inferences about the cause-effect relationship. The robustness of a test indicates how sensitive it is to violations. Violations of assumptions may make tests more or less likely to make type I or II errors.

Dredging and the error rate problem:

Each hypothesis test involves a set risk of a type I error (the alpha rate). If a researcher searches or "dredges" through their data, testing many different hypotheses to find a significant effect, they are inflating their type I error rate. The more the researcher repeatedly tests the data, the higher the chance of observing a type I error and making an incorrect inference about the existence of a relationship.

Unreliability of measures:

If the dependent and/or independent variable(s) are not measured reliably (i.e. with large amounts of measurement error), incorrect conclusions can be drawn.

Restriction of range:

Restriction of range, such as floor and ceiling effects or selection effects, reduce the power of the experiment, and increase the chance of a type II error.^[5] This is because correlations are attenuated (weakened) by reduced variability (see, for example, the equation for the Pearson product-moment correlation coefficient which uses score variance in its estimation).

Certificate:



UNIVERSITY OF AMSTERDAM

07/31/2020

Prajwal Kamagethi Chakravarti
P L

has successfully completed

Basic Statistics

an online non-credit course authorized by University of Amsterdam and offered
through Coursera

Three handwritten signatures in black ink.

Dr. Annemarie Zand Scholten, Dr. Matthijs Duijn, Dr. ir. E.E. van Loon
University of Amsterdam

COURSE
CERTIFICATE



Verify at coursera.org/verify/JACPT4KZXFUF

Coursera has confirmed the identity of this individual and
their participation in the course.

