



Chinmaya Dayananda Kamath



Username: ckamath2000

Country:  India

State: Karnataka

City: India

Student/Professional: Student



Scanned with

Institution: Alvas Institute of Engineering and Technology Karnataka, India

Input

```
5
3
4
5
6
7
```

Output

```
Enter size of array
5
Enter the elements of array
3 4 5 6 7
Square of the elements of array
9 16 25 36 49
The sum of square of elements of array is 135
```

Sum of square of elements of array

Program
include <stdio.h>

int main()

{ int a[20], i, n, sum=0;

printf("Enter size of array\n");

scanf("%d", &n);

printf("Enter elements of array\n");

for(i=0; i<n; i++)

{

scanf("%d", &a[i]);

}

printf("In square of the elements of array\n");

for(i=0; i<n; i++)

{

printf("%d\t", a[i]*a[i]);

sum = sum + pow(a[i], 2);

}

printf("In the sum of square of elements
of array is %d\n", sum);

}

Algorithm -

step1 - start

step2 - Input n

step3 - Repeat for(i=0; i<n; i++)

Input a[i]
[End for]

step4 - Repeat for(i=0; i<n; i++)


Input a[i]

output a[i]*a[i]
sum = sum + pow(a[i], 2)

[End for]

step 5 - output sum

step 6 - stop



output

Enter size of array

5

Enter the elements of array

3 4 5 6 7

Square of the elements of array

9 16 25 36 49

The sum of square of elements of array is 135.