DAILY ASSESSMENT FORMAT

Date:	20-06-2020	Name:	Poorvi j gowda
Course:	C programming	USN:	4AL17EC071
Topic:	Files and error handling		6 th b
	Error handling		
Github	Poorvi-2000		
Repository:			

FORENOON SESSION DETAILS						



C Tutorial

CERTIFICATE

SOLOLEARN

Issued 18 June, 2020

This is to certify that

Poorvihj

has successfully completed the

C Tutorial course



Yeva Hyusyan Chief Executive Officer

Certificate #1089-16360158

SHARE

SAVE

Verification URL

https://www.sololearn.com/Certificate/1089-16360158/pdf/



997. (ab=1.) 20/06/2020 FRIOS & Error Handling do maskind with figer According files An external tile can be consued read from, and wenther to Ru C Program. → 8+dfo.h Ofbrary Eucludes the handling function -> FILE Tyredely for defending a fel postuter 1) repen too reading we when for worsting a-open for append 14 - when for reading & celli tionel out > consisting at -> appending readist · periting. Herchold (stdPo.h) but make (?) ! fILE * fptv; fptr=foken ("mygale-Not", "w"); al (fptr==NULD) proof ("Error champafile) neturn-17 4 close (fpti); - returno:

Reading from a feer the states in orbeary also Ruchades functions for reading from an openfile. figeto (fp) = Returns roxt charous from the pointed bylp fgets (butt, n, tp) reads n-1 characte 4 scaup (fp, conversion -s hocitions, vars) -> Read charactes from charthe file by for assigns appet to a 18st of variable pupulers vars with Conversion_Specifiers. worthing to a true the state. In he wary also Inchang functions for correspond to a time. 'In" must be explastly added fputc (char, fp.) -> cerstes character char to the felo proposed to by fp. fputs (otr, fp) verles storing str to the file pointed to by fp. sprint (fp, Str, vars) pollute string to the file pointed to by Ip. x controlling the fell pointer 3400xy +201/0 tb-copen for reading

who - oneu for wording.

4 16+ open for redlug & with so who conou feer ready of workers couerus His tabt cenou for reading fuelty apending to file. Bluary File 1/0 file +fptr ent arr[10]; Rut X[10]; Reet K; fer (K=0; K<10, K++) arr[K]=K; fptr = fohen ("datafile. Din," funte (arrisized (arrio]), size (arr)/ sez of for (OI), fpti); fclose (fp+r). fptr = forou (databile.bin", "rb) fread (x, sizob (artai), sizolar size of (an [0]), \$pto); fclose (fpti). tor (K=0; K<10; K++) Print ("0/0d", x [k]); -Hele (fp) Returns long put realcus coessepondius trethe to till pointer poulton. freek (+p, num_bytes, from pai

- Luc bsebsocorcos SEEK - SET Start Often Proctrues SEEK_ CUP current position SEEK_ END end of file. -the cpreprocessor must to # dharmento make the Eldor Handling Substitution Rm two program Source codo before compi. Dexaption hand lines oation. central to good programing #Include Probuding header practices es were exocos # define, # under defends handelup technoques and andologed wasses DI+PS albo cassed Exxor. # Place HiProce # 400 handling # ell) # endel (constructo expl command completation. Rune alforely Step the #Pragma Inhemoutation execution of a program anaccembilar speaker. and send an exet code # error # wearning of. back to the cale Rug Powcers an essur cornarnery explicational completion Ustag the Earlos codes proectives using esonce # ifact, #ifnotes sunder error code 93 set Rua - acture. Glabar leastable named esho, worder defend omnet 49 Inday TERM. our extro we extendintenso; Processor cohoration #ce herator # macro consister called extendification or stranging

operator Ps also the token passeling operator,

Because the appender, as "passes", tokens to gether.

##defens var (name, num) name##num

Pat XI=125;

Rut X2= 250;

Put X3=500;

Porent ("eledin", var (x,3));

CERTIFICATE



Issued 18 June, 2020

This is to certify that

Poorvihj

has successfully completed the

C Tutorial course



Yeva Hyusyan Chief Executive Officer

Certificate #1089-16360158