


## **DAILY ONLINE ACTIVITIES SUMMARY**

Date:	15-06-2020	Name:	Rakesh M Kotian
Sem & Sec	8 th sec-b	USN:	4al16cs072
<b>Online Test Summary</b>			
Subject	sms		
Max. Marks	60	Score	-
<b>Certification Course Summary</b>			
Course	Python for machine learning		
Certificate Provider	Great learning	Duration	6 hours
<b>Coding Challenges</b>			
<b>Problem Statement:</b> 1. <i>To remove punctuation symbol in string</i>			
<b>Status:</b> solved			
Uploaded the report in Github		yes	
If yes Repository name		Rakeshkotian08	
Uploaded the report in slack		yes	

**Online Test Details: (Attach the snapshot and briefly write the report for the same)**

**Certification Course Details: (Attach the snapshot and briefly write the report for the same)**



**Coding Challenges Details: (Attach the snapshot and briefly write the report for the same)**

Given an unsigned integer, reverse all bits of it and return the number with reversed bits. The idea is to keep putting set bits of the num in reverse\_num until num becomes zero. After num becomes zero, shift the remaining bits of reverse\_num.

Let num is stored using 8 bits and num be 00000110. After the loop you will get reverse\_num as 00000011. Now you need to left shift reverse\_num 5 more times and you get the exact reverse 01100000.

Input : n = 1

Output : 2147483648

On a machine with size of unsigned

bit as 32. Reverse of 0....001 is

100....0.

Input : n = 2147483648

Output : 1