



	Measures of Central tendency and
	dispersion,
	-Mode, Medean and mean
	-) Range, intersauastile Range and box
	plot
	Marrence and standard Deviation
•	-lasience:-
	$\mathcal{E}(1-\overline{1})^2$
1	$S = \sqrt{\frac{1}{1-1}}$
	Standard developion
- 4)	Signor ser occurrent
	$- > S^2 = E(2 - \overline{2})^2$
	The Same of the Same
*	\mathcal{N}_{-1}
	. I-Scorec and example:
	-> 1.07 example
12	- 1.08 example
^	about the R-labs 1 (- Da)
	Rlah - getting started (part 1)
•	Plab - getting started (Past 2)
• 1	O page of coals again
12	as such a such a such a such as
	1 2 months of the second will be a
	1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
- 1976 1976 1976	The state of the s

Sindle S. Date - 20 - July - 2020 dAL18ECOA9 Course! Salesforce Athsemit See Impact of Unconscious Bias: unconclous beas on employée performance learned topics La Identify beas and unconceous bing Describe the Empact o leagoire bias en the hlorkplace Equality ally Stroategies! - Conderstand the Meaning and power of ally ship survey governey elly: four key practeres. 1. Ask 3. Show up J. Listen to speak up