

DAILY ASSESSMENT FORMAT

Date:	29-06-2020	Name:	Yamunashree N
Course:	Satellite photogrammetry and its applications	USN:	4AL17EC097
Topic:	Introducing photogrammetry concepts	Semester & Section:	6 th sem 'B' sec
Github Repository:	yamunashree-course		

FORENOON SESSION DETAILS

Photogrammetry Vs Laser Scanning

In photogrammetry, a quality, high-resolution, full-frame sensor camera can yield outputs with horizontal (x-y) accuracies in the range of 1 cm (0.4 in) and elevation (z) accuracies in the range of 3 cm (0.8 to 1.2 in) over hard surfaces, enabling precise volumetric analysis.

LIDAR, a high-end system can generate results with horizontal (x-y) and elevation (z) accuracies in the range of 1 to 2 cm. For this extra 1 cm (0.4 in) of vertical accuracy, you'll pay a heavy price in terms of system cost and operational complexity compared to photogrammetry.

Live chat

Top chat 7K

4:37 PM Anand guason present mam

4:37 PM jagrati gautam present mam

4:37 PM Madhan Kumar jayachandran madhan kumar j

4:37 PM Ansuiya Sharma present mam

4:37 PM Shruti Bist present


Welcome to live chat! Remember to guard your privacy and abide by our community guidelines.

[LEARN MORE](#)


CREATE A CHANNEL TO JOIN THE CHAT

All messages you send will appear publicly





Edit with WPS Office



Live chat

Top chat 6.9K

- 4:37 PM cancel jason present mam
- 4:37 PM jagrati gautam present mam
- 4:37 PM Madhan Kumar jayachandran madhan kumar j
- 4:37 PM Ansuiya Sharma present mam
- 4:37 PM Shruti Bist present



Welcome to live chat! Remember to guard your privacy and abide by our community guidelines.

[LEARN MORE](#)

CREATE A CHANNEL TO JOIN THE CHAT

All messages you send will appear publicly



Edit with WPS Office

Report – Report can be typed or hand written for up to two pages.

Photogrammetry and Remote sensing Department, established in 1966 is one of the oldest departments of the institute imparting professional training in the field of photogrammetry, cartography, remote sensing, and image processing to varied course participants: university teachers, academicians, govt. officials, and freshly graduated students. Initially it started with aerial data interpretation, analysis and aerial photogrammetry with a gradual transition to satellite data interpretation, analysis, satellite photogrammetry and its applications.

Photogrammetry is the science and technology of obtaining reliable information about physical objects and the environment through the process of recording, measuring and interpreting photographic images and patterns of electromagnetic radiant imagery and other phenomena.

Photogrammetry appeared in the middle of the 19th century, almost simultaneously with the appearance of photography itself. The use of photographs to create topographic maps was first proposed by the French surveyor Dominique F. Arago in about 1840.

The term photogrammetry was coined by the Prussian architect Albrecht Meydenbauer, which appeared his 1867 article "Die Photometrographie.

There are many variants of photogrammetry. One example is the extraction of three-dimensional



measurements from two-dimensional data (i.e. images); for example, the distance between two points that lie on a plane parallel to the photographic image plane can be determined by measuring their distance on the image, if the scale of the image is known. Another is the extraction of accurate color ranges and values representing such quantities as albedo, specular reflection, metallicity, or ambient occlusion from photographs of materials for the purposes of physically based rendering.

Close-range photogrammetry refers to the collection of photography from a lesser distance than traditional aerial (or orbital) photogrammetry. Photogrammetric analysis may be applied to one photograph, or may use high-speed photography and remote sensing to detect, measure and record complex 2D and 3D motion fields by feeding measurements and imagery analysis into computational models in an attempt to successively estimate, with increasing accuracy, the actual, 3D relative motions.

From its beginning with the stereoplotters used to plot contour lines on topographic maps, it now has a very wide range of uses such as sonar, radar, and lidar.

Methods

A data model of photogrammetry]



Photogrammetry uses methods from many disciplines, including optics and projective geometry.





Edit with WPS Office