Worldwide source checks. One clear farm workflow.

Current application, not the superseded annual-rotation prototype. Read the boundaries as carefully as the passing counts.

2,562 plant records checked against the pinned source; 263,160 screening calls across six real locations and every supported land profile over 731 start dates.

Source fields

43,554

Zero import mismatches

Calendar cells

3,628,800

All 14 original grids

Unit / API

495

Passing checks in final suite

What the numbers establish

1. Source values and the implemented screen were checked independently. Missing source facts remain missing; no invented harvest dates fill the gaps.

2. Six points cover Bangladesh, the United States, Russia, Brazil, Australia and Kenya. Soil, water and area in the test matrix are declared QA assumptions.

3. Browser tests cover desktop and phone. Recorded real responses are replayed for bulk QA; the walkthrough pages below use actual online API responses.

Release boundary: this is preliminary decision support and farm recordkeeping. These checks do not certify every species or cultivar as suitable for every farm.

Pin the field first.

Example coordinates: 23.86186 N, 90.00273 E, Manikganj, Bangladesh. This point is used for QA, not a surveyed farm boundary.

Where is your farm?

Type a town, city or postal code, choose the right place, then move the pin onto your field.

Find your location

e.g. Rajshahi, Washington, 20001


Choose the correct country and region from the results.

Use my location

Selected field

My pinned field

23.86186°, 90.00273°



▼ Enter exact coordinates instead

Use map center

Latitude

23.86186

Longitude

90.00273

Tap the map or drag the pin onto your field. Pinch or use + / − to zoom. Weather remains a regional model estimate.

Use these coordinates

Open-Meteo / GeoNames · CC BY 4.0

▶ 26.0 °C · Weather for this location · details & forecast

Tell RITU what satellites cannot know.

QA assumptions: one hectare; clay texture; drainage unknown; rain only. These inputs demonstrate the workflow and are not measured local soil or water facts.

Your field & season

Farm name · optional

Manikganj - QA walkthrough

Field area (hectares)

1

Hectares

1 ha · 10000 m²

Ready to plant from

11/01/2026

We look for the next planting opportunity for each crop—not a whole-year rotation.

Soil & drainage

Soil texture

Clay

Does water drain away?

Not sure

Choose Not sure when needed. Satellite weather does not measure your soil texture or drainage.

Water available to this field

- ○ Reliable irrigation
- ○ Limited irrigation
- ◉ Rain only
- ○ Severe shortage
- ○ Not sure

Choose one supported candidate.

Search narrows the full catalogue. The scientific name and source record identify the plant; source categories are not an edibility guarantee.



INRA DIST from France · CC BY 2.0 · Wikimedia Commons · Plant identity
API-sourced species reference; cultivar and growth stage may differ.

Wheat

Triticum aestivum

cereals & pseudocereals · forage/pasture · medicinals & aromatic
annual

Regional calendar + climate

Source growing period: 120–120 days

Next planning window: 11 Nov 2026

▶ Why this option & what to check

✓ Selected

FAO ECOCROP · 2114

Example: wheat

Triticum aestivum
Selected from the suggestions for the entered point and field assumptions.

Planned start: 2026-11-11
Indicative duration: 120 to 120 days
Earliest / latest reference end: 2027-03-11 / 2027-03-11.

Why it appears

20.7 °C long-term season-average temperature; ECOCROP species range 5–27 °C.

Historical Wheat.Winter planting record at the selected 0.5° grid cell.

Entered texture is included in the source soil categories.

A source-backed candidate is not a guarantee of yield, profit, variety suitability or successful rainfed establishment. Open the cautions before deciding.

A farm gets its own workspace.

The illustration represents a planned field. It is not a satellite observation, growth forecast or measured crop condition.



YOUR SINGLE-SEASON FARM

Wheat

Waiting for actual planting

Planned start	Indicative duration
11 Nov 2026	**120 days**


Planned does not mean planted

The actual planting date remains blank in this example. RITU must not start an actual crop-age counter or claim a task was completed until the farmer records it.

The selected crop, source context, field conditions, notes and activities are stored together as an independent farm record. Each separate field or planting can have its own record.

Read dates as references, then record reality.

The current one-crop calendar replaces the old requirement to choose an entire year of crops.



1. The selected day controls the daily checklist.

2. A planned planting marker records the reference date chosen from source evidence.


3. Actual planting is recorded separately. Crop age starts from that event.

4. Rain figures appear only where a fresh available forecast covers the date. A future month does not acquire an invented weather forecast.

5. Growing-period ranges are not cultivar-specific harvest guarantees.

Advice follows recorded status and available evidence.

This example has not been recorded as planted. The checklist therefore asks for preparation and a real planting record.



1. Check actual soil and drainage before an irrigation decision.

2. Mark a task complete only after doing it.

3. Record an observed stage instead of inferring flowering or maturity from age alone.

4. A forecast can prompt an inspection. It cannot establish a measured irrigation dose.

5. Stale weather and another farm's weather must not generate weather-specific instructions.

Read the source, timestamp and forecast horizon.

Actual online model weather for the selected coordinates. It is not a sensor reading from this field and is not a full-season weather prediction.

AUTOMATIC WEATHER UPDATES

Current weather & next seven days

Open-Meteo

My pinned field · Model time: 2026-11-01 23:00 · Asia/Dhaka

Air temperature	Rain in current interval	Air humidity	Wind at 10 m
26.0 °C	0.0 mm	85.0 %	5.5 km/h

▼ **See the seven-day forecast**

Forecast for the farm's local dates. Amounts and probabilities are estimates, not guarantees.

Date	Low → high	Rain	Rain chance
Sun, Nov 1	24.2 °C → 31.4 °C	0.9 mm	41.0 %
Mon, Nov 2	24.2 °C → 31.6 °C	1.2 mm	35.0 %
Tue, Nov 3	24.3 °C → 31.0 °C	0.1 mm	6.0 %
Wed, Nov 4	21.7 °C → 30.1 °C	0.0 mm	0.0 %
Thu, Nov 5	21.9 °C → 29.0 °C	0.0 mm	0.0 %
Fri, Nov 6	21.1 °C → 30.3 °C	0.0 mm	0.0 %
Sat, Nov 7	19.0 °C → 30.2 °C	0.0 mm	0.0 %

Current values are gridded model estimates, not a sensor on your field. Rain is for the displayed 15-minute interval. Refreshes every 10 minutes while this page is visible. Checked: 11:02 PM.

Weather data by Open-Meteo · CC BY 4.0 · Original forecast record

What the numbers mean

Temperature is a model estimate; humidity is relative humidity.


Current rain covers the stated interval. Forecast-table rain is a daily amount; rain chance is a probability, not a guarantee.

Wind is estimated at 10 metres. These values do not measure root-zone water or establish an irrigation dose.

This is a dated capture. Recheck updated conditions before field work.

Keep separate plantings separate.

The example record was saved and opened through the farm list. No real planting or harvest was fabricated.



1. Use Add a farm for another field, crop or independent planting.

2. Switch farms before editing notes or recording activities. Each record retains its own location and environmental context.

3. Export all farm records to keep a backup. Farms currently stay in this browser; they do not automatically sync across devices.

4. Deleting one farm must preserve the others. The browser regression suite checks that separation.

Use the system within what its sources establish.

The detailed per-entry CSV and reproducible results are retained with the project audit.

Data used

NASA POWER climatology
1991-2020 monthly climate, requested independently for each point. This is historical context, not live weather.

FAO ECOCROP
Broad published species descriptors. FAO says the database was discontinued around 2015 and is accessible through GAEZ.

Sacks calendar source documentation
Historical regional observations at 0.5-degree resolution; not field-scale optimum dates.

Open-Meteo forecast documentation
Dated model weather and forecasts, with missing/stale states handled explicitly.

Wikimedia media policy
API-delivered source photographs with identity links, attribution and licenses. Botanical visual certainty is not established by metadata alone.

Not established by passing tests

1. A best crop, yield or profit for every field.

2. Local cultivar suitability, pests, soil pH/salinity, legal or invasive status.

3. Frost safety, photoperiod response, perennial winter survival or first-fruit date.

4. Automatic fertilizer, pesticide or irrigation doses without validated crop protocols and field measurements.

5. Real-world farmer usability and field effectiveness before trials.

No mock weather or invented harvest is used in this walkthrough. Its field conditions are explicitly declared assumptions; its API sources and captured results remain inspectable.