Numerical Differentiation

Md. Mesbahose Salekeen

Introduction:

What is Numerical Differentiation? The Differential Equations we solved in our courses are solvable by analytical method y = F(x), but in case practical application most of then can not be solved analytically. Thus we try to solve them numerically. There are two approaches to do such task -

- 1. Predictor-corrector method
- 2. Runge-Kutta Method

In this we will discuss about Runge-kutta Method

Runge-Kutta Method:

This method is about doing linear approximation of slopes calculated within $x_{n+1} - x_n = h_n$ such that the y_{n+1} values closely corresponds to the Taylor series approximation at that point thus overcoming the error caused by generic euler method.

The solution of

$$\frac{\mathrm{d}y}{\mathrm{d}x} = f(x,y) \tag{1}$$

is to be defined by

$$y_{n+1} = y_n + \sum_{i=1}^{m} (w_i k_i) \tag{2}$$

where w_i are weighted values of slopes and

$$k_{i} = h_{n} f(x_{n} + \alpha_{i} h_{n}, y_{n} + \sum_{j=1}^{i-1} \beta_{ij} k_{j})$$
(3)

are slope values.

We will have to find the values of α_i , β_{ij} , h_n and w_i to compute the solution. Initially $\alpha_1 = 0$, $h_n = x_{n+1} - x_n$

Expanding $F(x_{n+1})$,

$$F(x_{n+1}) = F(x_n) + F'(x_n)(x_{n+1} - x_n) + \frac{F''(x_n)(x_{n+1} - x_n)^2}{2!} \dots$$

$$y_{n+1} - y_n = F(x_{n+1}) - F(x_n)$$

$$= (x_{n+1} - x_n)F'(x_n) + (x_{n+1} - x_n)^2 \frac{F''(x_n)}{2!} + \dots$$

$$= h_n F'(x_n) + (h_n)^2 \frac{F''(x_n)}{2!} + \dots + (h_n)^2 \frac{F''(x_n)}{2!} + \dots$$

$$y_{n+1} - y_n = h_n F'(x_n) + (h_n)^2 \frac{F''(x_n)}{2!} + (h_n)^3 \frac{F'''(x_n)}{3!} + \dots$$

$$(4)$$

$$y_{n+1} - y_n = \sum_{t=1}^{\infty} (h_n)^t \frac{y_n^{(t)}}{t!}$$
 (5)

it can be shown that,

$$\frac{\mathrm{d}f}{\mathrm{d}x} = \frac{\partial f}{\partial x} + \frac{\mathrm{d}y}{\mathrm{d}x} \frac{\partial f}{\partial y} = \left(\frac{\partial}{\partial x} + \frac{\mathrm{d}y}{\mathrm{d}x} \frac{\partial}{\partial y}\right) f..... \text{ where}$$

$$\left(\frac{\partial}{\partial x} + \frac{\mathrm{d}y}{\mathrm{d}x} \frac{\partial}{\partial y}\right) \text{ is a type of differential operator}$$

Again,

$$\begin{split} \frac{\mathrm{d}^2 \mathrm{f}}{\mathrm{d} \mathrm{x}^2} &= \frac{\mathrm{d}}{\mathrm{d} \mathrm{x}} \left(\frac{\partial f}{\partial x} + \frac{\mathrm{d} \mathrm{y}}{\mathrm{d} \mathrm{x}} \frac{\partial f}{\partial y} \right) \\ &= \left(\frac{\partial f}{\partial x} + \frac{\mathrm{d} \mathrm{y}}{\mathrm{d} \mathrm{x}} \frac{\partial f}{\partial y} \right)_x + f \left(\frac{\partial f}{\partial x} + \frac{\mathrm{d} \mathrm{y}}{\mathrm{d} \mathrm{x}} \frac{\partial f}{\partial y} \right)_y \\ &= \frac{\partial}{\partial x} \left(\frac{\partial f}{\partial x} + \frac{\mathrm{d} \mathrm{y}}{\mathrm{d} \mathrm{x}} \frac{\partial f}{\partial y} \right) + f \frac{\partial}{\partial y} \left(\frac{\partial f}{\partial x} + \frac{\mathrm{d} \mathrm{y}}{\mathrm{d} \mathrm{x}} \frac{\partial f}{\partial y} \right) = \left(\frac{\partial}{\partial x} + f \frac{\partial}{\partial y} \right) \left(\frac{\partial}{\partial x} + f \frac{\partial}{\partial y} \right) f \\ &= \frac{\partial}{\partial x} \left(\frac{\partial f}{\partial x} + f \frac{\partial f}{\partial y} \right) + f \frac{\partial}{\partial y} \left(\frac{\partial f}{\partial x} + f \frac{\partial f}{\partial y} \right) \\ &= \frac{\partial^2 f}{\partial x^2} + f \frac{\partial^2 f}{\partial x \partial y} + \frac{\partial f}{\partial x} \frac{\partial f}{\partial y} + f \frac{\partial^2 f}{\partial x \partial y} + f \left(f \frac{\partial^2 f}{\partial y^2} + \frac{\partial f}{\partial y} \frac{\partial f}{\partial y} \right) \\ &= \frac{\partial^2 f}{\partial x^2} + f \frac{\partial^2 f}{\partial x \partial y} + \frac{\partial f}{\partial x} \frac{\partial f}{\partial y} + f \frac{\partial^2 f}{\partial x \partial y} + f \left(f \frac{\partial^2 f}{\partial y^2} + \frac{\partial f}{\partial y} \frac{\partial f}{\partial y} \right) \\ &= \frac{\partial^2 f}{\partial x^2} + f \frac{\partial^2 f}{\partial x \partial y} + \frac{\partial f}{\partial x} \frac{\partial f}{\partial y} + f \frac{\partial^2 f}{\partial x \partial y} + f^2 \frac{\partial^2 f}{\partial y^2} + f \frac{\partial f}{\partial y} \frac{\partial f}{\partial y} \\ &= \left(\frac{\partial}{\partial x} + \frac{\mathrm{d} y}{\mathrm{d} x} \frac{\partial}{\partial y} \right)^2 f \end{split}$$

and,

$$\frac{d^{3}f}{dx^{3}} = \frac{d}{dx} \left(\frac{\partial f}{\partial x} + \frac{dy}{dx} \frac{\partial f}{\partial y} \right)^{2}$$

$$= \left(\frac{\partial f}{\partial x} + \frac{dy}{dx} \frac{\partial f}{\partial y} \right)_{x}^{2} + f \left(\frac{\partial f}{\partial x} + \frac{dy}{dx} \frac{\partial f}{\partial y} \right)_{y}^{2}$$

$$= \frac{\partial}{\partial x} \left(\frac{\partial f}{\partial x} + \frac{dy}{dx} \frac{\partial f}{\partial y} \right)^{2} + f \frac{\partial}{\partial y} \left(\frac{\partial f}{\partial x} + \frac{dy}{dx} \frac{\partial f}{\partial y} \right)^{2} = \left(\frac{\partial}{\partial x} + f \frac{\partial}{\partial y} \right) \left(\frac{\partial}{\partial x} + f \frac{\partial}{\partial y} \right)^{2} f$$

$$= \left(\frac{\partial}{\partial x} + f \frac{\partial}{\partial y} \right)^{3} f$$

In addition, $y'_n = f(x_n, y_n)$, Assuming differentiability, it follows that

$$y_n^t = \frac{\mathrm{d}^{t-1}}{\mathrm{dx}^{t-1}} \{ y'(x_n, y_n) \}$$

$$= \frac{\mathrm{d}^{t-1}}{\mathrm{dx}^{t-1}} f(x, y)_{|x_n, y_n}$$

$$= \left(\frac{\partial}{\partial x} + \frac{\mathrm{dy}}{\mathrm{dx}} \frac{\partial}{\partial y} \right)^{t-1} f(x_n, y_n)$$
(6)

Defining

$$D = \left(\frac{\partial}{\partial x} + \frac{\mathrm{dy}}{\mathrm{dx}} \frac{\partial}{\partial y}\right)\Big|_{x=x_n, y=y_n} = \left(\frac{\partial}{\partial x} + f_n \frac{\partial}{\partial y}\right) \dots f_n = f(x, y)|_{x_n, y_n} \text{ is a constant}$$

$$D^{2} = \left(\frac{\partial}{\partial x} + f_{n} \frac{\partial}{\partial y}\right) \cdot \left(\frac{\partial}{\partial x} + f_{n} \frac{\partial}{\partial y}\right)$$

$$= \left(\frac{\partial^{2}}{\partial x^{2}} + 2f_{n} \frac{\partial^{2}}{\partial x \partial y} + f_{n}^{2} \frac{\partial^{2}}{\partial y^{2}}\right)\Big|_{n}$$
(7)

$$\frac{\mathrm{d}^2 f}{\mathrm{dx}^2}\Big|_n = \left(\frac{\partial^2 f}{\partial x^2} + 2f \frac{\partial^2 f}{\partial x \partial y} + f^2 \frac{\partial^2 f}{\partial y^2} + \frac{\partial f}{\partial x} \frac{\partial f}{\partial y} + f \frac{\partial f}{\partial y} \frac{\partial f}{\partial y}\right)\Big|_n$$

$$= \left(\frac{\partial^2 f}{\partial x^2} + 2f \frac{\partial^2 f}{\partial x \partial y} + f^2 \frac{\partial^2 f}{\partial y^2}\right)\Big|_n + \frac{\partial f}{\partial y} \left(\frac{\partial f}{\partial x} + \frac{\mathrm{dy}}{\mathrm{dx}} \frac{\partial f}{\partial y}\right)\Big|_n$$

$$= D^2 f\Big|_n + f_y D f\Big|_n$$

$$\begin{split} &\frac{\mathrm{d}^3\mathrm{f}}{\mathrm{dx}^3} = \frac{\mathrm{d}}{\mathrm{dx}} \left(\frac{\partial f}{\partial x} + f \frac{\partial f}{\partial y} \right)^2 = \left(\frac{\partial f}{\partial x} + f \frac{\partial f}{\partial y} \right)^3 \\ &= \left(\frac{\partial}{\partial x} + f \frac{\partial}{\partial y} \right) \left(\frac{\partial^2 f}{\partial x^2} + 2f \frac{\partial^2 f}{\partial x \partial y} + f^2 \frac{\partial^2 f}{\partial y^2} + \frac{\partial f}{\partial x} \frac{\partial f}{\partial y} + f \frac{\partial f}{\partial y} \frac{\partial f}{\partial y} \right) \\ &= \left(\frac{\partial}{\partial x} + f \frac{\partial}{\partial y} \right) \left(\frac{\partial^2 f}{\partial x^2} \right) + \left(\frac{\partial}{\partial x} + f \frac{\partial}{\partial y} \right) \left(2f \frac{\partial^2 f}{\partial x \partial y} \right) + \left(\frac{\partial}{\partial x} + f \frac{\partial}{\partial y} \right) \left(f^2 \frac{\partial^2 f}{\partial y^2} \right) \\ &+ \left(\frac{\partial}{\partial x} + f \frac{\partial}{\partial y} \right) \left(\frac{\partial f}{\partial x} \frac{\partial f}{\partial y} \right) + \left(\frac{\partial}{\partial x} + f \frac{\partial}{\partial y} \right) \left(f \frac{\partial f}{\partial y} \frac{\partial f}{\partial y} \right) \\ &= \frac{\partial^3 f}{\partial x^3} + f \frac{\partial^3 f}{\partial x^2 \partial y} + 2\frac{\partial f}{\partial x} \frac{\partial^2 f}{\partial x \partial y} + 2f \frac{\partial^3 f}{\partial y^2 \partial y} + 2f \frac{\partial^2 f}{\partial y^2 \partial y} + 2f \frac{\partial^3 f}{\partial x^2 \partial y} + f \frac{\partial^3 f}{\partial x^2 \partial y} + f \frac{\partial^3 f}{\partial x^2 \partial y^2} \\ &+ 2f \frac{\partial f}{\partial x} \frac{\partial^2 f}{\partial y} + 2f \frac{\partial^2 f}{\partial y} \frac{\partial^2 f}{\partial y^2} + f^2 \frac{\partial f}{\partial y} \frac{\partial^2 f}{\partial y^2} + f \frac{\partial^2 f}{\partial y^2 \partial y} + f \frac{\partial^2 f}{\partial x^2 \partial y} \frac{\partial^2 f}{\partial y} \\ &+ \frac{\partial f}{\partial x} \left(\frac{\partial f}{\partial y} \right)^2 + 2f \frac{\partial^2 f}{\partial x^2 \partial y} + f \frac{\partial f}{\partial y} \frac{\partial^2 f}{\partial y^2} + f \frac{\partial^2 f}{\partial y^2} \frac{\partial^2 f}{\partial y} + f \frac{\partial f}{\partial x^2 \partial y} + f \frac{\partial f}{\partial x^2 \partial$$

$$\frac{\mathrm{d}^{3}f}{\mathrm{dx}^{3}} = \frac{\partial^{3}f}{\partial x^{3}} + 3f \frac{\partial^{3}f}{\partial x^{2}\partial y} + 3f^{2} \frac{\partial^{3}f}{\partial x\partial y^{2}} + f^{3} \frac{\partial^{3}f}{\partial y^{3}} + \frac{\partial f}{\partial y} \left(\frac{\partial^{2}f}{\partial x^{2}} + 2f \frac{\partial^{2}f}{\partial x\partial y} + f^{2} \frac{\partial^{2}f}{\partial y^{2}} \right) + \frac{\left(\frac{\partial f}{\partial y}\right)^{2} \left(\frac{\partial f}{\partial x} + f \frac{\partial f}{\partial y}\right)}{\left(\frac{\partial f}{\partial x} + f \frac{\partial f}{\partial y}\right)^{2}} + \frac{\partial^{2}f}{\partial y^{2}} \left(\frac{\partial f}{\partial x} + f \frac{\partial f}{\partial y}\right) \right) \\
= \frac{\partial^{3}f}{\partial x^{3}} + 3f \frac{\partial^{3}f}{\partial x^{2}\partial y} + 3f^{2} \frac{\partial^{3}f}{\partial x\partial y^{2}} + f^{3} \frac{\partial^{3}f}{\partial y^{3}} + \frac{\partial f}{\partial y} \left(\frac{\partial^{2}f}{\partial x^{2}} + 2f \frac{\partial^{2}f}{\partial x\partial y} + f^{2} \frac{\partial^{2}f}{\partial y^{2}}\right) + \frac{\left(\frac{\partial f}{\partial y}\right)^{2} \left(\frac{\partial f}{\partial x} + f \frac{\partial f}{\partial y}\right)}{\left(\frac{\partial f}{\partial x} + f \frac{\partial f}{\partial y}\right) \left(\frac{\partial f}{\partial y} + f \frac{\partial f}{\partial y}\right) \frac{\partial f}{\partial y}} \\
+ 3\left(\frac{\partial f}{\partial x} + f \frac{\partial f}{\partial y}\right) \left(\frac{\partial f}{\partial x} + f \frac{\partial f}{\partial y}\right) \frac{\partial f}{\partial y}$$

$$D^{3} = \left(\frac{\partial}{\partial x} + f_{n} \frac{\partial}{\partial y}\right) \left(\frac{\partial^{2} f}{\partial x^{2}} + 2f_{n} \frac{\partial^{2} f}{\partial x \partial y} + f_{n}^{2} \frac{\partial^{2} f}{\partial x^{2}}\right)$$

$$= \frac{\partial}{\partial x} \left(\frac{\partial^{2} f}{\partial x^{2}} + 2f_{n} \frac{\partial^{2} f}{\partial x \partial y} + f_{n}^{2} \frac{\partial^{2} f}{\partial y^{2}}\right) + f_{n} \frac{\partial}{\partial y} \left(\frac{\partial^{2} f}{\partial x^{2}} + 2f_{n} \frac{\partial^{2} f}{\partial x \partial y} + f_{n}^{2} \frac{\partial^{2} f}{\partial y^{2}}\right)$$

$$= \frac{\partial^{3} f}{\partial x^{3}} + 2f_{n} \frac{\partial^{3} f}{\partial x^{2} \partial y} + f_{n}^{2} \frac{\partial^{3} f}{\partial x \partial y^{2}} + f_{n} \frac{\partial^{3} f}{\partial x^{2} \partial y} + 2f_{n}^{2} \frac{\partial^{3} f}{\partial x \partial y^{2}} + f_{n}^{3} \frac{\partial^{3} f}{\partial y^{3}}$$

$$= \frac{\partial^{3} f}{\partial x^{3}} + 3f_{n} \frac{\partial^{3} f}{\partial x^{2} \partial y} + 3f_{n}^{2} \frac{\partial^{3} f}{\partial x \partial y^{2}} + f_{n}^{3} \frac{\partial^{3} f}{\partial y^{3}}$$

$$\frac{d^{3}f}{dx^{3}}\Big|_{n} = D^{3}f + f_{y}D^{2}f + f_{y}^{2}Df + 3DfDf_{y}\Big|_{n}$$

putting equation 5 into 6

$$y_{n+1} - y_n = \sum_{t=1}^{\infty} (h_n)^t \frac{y_n^{(t)}}{t!}$$

$$= \sum_{t=1}^{\infty} h_n^{t+1} \cdot \frac{(\frac{\partial}{\partial x} + f \frac{\partial}{\partial y})^t}{(t+1)!} \cdot f(x_n, y_n)$$

$$= \left[hf + \frac{h^2}{2!} Df + \frac{h^3}{3!} \left(D^2 f + f_y Df \right) \right]$$

$$+ \frac{h^4}{4!} \left(D^3 f + f_y D^2 f + f_y^2 Df + 3Df Df_y \right)$$

$$+ \frac{h^5}{5!} \left(D^4 f + 6Df D^2 f_y + f_y^2 D^2 f + f_y^3 Df \right)$$

$$+ 3f_{yy}(Df)^2 + f_y D^3 f + 7f_y Df Df_y + O(h^6)$$
(8)

My derivation upto this point is consistent and I can do each step with proper mathematical concepts.

$$k_i = h_n f(x_n + \alpha_i h_n, y_n + \sum_{j=1}^{i-1} \beta_{ij} k_j)$$

$$k_{1} = h_{n}f(x_{n}, y_{n}) = h_{n}f_{n}$$

$$k_{2} = h_{n}f(x_{n} + \alpha_{2}h_{n}, y_{n} + \beta_{21}k_{1})$$

$$k_{3} = h_{n}f(x_{n} + \alpha_{3}h_{n}, y_{n} + \beta_{31}k_{1} + \beta_{32}k_{2})$$

$$= h_{n}f(x_{n} + \alpha_{3}h_{n}, y_{n} + \beta_{31}k_{1} + \beta_{32}k_{1} + \beta_{32}k_{2} - \beta_{32}k_{1})$$

$$= h_{n}f(x_{n} + \alpha_{3}h_{n}, y_{n} + \sum_{j=1}^{i-1} \beta_{3j}k_{j} + \sum_{j=2}^{i-1} \beta_{32}(k_{2} - h_{n}f_{n}))$$

$$k_{4} = h_{n}f(x_{n} + \alpha_{4}h_{n}, y_{n} + \beta_{41}k_{1} + \beta_{42}k_{2} + \beta_{43}k_{3})$$

$$= h_{n}f(x_{n} + \alpha_{4}h_{n}, y_{n} + \beta_{41}k_{1} + \beta_{42}k_{1} + \beta_{43}k_{1} + \beta_{42}k_{2} + \beta_{43}k_{3} - \beta_{42}k_{1} - \beta_{43}k_{1})$$

$$= h_{n}f(x_{n} + \alpha_{4}h_{n}, y_{n} + \sum_{j=1}^{i-1} \beta_{4j}h_{n}f_{n} + \beta_{42}(k_{2} - h_{n}f_{n}) + \beta_{43}(k_{3} - h_{n}f_{n}))$$

$$= h_{n}f(x_{n} + \alpha_{4}h_{n}, y_{n} + \sum_{j=1}^{i-1} \beta_{4j}h_{n}f_{n} + \sum_{j=2}^{i-1} \beta_{4j}(k_{j} - h_{n}f_{n}))$$

Let

$$D_{i} = \alpha_{i} \frac{\partial}{\partial x} + \sum_{j=1}^{i-1} (\beta_{ij}) f_{n} \frac{\partial}{\partial y}$$

$$k_{i} = h_{n} f \left[x_{n} + \alpha_{i} h_{n}, y_{n} + \left(\sum_{j=1}^{i-1} \beta_{ij} \right) h_{n} f_{n} + \left(\sum_{j=2}^{i-1} \beta_{ij} (k_{j} - h_{n} f_{n}) \right) \right]$$

$$= h_{n} \sum_{t=0}^{\infty} \frac{\left(h_{n} D_{i} + \sum_{j=2}^{i-1} \beta_{ij} (k_{j} - h_{n} f_{n}) \frac{\partial}{\partial y} \right)^{t}}{t!} f(x, y) \Big|_{x=x_{n}, y=y_{n}}$$

Since $\alpha_1 = 0$

$$k_{1} = h_{n} f(x, y) \big|_{x = x_{n}, y = y_{n}}$$

$$k_{2} = h_{n} f(x_{n} + \alpha_{2} h_{n}, y_{n} + \beta_{21} k_{1}) = h_{n} f(x_{n} + \alpha_{2} h_{n}, y_{n} + \beta_{21} h_{n} f_{n})$$

$$= h_{n} \sum_{t=0}^{\infty} \frac{h_{n}^{t} D_{2}^{t}}{t!} f(x, y) \big|_{x = x_{n}, y = y_{n}}$$

$$(9)$$

$$k_{3} = h_{n} f(x_{n} + \alpha_{3} h_{n}, y_{n} + \beta_{31} k_{1} + \beta_{32} k_{2})$$

$$= h_{n} f\left[x_{n} + \alpha_{3} h_{n}, y_{n} + h_{n} f_{n} (\beta_{31} + \beta_{32}) + \beta_{32} (k_{2} - h_{n} f_{n})\right]$$

$$= h_{n} \sum_{t=0}^{\infty} \frac{\left(\alpha_{i} h_{n} \frac{\partial}{\partial x} + (\beta_{31} + \beta_{32}) h_{n} f_{n} \frac{\partial}{\partial y} + \beta_{32} (k_{2} - h_{n} f_{n}) \frac{\partial}{\partial y}\right)^{t}}{t!} f(x, y)|_{x=x_{n}, y=y_{n}}$$

$$= h_{n} \sum_{t=0}^{\infty} \frac{\left(h_{n} D_{3} + \beta_{32} (k_{2} - h_{n} f_{n}) \frac{\partial}{\partial y}\right)^{t}}{t!} f(x, y)|_{x=x_{n}, y=y_{n}}$$

$$(10)$$

$$k_{4} = h_{n} f(x_{n} + \alpha_{4} h_{n}, y_{n} + \beta_{41} k_{1} + \beta_{42} k_{2} + \beta_{43} k_{3})$$

$$= h_{n} f \left[x_{n} + \alpha_{2} h_{n}, y_{n} + h_{n} f_{n} (\beta_{41} + \beta_{42} + \beta_{43}) + \beta_{41} (k_{1} - h_{n} f_{n}) + \beta_{42} (k_{2} - h_{n} f_{n}) + \beta_{43} (k_{3} - h_{n} f_{n}) \right]$$

$$= h_{n} f \left[x_{n} + \alpha_{4} h_{n}, y_{n} + (\sum_{j=1}^{3} \beta_{4j}) h_{n} f_{n} + (\sum_{j=2}^{3} \beta_{4j}) (k_{j} - h_{n} f_{n}) \right]$$

$$= h_{n} \sum_{t=0}^{\infty} \frac{\left(h_{n} D_{4} + \sum_{j=2}^{3} \beta_{4j} (k_{j} - h_{n} f_{n}) \frac{\partial}{\partial y} \right)^{t}}{t!} f(x, y) \big|_{x=x_{n}, y=y_{n}}$$

$$(11)$$

$$f(x_n + \alpha_i h_n, y_n + \sum_{j=1}^{i-1} \beta_{ij} k_j) = \sum_{t=0}^{\infty} \frac{h_n^t D_i^t}{t!} f(x, y) \big|_{x=x_n, y=y_n}$$

$$\begin{aligned} k_1 &= h_n f(x,y)\big|_{x=x_n,y=y_n} \\ &= h_n f_n \\ k_2 &= h_n \bigg(\frac{h_n^0 D_2^0}{0!} f(x,y) + \frac{h_n^1 D_2^1}{1!} f(x,y) + \frac{h_n^2 D_2^2}{2!} f(x,y) + \frac{h_n^3 D_2^3}{3!} f(x,y) + \frac{h_n^4 D_2^4}{4!} f(x,y) \bigg) \bigg|_{x=x_n,y=y_n} \\ &+ O(h_n^6) \\ &= h_n f(x,y) \big|_{x=x_n,y=y_n} + \frac{h_n^2}{1!} D_2 f(x,y) \big|_{x=x_n,y=y_n} + \frac{h_n^3}{2!} D_2^2 f(x,y) \big|_{x=x_n,y=y_n} + \frac{h_n^4}{3!} D_2^3 f(x,y) \big|_{x=x_n,y=y_n} \\ &+ \frac{h_n^5}{4!} D_2^4 f(x,y) \big|_{x=x_n,y=y_n} + O(h_n^6) \end{aligned}$$

We will express $D_i^t f(x,y)|_{x=x_n,y=y_n} = D_i^t f_n$. Which means the differentiation is already done than the expression is evaluated at $(x=x_n,y=y_n)$ and represents a constant value

$$(k_2 - h_n f_n) = h_n^2 D_2 f_n + \frac{h^3}{2!} D_2^2 f_n + \frac{h_n^4}{3!} D_2^3 f_n + \frac{h_n^5}{4!} D_2^4 f_n + O(h^6)$$

The evaluated $(k_2 - h_n f_n)$ expression is constant

$$\begin{split} h_n \left[h_n D_3 + \beta_{32} (k_2 - h_n f_n) \frac{\partial}{\partial y} \right]^2 f(x,y) \bigg|_{x = x_n, y = y_n} \\ &= h \left[h D_3 + \beta_{32} \left(\frac{h_1^2}{1!} D_2 f_n + \frac{h^3}{2!} D_2^2 f_n + \frac{h^3}{3!} D_2^3 f_n \right. \\ &+ \frac{h^5}{4!} D_2^2 f_n \right) \frac{\partial}{\partial y} \right]^2 f(x,y) \bigg|_{x = x_n, y = y_n} \\ &= h_n \left[h D_3 + \beta_{32} \left(\frac{h_n^2}{1!} D_2 f_n + \frac{h_n^3}{2!} D_2^2 f_n \right) \frac{\partial}{\partial y} \right] \\ &= \left[h_n D_3 f(x,y) + \beta_{32} \left(\frac{h_n^2}{1!} D_2 f_n + \frac{h_n^3}{2!} D_2^2 f_n \right) \frac{\partial}{\partial y} \right] \\ &= \left[h_n D_3 f(x,y) + \beta_{32} \left(\frac{h_n^3}{1!} D_2 f_n + \frac{h_n^4}{2!} D_2^2 f_n \right) \frac{\partial}{\partial y} \right] \\ &= h_n D_3 f(x,y) + \beta_{32} \left(\frac{h_n^2}{1!} D_2 f_n + \frac{h_n^4}{2!} D_2^2 f_n \right) f_y(x,y) \right] \bigg|_{x = x_n, y = y_n} \\ &= h_n^2 D_3 \left[h_n D_3 f(x,y) \right] \bigg|_{x = x_n, y = y_n} \\ &+ h_n^2 D_3 \left\{ \beta_{32} \left(\frac{h_n^2}{1!} D_2 f_n + \frac{h_n^4}{2!} D_2^2 f_n \right) f_y(x,y) \right\} \bigg|_{x = x_n, y = y_n} \\ &+ \beta_{32} \left(\frac{h_n^3}{1!} D_2 f_n + \frac{h_n^4}{2!} D_2^2 f_n \right) \frac{\partial}{\partial y} \left[h_n D_3 f(x,y) \right] \bigg|_{x = x_n, y = y_n} \\ &+ \beta_{32} \left(\frac{h_n^3}{1!} D_2 f_n + \frac{h_n^4}{2!} D_2^2 f_n \right) \frac{\partial}{\partial y} \left[\beta_{32} \left(\frac{h_n^2}{1!} D_2 f_n + \frac{h_n^3}{2!} D_2^2 f_n \right) \frac{\partial}{\partial y} \left[h_n D_3 f(x,y) \right] \bigg|_{x = x_n, y = y_n} \\ &+ \beta_{32} \left(\frac{h_n^3}{1!} D_2 f_n + \frac{h_n^4}{2!} D_2^2 f_n \right) \frac{\partial}{\partial y} \left[h_n D_3 f(x,y) \right] \bigg|_{x = x_n, y = y_n} \\ &+ \beta_{32} \left(\frac{h_n^3}{1!} D_2 f_n \right) \frac{\partial}{\partial y} \left[h_n D_3 f(x,y) \right] \bigg|_{x = x_n, y = y_n} \\ &+ h_n^3 D_3^2 f_n + h_n^3 \beta_{32} D_3 \left\{ \frac{h_n^3}{1!} D_2 f_n + \frac{h_n^3}{2!} \beta_{32} D_3 f_{y_n} D_2^2 f_n \right\} \\ &+ \beta_{32} \left(\frac{h_n^4}{1!} D_2 f_n \right) \frac{\partial}{\partial y} \left[h_n D_3 f(x,y) \right] \bigg|_{x = x_n, y = y_n} \\ &+ \beta_{32} \left(\frac{h_n^4}{1!} D_2 f_n \right) \frac{\partial}{\partial y} \left[h_n D_3 f(x,y) \right] \bigg|_{x = x_n, y = y_n} \\ &+ \beta_{32} \left(\frac{h_n^4}{1!} D_2 f_n \right) \frac{\partial}{\partial y} \left[h_n D_3 f(x,y) \right] \bigg|_{x = x_n, y = y_n} \\ &+ \beta_{32} \left(\frac{h_n^4}{1!} D_2 f_n \right) \frac{\partial}{\partial y} \left[h_n D_3 f(x,y) \right] \bigg|_{x = x_n, y = y_n} \\ &+ \beta_{32} \left(\frac{h_n^4}{1!} D_2 f_n \right) \frac{\partial}{\partial y} \left[h_n D_3 f(x,y) \right] \bigg|_{x = x_n, y = y_n} \\ &+ \beta_{32} \left(\frac{h_n^4}{1!} D_2 f_n \right) \frac{\partial}{\partial y} \left[h_n D_3 f(x,y) \right] \bigg|_{x = x_n, y = y_n} \\ &+ \beta_{32} \left(\frac{h_n^4}{1!} D_2 f_n \right)$$

$$h_{n} \left[h_{n} D_{3} + \beta_{32} (k_{2} - h_{n} f_{n}) \frac{\partial}{\partial y} \right]^{3} f = \left(h_{n} D_{3} + \beta_{32} (k_{2} - h_{n} f_{n}) \frac{\partial}{\partial y} \right) \left[h_{n} \left(h_{n} D_{3} + \beta_{32} (k_{2} - h_{n} f_{n}) \frac{\partial}{\partial y} \right)^{2} \right] f(x, y) \Big|_{x = x_{n}, y = y_{n}}$$

$$+ O(h_{n}^{6})$$

$$= \left(h_{n} D_{3} + \beta_{32} h_{n}^{2} D_{2} f_{n} \frac{\partial}{\partial y} \right) \left[h_{n}^{3} D_{3}^{2} f(x, y) + 2 h_{n}^{4} \beta_{32} (D_{2} f_{n}) D_{3} f_{y}(x, y) \right] \Big|_{x = x_{n}, y = y_{n}}$$

$$+ O(h^{6})$$

$$= h_{n}^{4} D_{3}^{3} f(x, y) \Big|_{x = x_{n}, y = y_{n}} + 2 h^{5} \beta_{32} (D_{2} f_{n}) D_{3}^{2} f_{y}(x, y) \Big|_{x = x_{n}, y = y_{n}}$$

$$+ h^{5} \beta_{32} (D_{2} f_{n}) D_{3}^{2} f_{y}(x, y) \Big|_{x = x_{n}, y = y_{n}}$$

$$+ O(h^{6})$$

$$h_n \left(h_n D_3 + \beta_{32} (k_2 - h_n f_n) \frac{\partial}{\partial y} \right)^3 f(x, y) \bigg|_{x = x_n, y = y_n} = h_n^4 D_3^3 f_n + 3h_n^5 \beta_{32} (D_2 f_n) D_3^2 f_{y_{|n}} + O(h^6)$$

$$h_{n}\left(h_{n}D_{3} + \beta_{32}(k_{2} - h_{n}f_{n})\frac{\partial}{\partial y}\right)^{4}f(x,y)\Big|_{x=x_{n},y=y_{n}} = \left(h_{n}D_{3} + \beta_{32}(k_{2} - h_{n}f_{n})\frac{\partial}{\partial y}\right)^{3}f(x,y)\Big|_{x=x_{n},y=y_{n}}$$

$$\left[h_{n}\left(h_{n}D_{3} + \beta_{32}(k_{2} - h_{n}f_{n})\frac{\partial}{\partial y}\right)^{3}f(x,y)\Big]\Big|_{x=x_{n},y=y_{n}}$$

$$+ O(h_{n}^{6})$$

$$= \left(h_{n}D_{3}\right)\left[h_{n}^{4}D_{3}^{3}f(x,y)\right]\Big|_{x=x_{n},y=y_{n}} + O(h_{n}^{6})$$

$$= h_{n}^{5}D_{3}^{4}f_{n} + O(h_{n}^{6})$$

$$k_{3} = h_{n} \sum_{t=0}^{\infty} \frac{\left(h_{n}D_{3} + \beta_{32}(k_{2} - h_{n}f_{n})\frac{\partial}{\partial y}\right)^{t}}{t!} f(x,y) \Big|_{x=x_{n},y=y_{n}}$$

$$= h_{n}f_{n} + h_{n}^{2}D_{3}f_{n} + h_{n}\beta_{32}(k_{2} - h_{n}f_{n})f_{y_{|n}} + h_{n} \frac{\left(h_{n}D_{3} + \beta_{32}(k_{2} - h_{n}f_{n})\frac{\partial}{\partial y}\right)^{2}}{2!} f(x,y) \Big|_{x=x_{n},y=y_{n}}$$

$$+ h_{n} \frac{\left(h_{n}D_{3} + \beta_{32}(k_{2} - h_{n}f_{n})\frac{\partial}{\partial y}\right)^{4}}{3!} f(x,y) \Big|_{x=x_{n},y=y_{n}} + h_{n} \frac{\left(hD_{3} + \beta_{32}(k_{2} - h_{f}f_{n})\frac{\partial}{\partial y}\right)^{4}}{4!} f(x,y) \Big|_{x=x_{n},y=y_{n}} + O(h^{6})$$

$$= h_{n}f_{n} + h_{n}^{2}D_{3}f_{n} + h_{n}\beta_{32}\left(h_{n}^{2}D_{2}f_{n} + \frac{h_{n}^{2}}{2!}D_{2}^{2}f_{n} + \frac{h^{4}}{3!}D_{2}^{3}f_{n}\right) fy_{|n} + \frac{h_{n}^{2}}{2}D_{3}^{2}f_{n} + h_{n}^{4}\beta_{32}(D_{2}f_{n})D_{3}fy_{|n}$$

$$+ \frac{h_{n}^{5}}{2}\beta_{32}(D_{2}^{2}f_{n})D_{3}fy_{|n} + \frac{h_{n}^{5}}{2}\beta_{32}(D_{2}f_{n})^{2}fyy_{|n} + \frac{h_{n}^{4}}{6}D_{3}^{3}f_{n} + \frac{h^{5}}{2}\beta_{32}(D_{2}f_{n})D_{3}^{2}fy_{|n} + \frac{h_{n}^{5}}{2}\beta_{32}(D_{2}f_{n})D_{3}fy_{|n} + \frac{h_{n}^{5}}{2}\beta_{32}(D_{2}f_{n})D_{3}fy_{|n} + \frac{h_{n}^{5}}{2}\beta_{32}(D_{2}f_{n})D_{3}fy_{|n} + \frac{h_{n}^{5}}{2}\beta_{32}D_{3}^{2}fy_{|n}D_{2}^{2}f_{n} + \frac{h_{n}^{5}}{2}\beta_{32}(D_{2}f_{n})D_{3}fy_{|n} + \frac{h_{n}^{5}}{2}\beta_{32}(D_{2}f_{n})D_{3}fy_{|n} + \frac{h_{n}^{5}}{2}\beta_{32}D_{3}^{2}fy_{|n}D_{2}f_{n} + \frac{h_{n}^{5}}{2}\beta_{32}D_{3}^{2}fy_{|n}D_{2}f_{n} + \frac{h_{n}^{5}}{2}\beta_{32}(D_{2}f_{n})D_{3}fy_{|n} + \frac{h_{n}^{5}}{2}\beta_{32}D_{3}^{2}fy_{|n}D_{2}f_{n} + \frac{h_{n}^{5}}{2}\beta_{32}D_{3}^{2}fy_{|n}D_{2}f_{n} + \frac{h_{n}^{5}}{2}\beta_{32}D_{3}fy_{|n}D_{2}f_{n} + \frac{h_{n}^{5}}{2}\beta_{32}(D_{2}f_{n})D_{3}fy_{|n} + \frac{h_{n}^{5}}{2}\beta_{$$

$$\begin{split} h_n \bigg[h_n D_4 + \sum_{j=2}^3 \beta_{4j} (k_j - h_n f_n) \frac{\partial}{\partial y} \bigg] f(x,y) \big|_{x=x_n,y=y_n} &= h_n^2 D_4 f(x,y) \big|_{x=x_n,y=y_n} + h_n \beta_{42} (k_2 - h_n f_n) f_y(x,y) \big|_{x=x_n,y=y_n} \\ &+ h_n \beta_{43} (k_3 - h_n f_n) f_y(x,y) \big|_{x=x_n,y=y_n} \\ &= h_n^2 D_4 f_n + h_n \beta_{42} \bigg(h_n^2 D_2 f_n + \frac{h_n^3}{2!} D_2^2 f_n + \frac{h_n^4}{3!} D_2^3 f_n \bigg) f_y(x,y) \big|_{x=x_n,y=y_n} \\ &+ h_n \beta_{43} \bigg[h_n^2 D_3 f_n + h_n^3 \bigg(\frac{1}{2} D_3^2 f_n + \beta_{32} f_{y|_n} D_2 f_n \bigg) \\ &+ h_n^4 \bigg(\frac{1}{6} D_3^3 f_n + \frac{1}{2} \beta_{32} f_{y|_n} D_2^2 f_n + \beta_{32} (D_2 f_n) D_3 f_{y|_n} \bigg) \bigg] f_y(x,y) \big|_{x=x_n,y=y_n} \\ &= h_n^2 D_4 f_n + h_n^3 \bigg(\beta_{42} (D_2 f_n) + \beta_{43} (D_3 f_n) \bigg) f_{y|_n} \\ &+ h_n^4 \bigg(\frac{1}{2} \beta_{43} (D_3^2 f_n) + \beta_{32} \beta_{43} f_{y|_n} (D_2 f_n) + \frac{1}{2} \beta_{42} (D_2^2 f_n) \bigg) f_{y|_n} \\ &+ h_n^5 \bigg(\frac{1}{6} \beta_{43} D_3^3 f_n + \frac{1}{2} \beta_{32} \beta_{43} f_{y|_n} D_2^2 f_n + \beta_{32} \beta_{43} (D_2 f_n) D_3 f_{y|_n} + \frac{1}{6} \beta_{42} (D_3^3 f_n) \bigg) f_{y|_n} \end{split}$$

$$\begin{split} h_n \bigg[h_n D_4 + \sum_{j=2}^3 \beta_{4j} (k_j - h_n f_n) \frac{\partial}{\partial y} \bigg]^2 f(x,y) \big|_{x = x_n, y = y_n} &= \bigg(h_n D_4 + \sum_{j=2}^3 \beta_{4j} (k_j - h_n f_n) \frac{\partial}{\partial y} \bigg) \\ & \bigg[h_n^2 D_4 + h_n \sum_{j=2}^3 \beta_{4j} (k_j - h_n f_n) \frac{\partial}{\partial y} \bigg] f(x,y) \big|_{x = x_n, y = y_n} \\ &= h_n D_4 \bigg[h_n^2 D_4 f_n + h_n^3 \bigg(\beta_{42} (D_2 f_n) + \beta_{43} (D_3 f_n) \bigg) f_{y_{|n}} \bigg] \\ &+ h_n D_4 \bigg[h_n^4 \bigg(\frac{1}{2} \beta_{43} (D_3^2 f_n) + \beta_{32} \beta_{43} f_{y_{|n}} (D_2 f_n) + \frac{1}{2} \beta_{42} (D_2^2 f_n) \bigg) f_{y_{|n}} \bigg] \\ &+ \beta_{42} (k_2 - h_n f_n) \frac{\partial}{\partial y} \bigg[h_n^2 D_4 f_n + h_n^3 \bigg(\beta_{42} (D_2 f_n) + \beta_{43} (D_3 f_n) \bigg) f_{y_{|n}} \bigg] \\ &+ \beta_{43} (k_3 - h_n f_n) \frac{\partial}{\partial y} \bigg[h_n^2 D_4 f_n + h_n^3 \bigg(\beta_{42} (D_2 f_n) + \beta_{43} (D_3 f_n) \bigg) f_{y_{|n}} \bigg] + \dots \\ &= h_n^3 D_4^2 f_n + h_n^4 \bigg(\beta_{42} (D_2 f_n) + \beta_{43} (D_3 f_n) \bigg) D_4 f_{y_{|n}} \\ &+ h_n^5 \bigg(\frac{1}{2} \beta_{43} (D_3^2 f_n) + \beta_{32} \beta_{43} f_{y_{|n}} (D_2 f_n) + \frac{1}{2} \beta_{42} (D_2^2 f_n) \bigg) D_4 f_{y_{|n}} \\ &+ h_n^2 \beta_{42} \bigg(h_n^2 D_2 f_n + \frac{h^3}{2!} D_2^2 f_n \bigg) \bigg(D_4 f_n) f_{yy_{|n}} \\ &+ h_n^3 \beta_{42} (h_n^2 D_3 f_n + h_n^3 \bigg(\frac{1}{2} D_3^2 f_n + \beta_{32} f_{y_{|n}} D_2 f_n \bigg) \bigg) \bigg(D_4 f_n) f_{yy_{|n}} \\ &+ h_n^3 \beta_{43} \bigg(h_n^2 D_3 f_n + h_n^3 \bigg(\frac{1}{2} D_3^2 f_n + \beta_{32} f_{y_{|n}} D_2 f_n \bigg) \bigg) \bigg(D_4 f_n) f_{yy_{|n}} \\ &+ h_n^3 \beta_{43} \bigg(h_n^2 D_3 f_n + h_n^3 \bigg(\frac{1}{2} D_3^2 f_n + \beta_{32} f_{y_{|n}} D_2 f_n \bigg) \bigg) \bigg(D_4 f_n) f_{yy_{|n}} \\ &+ h_n^3 \beta_{43} \bigg(h_n^2 D_3 f_n + h_n^3 \bigg(\frac{1}{2} D_3^2 f_n + \beta_{32} f_{y_{|n}} D_2 f_n \bigg) \bigg) \bigg(D_4 f_n) f_{yy_{|n}} \\ &+ h_n^3 \beta_{43} \bigg(h_n^2 D_3 f_n + h_n^3 \bigg(\frac{1}{2} D_3^2 f_n + \beta_{43} (D_3 f_n) \bigg) \bigg) f_{yy_{|n}} \\ &+ h_n^3 \beta_{43} \bigg(h_n^2 D_3 f_n \bigg) \bigg(\beta_{42} \bigg(D_2 f_n \bigg) + \beta_{43} \bigg(D_3 f_n \bigg) \bigg) \bigg(D_4 f_n \bigg) f_{yy_{|n}} \\ &+ h_n^3 \beta_{43} \bigg(h_n^2 D_3 f_n \bigg) \bigg(\beta_{42} \bigg(D_2 f_n \bigg) + \beta_{43} \bigg(D_3 f_n \bigg) \bigg) \bigg(D_4 f_n \bigg) f_{yy_{|n}} \\ &+ h_n^3 \beta_{43} \bigg(h_n^2 D_3 f_n \bigg) \bigg(\beta_{42} \bigg(D_2 f_n \bigg) + \beta_{43} \bigg(D_3 f_n \bigg) \bigg) \bigg(D_4 f_n \bigg) f_{yy_{|n}} \bigg) \bigg(D_4 f_n \bigg) f_{yy_{|n}} \bigg(D_4 f_n \bigg) \bigg(D_4 f_n \bigg) \bigg(D_4 f_n \bigg) \bigg(D_4 f_n \bigg) \bigg(D_4$$

$$h_n \left[h_n D_4 + \sum_{j=2}^3 \beta_{4j} (k_j - h_n f_n) \frac{\partial}{\partial y} \right]^3 f(x, y) \big|_{x=x_n, y=y_n} = \left(h_n D_4 + \sum_{j=2}^3 \beta_{4j} (k_j - h_n f_n) \frac{\partial}{\partial y} \right)$$

$$\left[h_n^2 D_4 + h_n \sum_{j=2}^3 \beta_{4j} (k_j - h_n f_n) \frac{\partial}{\partial y} \right] f(x, y) \big|_{x=x_n, y=y_n}$$

$$k_{4} = h_{n} \sum_{t=0}^{\infty} \frac{\left(h_{n} D_{4} + \sum_{j=2}^{3} \beta_{4j} (k_{j} - h_{n} f_{n}) \frac{\partial}{\partial y}\right)^{t}}{t!} f(x, y) \big|_{x=x_{n}, y=y_{n}}$$

$$= h_{n} f_{n} + h_{n} \left[h_{n} D_{4} + \sum_{j=2}^{3} \beta_{4j} (k_{j} - h_{n} f_{n}) \frac{\partial}{\partial y}\right] f(x, y) \big|_{x=x_{n}, y=y_{n}} + h_{n} \frac{\left[h_{n} D_{4} + \sum_{j=2}^{3} \beta_{4j} (k_{j} - h_{n} f_{n}) \frac{\partial}{\partial y}\right]^{2}}{2} f(x, y) \big|_{x=x_{n}, y=y_{n}}$$

$$+ h_{n} \frac{\left[h_{n} D_{4} + \sum_{j=2}^{3} \beta_{4j} (k_{j} - h_{n} f_{n}) \frac{\partial}{\partial y}\right]^{3}}{2} f(x, y) \big|_{x=x_{n}, y=y_{n}} + h_{n} \frac{\left[h_{n} D_{4} + \sum_{j=2}^{3} \beta_{4j} (k_{j} - h_{n} f_{n}) \frac{\partial}{\partial y}\right]^{4}}{2} f(x, y) \big|_{x=x_{n}, y=y_{n}} + \dots$$

$$(13)$$

$$\begin{aligned} k_4 = &hf + h^2D_4f + h^3\left(\frac{1}{2}D_4^2f + \beta_{42}f_yD_2f + \beta_{43}f_yD_3f\right) + h^4\left[\frac{1}{6}D_4^3f + \frac{1}{2}\beta_{42}f_yD_2^2f \right. \\ &+ \beta_{32}\beta_{43}(f_y)^2D_2f + \frac{1}{2}\beta_{43}f_yD_3^2f + \beta_{42}D_2fD_4f_y + \beta_{43}D_3fD_4f_y\right] + h^5\left(\frac{1}{24}D_4^4f + \frac{1}{6}\beta_{42}f_yD_2^3f + \frac{1}{2}\beta_{32}\beta_{43}(f_y)^2D_2^2f + \beta_{32}\beta_{43}f_yD_2fD_3f_y + \frac{1}{6}\beta_{43}f_yD_3^3f + \frac{1}{2}\beta_{42}D_4f_yD_2^2f + \frac{1}{2}\beta_{43}D_4f_yD_3^2f + \frac{1}{2}\beta_{42}f_{yy}D_2^2f + \beta_{42}\beta_{43}f_{yy}D_2fD_3f + \frac{1}{2}\beta_{43}^2f_{yy}D_3^2f + \frac{1}{2}\beta_{42}D_2fD_4^2f_y \\ &+ \frac{1}{2}\beta_{43}D_3fD_4^2f_y + \beta_{43}\beta_{32}f_yD_2fD_4f_y\right)\bigg|_{n} + O(h^6) \end{aligned}$$

$$\begin{split} y_{n+1} - y_n &= w_1 k_1 + w_2 k_2 + w_3 k_3 + w_4 k_4 \\ &= \left[hf + \frac{h^2}{2!} Df + \frac{h^3}{3!} \left(D^2 f + f_y Df \right) + \frac{h^4}{4!} \left(D^3 f + f_y D^2 f + f_y^2 Df + 3 D f D f_y \right) \right. \\ &+ \frac{h^5}{5!} \left(D^4 f + 6 D f D^2 f_y + f_y^2 D^2 f + f_y^3 D f + 3 f_{yy} (D f)^2 + f_y D^3 f + 7 f_y D f D f_y \right) \right] \\ &= w_1 h f + w_2 \left\{ h f + \frac{h^2}{1!} D_2 f + \frac{h^3}{2!} D_2^2 f + \frac{h^4}{3!} D_2^3 f + \frac{h^5}{4!} D_2^4 f \right\} \\ &+ w_3 \left\{ h f + h^2 D_3 f + h^3 \left(\frac{1}{2} D_3^2 f + f_y \beta_{32} D_2 f \right) + h^4 \left(\frac{1}{6} D_3^3 f + \frac{1}{2} f_y \beta_{32} D_2^2 f + \beta_{32} D_3 f_y D_2 f \right) \right. \\ &+ h^5 \left(\frac{1}{24} D_3^4 f + \frac{\beta_{32}}{6} f_y D_2^3 f + \frac{\beta_{32}^2}{2} f_{yy} (D_2 f)^2 + \frac{\beta_{32}}{2} D_3 f_y D_2^2 f + \frac{\beta_{32}}{2} D_3^2 f_y D_2 f \right) \right\} \\ &+ w_4 \left\{ h f + h^2 D_4 f + h^3 \left(\frac{1}{2} D_4^2 f + \beta_{42} f_y D_2 f + \beta_{43} f_y D_3 f \right) + h^4 \left(\frac{1}{6} D_4^3 f + \frac{1}{2} \beta_{42} f_y D_2^2 f \right. \right. \\ &+ \beta_{32} \beta_{43} (f_y)^2 D_2 f + \frac{1}{2} \beta_{43} f_y D_3^2 f + \beta_{42} D_2 f D_4 f_y + \beta_{43} D_3 f D_4 f_y \right) + h^5 \left(\frac{1}{24} D_4^4 f + \frac{1}{6} \beta_{42} f_y D_2^2 f \right. \\ &+ \frac{1}{2} \beta_{32} \beta_{43} (f_y)^2 D_2^2 f + \beta_{32} \beta_{43} f_y D_2 f D_3 f_y + \frac{1}{6} \beta_{43} f_y D_3^3 f + \frac{1}{2} \beta_{42} D_4 f_y D_2^2 f + \frac{1}{2} \beta_{43} D_4 f_y D_3^2 f \right. \\ &+ \frac{1}{2} \beta_{42} f_{yy} D_2^2 f + \beta_{42} \beta_{43} f_{yy} D_2 f D_3 f + \frac{1}{2} \beta_{43}^2 f_{yy} D_3^2 f + \frac{1}{2} \beta_{42} D_2 f D_4^2 f_y \\ &+ \frac{1}{2} \beta_{43} D_3 f D_4^2 f_y + \beta_{43} \beta_{32} f_y D_2 f D_3 f + \frac{1}{2} \beta_{43}^2 f_{yy} D_3^2 f + \frac{1}{2} \beta_{42} D_2 f D_4^2 f_y \\ &+ \frac{1}{2} \beta_{43} D_3 f D_4^2 f_y + \beta_{43} \beta_{32} f_y D_2 f D_3 f + \frac{1}{2} \beta_{43}^2 f_{yy} D_3^2 f + \frac{1}{2} \beta_{42} D_2 f D_4^2 f_y \\ &+ \frac{1}{2} \beta_{43} D_3 f D_4^2 f_y + \beta_{43} \beta_{32} f_y D_2 f D_3 f + \frac{1}{2} \beta_{43}^2 f_{yy} D_3^2 f + \frac{1}{2} \beta_{42} D_2 f D_4^2 f_y \\ &+ \frac{1}{2} \beta_{43} D_3 f D_4^2 f_y + \beta_{43} \beta_{32} f_y D_2 f D_3 f + \frac{1}{2} \beta_{43}^2 f_{yy} D_3^2 f + \frac{1}{2} \beta_{42} D_2 f D_4^2 f_y \\ &+ \frac{1}{2} \beta_{43} D_3 f D_4^2 f_y + \beta_{43} \beta_{32} f_y D_2 f D_3 f + \frac{1}{2} \beta_{43}^2 f_y D_2^2 f D_4^2 f_y \\ &+ \frac{1}{2} \beta_{43} D_3 f D_$$

$$\begin{split} w_1 + w_2 + w_3 + w_4 &= 1 \\ w_2 D_2 f + w_3 D_3 f + w_4 D_4 f &= \frac{1}{2} D f \\ \frac{1}{2} w_2 D_2^2 f + w_3 \left(\frac{1}{2} D_3^2 f + f_y \beta_{32} D_2 f \right) \\ + w_4 \left(\frac{1}{2} D_4^2 f + \beta_{42} f_y D_2 f + \beta_{43} f_y D_3 f \right) &= \frac{1}{3!} \left(D^2 f + f_y D f \right) \\ \frac{1}{3!} w_2 D_2^3 f + w_3 \left(\frac{1}{6} D_3^3 f + \frac{1}{2} f_y \beta_{32} D_2^2 f + \beta_{32} D_3 f_y D_2 f \right) \\ + w_4 \left(\frac{1}{6} D_4^3 f + \frac{1}{2} \beta_{42} f_y D_2^2 f + \beta_{32} \beta_{43} (f_y)^2 D_2 f \right) \\ + \frac{1}{2} \beta_{43} f_y D_3^2 f + \beta_{42} D_2 f D_4 f_y + \beta_{43} D_3 f D_4 f_y \right) &= \frac{1}{4!} \left(D^3 f + f_y D^2 f + f_y^2 D f + 3 D f D f_y \right) \end{split}$$

$$D_3 = \alpha_3 \frac{\partial}{\partial x} + \sum_{j=1}^2 \beta_{3j} f_n \frac{\partial}{\partial y}$$
$$D_2 f = \alpha_2 \frac{\partial f}{\partial x} + \beta_{21} f_n \frac{\partial f}{\partial y}$$