

Laporan Endpoint Wisata CRUD dan JWT Token

NAMA : Alvin Aditya Pratama

NIM : G.211.22.0021

MAKUL : Rekayasa Web

https://github.com/alvinaditya594-cloud/TugasPraktikumWeb_G.211.22.0021/blob/a83af1133f437f8386b24a6e0df75b5071ee2467/Laporan%20Praktikum%205%20CRUD%2BJWT_G.211.22.0021.pdf

1. JWT

a. Bagian Tampilan Login

The screenshot shows a POST request to `http://localhost:8000/api/login/`. The request body contains two parameters: `email` (admin@gmail.com) and `password` (admin). The response status is `200 OK` with a response time of 13.63 seconds and a size of 754 B. The response body is a JSON object containing an access token and user information.

```
1  {
2    "access_token": "eyJhbGciOiJIUzI1NiJ9.eyJpc3MiJoIjHnG0f8v069fYxax03h809IgM0AvVQ0qL2av22luIxixiaWF0IjoxNzYyNDIzMDEzLC1leHAiOjE3NjI0MjY2MTMsIn51ZiI6MTc2MjQyMzAxNCwianRpIjoid1peaoYedHdQKQzq1VtVt1s1nN1Y1G1jeILC3mnr1o1iyM23kNW40TQ62jYmMGFkyjMSZtcwNmM0M4AnzJKYjdhkTK3NmY3In0.OyyehTCE_M7d5o4yDqvjnWEWmsgloisA8v7SEd0",
3    "token_type": "bearer",
4    "expires_in": 3600,
5    "user": {
6      "id": 1,
7      "name": "admin",
8      "email": "admin@gmail.com",
9      "email_verified_at": null,
10     "remember_token": null,
11     "created_at": "2025-11-01T03:46:03.000000Z",
12     "updated_at": "2025-11-01T03:46:03.000000Z"
13   }
14 }
```

b. Bagian Tampilan User-Profile

The screenshot shows the Postman interface with a successful API call. The URL is `http://localhost:8000/api/user-profile/`. The response body is:

```

1 {
2   "id": 1,
3   "name": "admin",
4   "email": "admin@gmail.com",
5   "email_verified_at": null,
6   "remember_token": null,
7   "created_at": "2025-11-01T03:40:03.000000Z",
8   "updated_at": "2025-11-01T03:40:03.000000Z"
9 }

```

c. Bagian Tampilan Refresh

The screenshot shows the Postman interface with a successful API call. The URL is `http://localhost:8000/api/refresh/`. The response body is:

```

1 {
2   "access_token": "eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiAiOjdhMzQwNjYgYmQxMjQ0YjM0MDA5YXBlc3JlZnJlc2giLCJpYXQiOjE3NjI0MjM1MDUsImV4cCI6MTc2MjQyNzIyOSwibmJmIjoxNzYyNDIzNjI5LCJqdGkiOiJldkW3Ng9OENoMx1Vc1FJiwiIc3V1Ijo1MSisInBydiI6IjIzYmQ1Yzg5NDlnNjAwYmR1Mz1lNzAxYzQwMDg3MmR1N2E1OTc2ZjcifQ. AosyHxIKnhoe_YKH8eQ-J3LBjeRLft4JV2Tw_9UjBQ",
3   "token_type": "bearer",
4   "expires_in": 3600,
5   "user": null
6 }

```

d. Bagian Tampilan Logout

The screenshot shows the Postman interface with a successful API call. The URL is `http://localhost:8000/api/logout/`. The Headers tab shows an `Authorization` header set to `Bearer Token`. The response status is `200 OK` with a response time of 273 ms and a body size of 218 B. The response body is a JSON object with a single key `message` containing the value `"Berhasil logout"`.


2. CRUD

a. Bagian Tampilan GET

The screenshot shows the Postman interface with a successful API call. The URL is `http://localhost:8000/api/wisata/`. The Headers tab shows an `Authorization` header set to `Bearer Token`. The response status is `200 OK` with a response time of 380 ms and a body size of 1.42 KB. The response body is a JSON array containing two objects, each representing a wisata (tourist attraction) with fields like `id_wisata`, `kota`, `landmark`, `tarif`, and `created_at`.

```
1 [
2   {
3     "id_wisata": 1,
4     "kota": "semarang",
5     "landmark": "pagoda Avalokitesvara",
6     "tarif": 35000,
7     "created_at": "2025-11-04T09:02:44.000000Z",
8     "updated_at": "2025-11-04T09:02:44.000000Z"
9   },
10  {
11    "id_wisata": 2,
12    "kota": "jakarta",
13    "landmark": "monas",
14    "tarif": 40000,
15    "created_at": "2025-11-04T09:03:31.000000Z",
16    "updated_at": "2025-11-04T09:03:31.000000Z"
17  },
18  {
19    "id_wisata": 3,
```


b. Bagian Tampilan GET {ID}



The screenshot shows the Postman interface with a GET request to `http://localhost:8000/api/wisata/5`. The response is a 200 OK status with a JSON body containing the following data:

```
1 {
2     "id_wisata": 5,
3     "kota": "denpasar",
4     "landmark": "pantai sanur",
5     "tarif": 35000,
6     "created_at": "2025-11-04T09:07:24.000000Z",
7     "updated_at": "2025-11-04T09:07:24.000000Z"
8 }
```

c. Bagian Tampilan POST



The screenshot shows the Postman interface with a POST request to `http://localhost:8000/api/wisata/`. The request body contains the following form-data:

key	value	description
kota	kudus	
landmark	menara kudus	
tarif	5000	

The response is a 201 Created status with a JSON body containing the following data:

```
1 {
2     "kota": "kudus",
3     "landmark": "menara kudus",
4     "tarif": "5000",
5     "updated_at": "2025-11-06T10:14:59.000000Z",
6     "created_at": "2025-11-06T10:14:59.000000Z",
7     "id_wisata": 10
8 }
```

d. Bagian Tampilan PUT {ID}

PUT http://localhost:8000/api/wisata/10

Key	Type	Value	Description
kota	Text	kudus	
landmark	Text	menara kudus	
tarif	Text	7500	

Body Cookies Headers (6) Test Results

```
{
  "id_wisata": 10,
  "kota": "kudus",
  "landmark": "menara kudus",
  "tarif": 5000,
  "created_at": "2025-11-06T10:14:59.000000Z",
  "updated_at": "2025-11-06T10:14:59.000000Z"
}
```

200 OK 145 ms 345 B

e. Bagian Tampilan DELETE {ID}

DELETE http://localhost:8000/api/wisata/10

Key	Type	Value	Description
kota	Text	kudus	
landmark	Text	menara kudus	
tarif	Text	7500	

Body Cookies Headers (6) Test Results

```
1 Deleted Successfully
```

200 OK 175 ms 217 B