

Laporan Endpoint Wisata CRUD dan JWT Token

NAMA : Alvin Aditya Pratama

NIM : G.211.22.0021

MAKUL : Rekayasa Web

1. JWT

a. Bagian Tampilan Login

The screenshot shows a POST request to `http://localhost:8000/api/login/`. The body contains two parameters: `email` (admin@gmail.com) and `password` (admin). The response status is `200 OK` with a response time of 13.63 seconds and a size of 754 B. The response body is a JSON object containing an access token, user ID, name, email, and timestamps.

```
1 {
2   "access_token": "eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiIoJDmHn028vb69jYwxa3N80IgMOAvXQpl2xv2zluiIxixIAwF0IjoxNzYyNDIzMDE2LC1leHA1OjE3NjI0MjY2MTMsIn51ZII6MtC2MjQyMzAxNcwianRpIjoid1peaIyHdQhQkQ21Wt7TisnNzY1I6jjeILCjwcnYi0IiyM2JkNwM4OTQ5jYmGFkYjMEZTcwMyWMDA4NzJkYjshNTkNmY3InRg.eyJnYtCE_MjZtSa4nyDqVjzwEDNsgioi4SA0v7SE00",
3   "token_type": "bearer",
4   "expires_in": 3600,
5   "user": {
6     "id": 1,
7     "name": "admin",
8     "email": "admin@gmail.com",
9     "email_verified_at": null,
10    "remember_token": null,
11    "created_at": "2025-11-01T03:48:03.000000Z",
12    "updated_at": "2025-11-01T03:48:03.000000Z"
13  }
14 }
```

b. Bagian Tampilan User-Profile

The screenshot shows a POST request to `http://localhost:8000/api/user-profile/`. The Authorization header is set to `Bearer Token`, with the value being a long JWT token. The response status is `200 OK` with a response time of 409 ms and a size of 371 B. The response body is a JSON object containing user details.

```
1 {
2   "id": 1,
3   "name": "admin",
4   "email": "admin@gmail.com",
5   "email_verified_at": null,
6   "remember_token": null,
7   "created_at": "2025-11-01T03:48:03.000000Z",
8   "updated_at": "2025-11-01T03:48:03.000000Z"
9 }
```

c. Bagian Tampilan Refresh

The screenshot shows the Postman interface with a successful response to the `/api/refresh` endpoint. The token is displayed in the JSON response.

```
1 {  
2   "access_token": "eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.  
3 eyJpc3MiOiJodHRwOi8vbmVyaXNnOg==|gM0avvR0pl33J1zn1c2g1L3CjpyXQidjE3NjI0MjM1MDUsImV4cCI6MTC2MjQyNzIyOSwibmJmIjoxNzYyNDIzNjISLCqdGk  
4 10111dxe3Wxg0ENaMXIVc1FJ1iwic3V1Tj01MSIsInBydI16Ij12yM01y2g5N01mWjAwYR1Nz11NzAxY2Qm0g3MmR1N2E10Tc2Zjc1fQ,  
5 AosSyHxTKhob_YKHEqq-JJLBjeRLft4JV2Tn_9Uj8Q",  
6   "token_type": "bearer",  
7   "expires_in": 3600,  
8   "user": null  
}
```

d. Bagian Tampilan Logout

The screenshot shows the Postman interface with a successful response to the `/api/logout` endpoint. The message is displayed in the JSON response.

```
1 {  
2   "message": "Berhasil logout"  
3 }
```

2. CRUD

a. Bagian Tampilan GET

The screenshot shows the Postman interface with a GET request to `http://localhost:8000/api/wisata/`. The response status is 200 OK with a response time of 380 ms and a body size of 1.42 KB. The response body is a JSON array containing three objects, each representing a tourism attraction with fields like id_wisata, kota, landmark, tariff, created_at, and updated_at.

```
[{"id_wisata": 1, "kota": "semarang", "landmark": "pagoda Avalokitesvara", "tarif": 35000, "created_at": "2025-11-04T09:02:44.000000Z", "updated_at": "2025-11-04T09:02:44.000000Z"}, {"id_wisata": 2, "kota": "jakarta", "landmark": "monas", "tarif": 40000, "created_at": "2025-11-04T09:03:31.000000Z", "updated_at": "2025-11-04T09:03:31.000000Z"}, {"id_wisata": 3, "kota": "denpasar", "landmark": "pantai sanur", "tarif": 25000, "created_at": "2025-11-04T09:07:24.000000Z", "updated_at": "2025-11-04T09:07:24.000000Z"}]
```

b. Bagian Tampilan GET {ID}

The screenshot shows the Postman interface with a GET request to `http://localhost:8000/api/wisata/5`. The response status is 200 OK with a response time of 496 ms and a body size of 348 B. The response body is a JSON object representing a specific tourism attraction with fields like id_wisata, kota, landmark, tariff, created_at, and updated_at.

```
{ "id_wisata": 5, "kota": "denpasar", "landmark": "pantai sanur", "tarif": 25000, "created_at": "2025-11-04T09:07:24.000000Z", "updated_at": "2025-11-04T09:07:24.000000Z"}
```

c. Bagian Tampilan POST

POST http://localhost:8000/api/wisata/

| Key | Value | Description |
|----------|--------------|-------------|
| kota | kudus | |
| landmark | menara kudus | |
| tarif | 5000 | |

```

1 {
2   "kota": "kudus",
3   "landmark": "menara kudus",
4   "tarif": "5000",
5   "updated_at": "2025-11-06T10:14:59.000000Z",
6   "created_at": "2025-11-06T10:14:59.000000Z",
7   "id_wisata": 10
8 }
  
```

d. Bagian Tampilan PUT {ID}

PUT http://localhost:8000/api/wisata/10

| Key | Value | Description |
|----------|--------------|-------------|
| kota | kudus | |
| landmark | menara kudus | |
| tarif | 7500 | |

```

1 {
2   "id_wisata": 10,
3   "kota": "kudus",
4   "landmark": "menara kudus",
5   "tarif": "5000",
6   "updated_at": "2025-11-06T10:14:59.000000Z",
7   "created_at": "2025-11-06T10:14:59.000000Z"
8 }
  
```

e. Bagian Tampilan DELETE {ID}

Home Workspaces API Network

alvin aditya594's Workspace

New Import [DEL http://localhost:8000/api](http://localhost:8000/api) [POST http://localhost:8000/](http://localhost:8000/) [DEL http://localhost:8000/api](http://localhost:8000/api)

Search Postman Ctrl K

Invite Upgrade

Collections + Q Search collections My Collection

Environments

Flows

History

DELETE http://localhost:8000/api/wisata/10

Params Authorization Headers (9) Body Scripts Settings

none form-data x-www-form-urlencoded raw binary GraphQL

| Key | Value | Description |
|----------|-------------------|-------------|
| kota | Text kudus | |
| landmark | Text menara kudus | |
| tarif | Text 7500 | |
| Key | Value | Description |

Cookies

Body Cookies Headers (6) Test Results

HTML Preview Visualize

200 OK 175 ms 217 B

Activate Windows
Go to Settings to activate Windows.

Online Find and replace Console

Runner Start Proxy Cookies Vault Trash

Deleted Successfully