


Button Type

We have an option to add multiple buttons(each button can be linked with a separate card)



Media Type

Media button to add - Image/Video/Audio/File, it also has an option to add multiple buttons

Message

Type, press enter to add AI keyword

Enter AI keywords

Select media type

Select media type

Enter or paste url

Type url...

+ Add Media

Caption...

0/1024

+ Add Button

Set Delay

PREMIUM

Type delay in seconds...

Set Timeout

PREMIUM

+ Add Content

List Type

Option to add a common header, body, footer. Then create sections and each section can have multiple items(each allowing title and description)

Message

Type, press enter to add AI keyword

Enter AI keywords

Header

0/20

Body

0/1024

Footer

0/60

✕

Section Title

0/24

✕

Title

0/24

Description

0/72

+ Add Item

+ Add Section

list

Set Timeout

PREMIUM

+ Add Content

Catalogue Message Type

Not sure what this is used for

Catalogue

Type, press enter to add AI keyword


Enter AI keywords

Body

Footer

Single Product Type

It allows us to pick a product and add body and footer



# Multiple Products

We have an option here to create multiple sections and attach each section with multiple products from our catalogue.

Message

Type, press enter to add AI keyword

Enter AI keywords

Header

0/20

Body

0/1024

Footer

0/60

✕

Section Title

0/24

+ Add Products


+ Add Section

View Items

+ Add Content

Template Type

We have an option here to choose a template



Add content function to each Type

So below we have a button type with media type added to that node

Message

Type, press enter to add AI keyword

Enter AI keywords

Type message...0/1024

+ Add Button

Set Delay

Type delay in seconds...

Set Timeout

Type, press enter to add AI keyword

Enter AI keywords

Select media type

Select media type

Enter or paste url

Type url...

+ Add Media

Caption...0/1024

+ Add Button

Set Delay

Type delay in seconds...

Set Timeout

+ Add Content



Request Intervention Action

Message

Request Intervention  
Intervene users and talk

+ Add Content

Condition Action

Condition can be equal, exists, time in, date in. with attribute selection

Condition

Select Condition

Select condition

Select Attribute


\$ Select attribute

True

False

Connect Flow Action

We have an option here to select a pre existing flow



Ask Address Action

Here we also have an option to select attribute, and select attribute for formatted response

Address

Question Message

Type value...

Select Attribute

\$ Select attribute

Select Attribute For Formatted Response

\$ Select attribute

Set Timeout ☐ PREMIUM

Ask Location Action

Similar form fields like Ask Address

Location

Question Message

Type value...

Select Longitude Attribute

\$ Select attribute

Select Latitude Attribute


\$ Select attribute

Set Timeout

PREMIUM

## Ask Question Action

Type a question and capture answer attribute, the attribute form can be any, text, number, date, true/false, email, regex



The image shows a mobile app interface for configuring an 'Ask Question' action. The interface is titled 'Question' and includes a close button. It features several input fields and dropdown menus for configuring the question and answer capture process. The 'Question' field has a character count of 0/1024. The 'Capture answer attribute' dropdown is set to '\$ Select attribute'. The 'Attribute Format' dropdown is set to 'Any'. The 'Set Delay' section includes a text input for delay in seconds and a 'PREMIUM' label. The 'Set Timeout' section includes a toggle switch and a 'PREMIUM' label.

**Question**

Question

Type question...

0/1024

Capture answer attribute

\$ Select attribute

Attribute Format

Any

Set Delay **PREMIUM**

Type delay in seconds...

Set Timeout **PREMIUM**

## Ask Media Action

Media can be image/audio/video/file; not sure what attempts mean here. We also have validation errors

**Media Question**

Type question... 0/1024

Capture answer attribute

\$ Select attribute ▼

Media Type

Any ▼

Number of attempt

1

Enter Validation error message

Type message 0/1024


Set Delay **PREMIUM** ✨

Type delay in seconds...

Set Timeout ☐ **PREMIUM** ✨

Set Attribute Action


Sets a value of an attribute from the select





Tag Action

Probably this is used to select a tag in a flow, or to create or create a tag directly for usage



API Actions

WE have an option to add webhook url, status fallback, we can also define our own status code

API Request

API Request Url

Webhook URL

Status Fallback ☐

+ Custom Status Code

Tags May be trackable across the user journey