



Swagger  
Supported by SMARTBEAR

[Explore](#)

# OpenAPI definition v0 OAS 3.1

</order-service/v3/api-docs>

## Servers

## Order Controller User APIs for managing orders

**PUT****/orders/{orderId}/cancel** Cancel an order**POST****/orders/checkout/buy-now** Buy a single book instantly**POST****/orders/checkout/** Create a new order**GET****/orders/{orderId}** Get single order details**GET****/orders/my** Get current user's orders**GET****/orders/has-purchased** Check if user has purchased a book

## Admin Order Controller Admin APIs for managing all orders

**PATCH****/admin/orders/{orderId}/status** Update order status**GET****/admin/orders** Get all orders (Paginated)

# Internal Order Controller

Internal APIs for service-to-service communication



PUT

`/api/internal/orders/{orderId}/payment-status` Update order payment status (Internal)

## Schemas



### ApiResponseVoid ^ Collapse all object

```
success boolean
message string
data object
timestamp string date-time
```

### PaymentStatusUpdateRequest ^ Collapse all object

```
status ^ Collapse all string
Allowed values "INITIATED" "SUCCESS" "FAILED" "CANCELED"
```

### ApiResponseString ^ Collapse all object

```
success boolean
message string
data string
timestamp string date-time
```

### BuyNowRequestDto ^ Collapse all object

```
bookId integer int64
quantity integer int32
addressId integer int64
paymentMethod ^ Collapse all string
Allowed values "COD" "UPI" "DEBIT"
```

### ApiResponseCheckoutResponseDto ^ Collapse all object

```
success boolean
message string
```

data ^ Collapse all **object**

orderId **integer** **int64**

orderStatus ^ Collapse all **string**

Allowed values

"PENDING\_PAYMENT"

"CONFIRMED"

"PROCESSING"

"SHIPPED"

"DELIVERED"

"CANCELLED"

paymentStatus ^ Collapse all **string**

Allowed values

"INITIATED"

"SUCCESS"

"FAILED"

"CANCELED"

clientSecret **string**

timestamp **string** **date-time**

**CheckoutResponseDto** ^ Collapse all **object**

orderId **integer** **int64**

orderStatus ^ Collapse all **string**

Allowed values

"PENDING\_PAYMENT"

"CONFIRMED"

"PROCESSING"

"SHIPPED"

"DELIVERED"

"CANCELLED"

paymentStatus ^ Collapse all **string**

Allowed values

"INITIATED"

"SUCCESS"

"FAILED"

"CANCELED"

clientSecret **string**

**CheckoutCartRequestDto** ^ Collapse all **object**

cartId **integer** **int64**

addressId **integer** **int64**

paymentMethod ^ Collapse all **string**

Allowed values

"COD"

"UPI"

"DEBIT"

**UpdateOrderStatusRequest** ^ Collapse all **object**

status ^ Collapse all **string**

Allowed values

"PENDING\_PAYMENT"

"CONFIRMED"

"PROCESSING"

"SHIPPED"

"DELIVERED"

"CANCELLED"

**ApiResponseOrderResponseDTO** ^ Collapse all **object**

success **boolean**

message **string**

data ^ Collapse all **object**

orderId **integer** **int64**

```
userId integer int64
totalAmount number double
addressId integer int64
paymentType ^ Collapse all string
    Allowed values "COD" "UPI" "DEBIT"
paymentStatus ^ Collapse all string
    Allowed values "INITIATED" "SUCCESS" "FAILED" "CANCELED"
orderStatus ^ Collapse all string
    Allowed values
    "PENDING_PAYMENT" "CONFIRMED" "PROCESSING" "SHIPPED" "DELIVERED"
    "CANCELLED"
createdAt string date-time
items ^ Collapse all array<object>
    Items ^ Collapse all object
        bookId integer int64
        bookTitle string
        isbn string
        bookPrice number double
        quantity integer int32
        subtotal number double
timestamp string date-time
```

### OrderItemResponseDTO ^ Collapse all object

```
bookId integer int64
bookTitle string
isbn string
bookPrice number double
quantity integer int32
subtotal number double
```

### OrderResponseDTO ^ Collapse all object

```
orderId integer int64
userId integer int64
totalAmount number double
addressId integer int64
paymentType ^ Collapse all string
```

Allowed values

"COD"

"UPI"

"DEBIT"

paymentStatus ^ Collapse all string

Allowed values

"INITIATED"

"SUCCESS"

"FAILED"

"CANCELED"

orderStatus ^ Collapse all string

Allowed values

"PENDING\_PAYMENT"

"CONFIRMED"

"PROCESSING"

"SHIPPED"

"DELIVERED"

"CANCELLED"

createdAt string date-time

items ^ Collapse all array&lt;object&gt;

Items ^ Collapse all object

bookId integer int64

bookTitle string

isbn string

bookPrice number double

quantity integer int32

subtotal number double

ApiResponseListOrderResponseDTO ^ Collapse all object

success boolean

message string

data ^ Collapse all array&lt;object&gt;

Items ^ Collapse all object

orderId integer int64

userId integer int64

totalAmount number double

addressId integer int64

paymentType ^ Collapse all string

Allowed values

"COD"

"UPI"

"DEBIT"

paymentStatus ^ Collapse all string

Allowed values

"INITIATED"

"SUCCESS"

"FAILED"

"CANCELED"

orderStatus ^ Collapse all string

Allowed values

"PENDING\_PAYMENT"

"CONFIRMED"

"PROCESSING"

"SHIPPED"

"DELIVERED"

"CANCELLED"

createdAt string date-time

items ^ Collapse all array&lt;object&gt;

Items ^ Collapse all object

bookId integer int64

```
bookTitle string
isbn string
bookPrice number double
quantity integer int32
subtotal number double
timestamp string date-time
```

### ApiResponseBoolean ^ Collapse all object

```
success boolean
message string
data boolean
timestamp string date-time
```

### Pageable ^ Collapse all object

```
page integer ≥ 0 int32
size integer ≥ 1 int32
sort ^ Collapse all array<string>
  Items string
```

### ApiResponsePageOrderResponseDTO ^ Collapse all object

```
success boolean
message string
data ^ Collapse all object
  totalPages integer int32
  totalElements integer int64
  pageable ^ Collapse all object
    paged boolean
    pageNumber integer int32
    pageSize integer int32
    offset integer int64
    sort ^ Collapse all object
      sorted boolean
      empty boolean
      unsorted boolean
    unpaged boolean
  size integer int32
```

```

content ^ Collapse all array<object>
  Items ^ Collapse all object
    orderId integer int64
    userId integer int64
    totalAmount number double
    addressId integer int64
    paymentType ^ Collapse all string
      Allowed values "COD" "UPI" "DEBIT"
    paymentStatus ^ Collapse all string
      Allowed values "INITIATED" "SUCCESS" "FAILED" "CANCELED"
    orderStatus ^ Collapse all string
      Allowed values
        "PENDING_PAYMENT" "CONFIRMED" "PROCESSING" "SHIPPED"
        "DELIVERED" "CANCELLED"
    createdAt string date-time
    items ^ Collapse all array<object>
      Items ^ Collapse all object
        bookId integer int64
        bookTitle string
        isbn string
        bookPrice number double
        quantity integer int32
        subtotal number double
    number integer int32
    sort ^ Collapse all object
      sorted boolean
      empty boolean
      unsorted boolean
    numberOfElements integer int32
    first boolean
    last boolean
    empty boolean
    timestamp string date-time

```

## PageOrderResponseDTO ^ Collapse all object

```

totalPages integer int32
totalElements integer int64

```

```
pageable ^ Collapse all object
  paged boolean
  pageNumber integer int32
  pageSize integer int32
  offset integer int64
  sort ^ Collapse all object
    sorted boolean
    empty boolean
    unsorted boolean
  unpaged boolean
size integer int32
content ^ Collapse all array<object>
  Items ^ Collapse all object
    orderId integer int64
    userId integer int64
    totalAmount number double
    addressId integer int64
    paymentType ^ Collapse all string
      Allowed values "COD" "UPI" "DEBIT"
    paymentStatus ^ Collapse all string
      Allowed values "INITIATED" "SUCCESS" "FAILED" "CANCELED"
    orderStatus ^ Collapse all string
      Allowed values "PENDING_PAYMENT" "CONFIRMED" "PROCESSING" "SHIPPED" "DELIVERED"
      "CANCELLED"
    createdAt string date-time
  items ^ Collapse all array<object>
    Items ^ Collapse all object
      bookId integer int64
      bookTitle string
      isbn string
      bookPrice number double
      quantity integer int32
      subtotal number double
number integer int32
sort ^ Collapse all object
  sorted boolean
  empty boolean
```



```

    unsorted    boolean
    numberOfElements  integer    int32
    first       boolean
    last        boolean
    empty       boolean

```

## PageableObject ^ Collapse all object

```

paged      boolean
pageNumber integer    int32
pageSize   integer    int32
offset     integer    int64
sort ^     Collapse all object
|
|   sorted  boolean
|
|   empty   boolean
|
|   unsorted boolean
|
unpaged    boolean

```

## SortObject ^ Collapse all object

```
sorted  boolean
empty   boolean
unsorted boolean
```