

Phishing Email Analysis Report using ANY.RUN Sandbox

This report documents the phishing email analysis performed using the ANY.RUN interactive malware analysis sandbox environment. The investigation focused on analyzing suspicious email behavior, network activity, URL interactions, process execution, and potential indicators of compromise (IOCs). The analysis was conducted in a controlled sandbox environment to safely observe the behavior of suspicious email content and external links.

Objective of Analysis

- Identify whether the received email contains phishing indicators.
- Analyze suspicious links and redirections.
- Monitor process execution and browser/network activity.
- Detect malicious behavior or credential harvesting attempts.
- Extract Indicators of Compromise (IOCs) for threat intelligence purposes.

Tools Used

- ANY.RUN Interactive Sandbox
- Microsoft Outlook Email Client
- Microsoft Edge Browser
- Network Traffic Monitoring
- DNS and HTTP Request Analysis

Email Overview

The analyzed email impersonated Banco do Bradesco (Livelo Rewards Program) and attempted to attract user interaction by claiming that reward points were about to expire. Such social engineering tactics are commonly used in phishing campaigns to create urgency and force users into clicking malicious links or downloading suspicious attachments.




Figure 1: Suspicious email opened inside the ANY.RUN sandbox environment.




Figure 2: Analysis of suspicious browser activity and HTTP requests during execution.




Figure 3: Redirection to a suspicious external gambling-related webpage.

Behavioral Analysis Findings

- The email was opened using Microsoft Outlook within the sandbox environment.
- The email content used reward expiration and banking-related themes to increase user engagement.
- Multiple HTTP requests and DNS queries were observed during execution.
- The analysis environment recorded browser activity involving suspicious external domains.
- One observed redirection led to a gambling-themed webpage, which may indicate malicious advertisement redirection or phishing infrastructure misuse.
- Browser processes including Microsoft Edge components were spawned during URL interaction.
- Network monitoring captured outbound requests to several external domains.
- No direct ransomware or destructive malware payload execution was detected during the monitored session.
- The analysis highlighted suspicious browsing behavior and possible phishing-related infrastructure interaction.

Observed Indicators of Compromise (IOCs)

Type	Observed Value	Observation
Domain	canarytokens.com	External interaction observed during browser activity
Domain	manta pmpoid.com / mpoidpa.xyz	Suspicious redirection domain
Process	OUTLOOK.EXE	Email execution process
Process	msedge.exe	Browser interaction process
HTTP Activity	Multiple GET Requests	Observed during sandbox execution

Conclusion

The phishing email analysis conducted using ANY.RUN demonstrated how sandbox environments can be used to safely investigate suspicious emails, URLs, and network behavior. The analyzed email used social engineering techniques related to banking rewards and urgency-based messaging to lure users into interaction. Although no destructive malware payload was executed during the analysis session, suspicious redirections and external domain interactions were observed. The collected behavioral indicators suggest that the email may be associated with phishing or malicious web redirection activity. Continuous monitoring, IOC tracking, email filtering, and user awareness training are recommended to reduce the risk of phishing attacks in organizational environments.

Reference

ANY.RUN Interactive Malware Sandbox: <https://any.run/>