Rajalakshmi Engineering College

Name: Alwin Abishek

Email: 241501017@rajalakshmi.edu.in

Roll no: 241501017 Phone: 9444177993

Branch: REC

Department: I AI & ML FA

Batch: 2028

Degree: B.E - AI & ML



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_MCQ

Attempt : 1 Total Mark : 20 Marks Obtained : 18

Section 1: MCQ

1. What is the difference between r+ and w+ modes?

Answer

no difference

Status: Wrong Marks: 0/1

2. What happens if no arguments are passed to the seek function?

Answer

file position is set to the start of file

Status: Wrong Marks: 0/1

3. What is the output of the following code?

try:
 x = 1 / 0
except ZeroDivisionError:
 print("Caught division by zero error")
finally:
 print("Executed")

Answer

Caught division by zero errorExecuted

Status: Correct Marks: 1/1

4. What is the default value of reference_point in the following code?

file_object.seek(offset [,reference_point])

Answer

0

Status: Correct Marks: 1/1

5. What happens if an exception is not caught in the except clause?

Answer

The program will display a traceback error and stop execution

Status: Correct Marks: 1/1

- 6. Match the following:
- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position

d) f.seek(0) iv) Move file pointer to the beginning of a file

Answer

a-iii, b-i, c-ii, d-iv

Status: Correct Marks: 1/1

7. What will be the output of the following Python code?

```
f = None
for i in range (5):
    with open("data.txt", "w") as f:
        if i > 2:
            break
print(f.closed)

Answer
True
```

Status: Correct Marks: 1/1

8. Fill in the blanks in the following code of writing data in binary files.

```
import _______(1)
rec=[]
while True:
rn=int(input("Enter"))
nm=input("Enter")
temp=[rn, nm]
rec.append(temp)
ch=input("Enter choice (y/N)")
if ch.upper=="N":
break
f.open("stud.dat","_______")(2)
_____.dump(rec,f)(3)
____.close()(4)

Answer
```

(pickle,wb,pickle,f) Status: Correct Marks : 1/1 9. What will be the output of the following Python code? # Predefined lines to simulate the file content lines = ["This is 1st line", "This is 2nd line", "This is 3rd line", "This is 4th line", "This is 5th line" print("Name of the file: foo.txt") # Print the first 5 lines from the predefined list for index in range(5): line = lines[index] print("Line No %d - %s" % (index + 1, line.strip())) Answer **Displays Output** Status: Correct Marks: 1/1 10. How do you create a user-defined exception in Python? Answer By creating a new class that inherits from the Exception class Status: Correct Marks: 1/1

11. How do you rename a file?

Answer

os.rename(existing_name, new_name)

| | Status: Correct | Marks : 1/1 |
|-----|--|-------------|
| 241 | 12. What is the purpose of the except clause in Python? | 24150 |
| | Answer | |
| | To handle exceptions during code execution | |
| | Status: Correct | Marks : 1/1 |
| | 13. Fill in the code in order to get the following output: | |
| | Output: | ,01 |
| 24 | Name of the file: ex.txt | 24,150, |
| | fo = open((1), "wb") print("Name of the file: ",)(2) | , |
| | Answer | |
| | 1) "ex.txt"2) fo.name | |
| | Status: Correct | Marks : 1/1 |
| | 14. Fill the code to in order to read file from the current positio | n. |
| 24 | Assuming exp.txt file has following 3 lines, consider current file beginning of 2nd line | position is |
| | Meri,25 | , |
| | John,21 | |
| | Raj,20 | |
| | Ouptput: | |
| | ['John,21\n','Raj,20\n'] | |
| 24 | f = open("exp.txt", "w+") (1) | 24150101 |

| 241 | print(2) Answer 1) f.seek(0, 1)2) f.readlines() Status: Correct | 241501017 | 24,150,10 ¹ Marks: 1/1 |
|-----|--|------------------------|-----------------------------------|
| | 15. What is the output of the following co | de? | |
| 241 | try: x = "hello" + 5 except TypeError: print("Type Error occurred") finally: print("This will always execute") | 24,150,101,1 | 24,150,107 |
| | Answer | | |
| | Type Error occurredThis will always execute | | |
| | Status: Correct | | Marks : 1/1 |
| | 16. What is the output of the following co | de? | |
| 24 | class MyError(Exception): pass try: raise MyError("Something went wrong") except MyError as e: print(e) | 241507017 | 24150101 |
| | Answer | | |
| | Something went wrong | | |
| | Status: Correct | | Marks : 1/1 |
| 241 | 17. Which clause is used to clean up reso Python? | urces, such as closing | files in |

Answer

finally

Status: Correct Marks: 1/1

18. What is the correct way to raise an exception in Python?

Answer

raise Exception()

Status: Correct Marks: 1/1

19. Which of the following is true about the finally block in Python?

Answer

The finally block is always executed, regardless of whether an exception occurs or not

Status: Correct Marks: 1/1

20. Which of the following is true about

fp.seek(10,1)

Answer

Move file pointer ten characters ahead from the current position

Status: Correct Marks: 1/1

147507017

24,150,1017

24/50/01/

241501017