




MI Curves (z-score, MA=20) with Median and Peaks (270s @ 3Hz)




Median MI Frequency Spectrum (FFT)




KMeans Clustering of MI Curves (k=2) - 270s @ 3Hz




Change Point Detection on Median MI - 270s @ 1Hz




Matrix: abeg_1430_mi_session_20250630_1440




Matrix: abeg_1605_mi_session_20250630_1611




Matrix: abeg_1642_mi_session_20250630_1649




x: abeg_415_mi_session_20250701_041724_no




ix: abeg_445_mi_session_20250701_044837_no




ix: abg_348_mi_session_20250701_035143_nor




h Matrix: alex_2257_mi_session_20250626_2301




h Matrix: alex_2312_mi_session_20250626_2319




h Matrix: alex_2320_mi_session_20250626_2326



: tony test 01_mi_session_20250701_051145_no



Session MI (up to 10) vs. Median Baseline (Eyes Closed) - 270s @ 1Hz



MI Advanced Report

Generated: 20250717_024934

MI Advanced Report - Statistical Summary

1. Mindfulness Index (MI) Trajectory

- * All MI session files with ≥ 300 samples were included.
- * Individual and median MI curves were plotted (see Figure 8.1).
- * RM-ANOVA across six epochs (0-45s, 46-90s, 91-135s, 136-180s, 181-225s, 226-270s):
Anova

	F Value	Num DF	Den DF	Pr > F
Epoch	nan	5.0000	45.0000	nan

- * Post-hoc pairwise comparisons (Tukey HSD):
Multiple Comparison of Means - Tukey HSD, FWER=0.05

group1	group2	meandiff	p-adj	lower	upper	reject
0-45s	136-180s	nan	nan	nan	nan	False
0-45s	181-225s	nan	nan	nan	nan	False
0-45s	226-270s	nan	nan	nan	nan	False
0-45s	46-90s	-0.3089	nan	nan	nan	False
0-45s	91-135s	nan	nan	nan	nan	False
136-180s	181-225s	nan	nan	nan	nan	False
136-180s	226-270s	nan	nan	nan	nan	False
136-180s	46-90s	nan	nan	nan	nan	False
136-180s	91-135s	nan	nan	nan	nan	False
181-225s	226-270s	nan	nan	nan	nan	False
181-225s	46-90s	nan	nan	nan	nan	False
181-225s	91-135s	nan	nan	nan	nan	False
226-270s	46-90s	nan	nan	nan	nan	False
226-270s	91-135s	nan	nan	nan	nan	False
46-90s	91-135s	nan	nan	nan	nan	False

- * Time-frequency analysis (FFT) of the median MI curve was performed (see Figure 8.3).

2. MI Dynamics

- * Peak analysis (median curve): 0 peaks ($z > 1.5$) at times [], amplitudes [], durations [] (see Table 8.2, Figure 8.4).
- * AUC (median): 17.88; mean $\pm$ SD (individual): 4.29 $\pm$ 43.48 (see Table 8.3).
- * Bootstrap 95% CI for mean MI difference (0-135s vs 136-270s): mean diff = 0.000, CI = [0.000, 0.000].
- * Change point detection (Pelt algorithm): 1 change points at [30] (see Figure 8.5).

3. Clustering & Mixed-Effects

- * K-Means clustering (k=2): cluster averages {}, user distribution {0: 9, 1: 1} (see Figure 8.6).
- * Mixed-effects model (MI ~ time + (1|Subject)): Mixed Linear Model Regression Results

Model:	MixedLM	Dependent Variable:	value			
No. Observations:	1380	Method:	REML			
No. Groups:	10	Scale:	0.9292			
Min. group size:	138	Log-Likelihood:	-1928.3396			
Max. group size:	138	Converged:	Yes			
Mean group size:	138.0					
	Coef.	Std.Err.	z	P> z	[0.025	0.975]
Intercept	-0.408	0.116	-3.519	0.000	-0.635	-0.181
time	0.006	0.001	9.692	0.000	0.005	0.008
file Var	0.108	0.056				

- * ANOVA on final epoch by cluster: [ANOVA final epoch analysis not available] (see Table 8.5).