**NAMA : ALYA NADILLA AROSMA**

**NIM : 242410101010**

**AKTIVITAS MANDIRI 1**

1. Instal XAMPP terbaru, pastikan PHP 8.2+ tersedia (cek: php --version di terminal)







2. Instal Composer dari getcomposer.org, verifikasi dengan: composer --version




3. Buat proyek Laravel baru: composer create-project laravel/laravel siak-app

```
Command Prompt

C:\Users\LENOVO_ics>composer create-project laravel/laravel NEKOYA
Creating a "laravel/laravel" project at "./NEKOYA"
Installing laravel/laravel (v13.3.0)
  - Installing laravel/laravel (v13.3.0): Extracting archive
Created project in C:\Users\LENOVO_ics\NEKOYA
> @php -r "file_exists('.env') || copy('.env.example', '.env');"
Loading composer repositories with package information
Updating dependencies
Lock file operations: 107 installs, 0 updates, 0 removals
  - Locking brick/math (0.14.8)
  - Locking carbonphp/carbon-doctrine-types (3.2.0)
  - Locking dflydev/dot-access-data (v3.0.3)
  - Locking doctrine/inflector (2.1.0)
  - Locking doctrine/lexer (3.0.1)
  - Locking dragonmantank/cron-expression (v3.6.0)
  - Locking egulias/email-validator (4.0.4)
  - Locking fakerphp/faker (v1.24.1)
  - Locking filp/whoops (2.18.4)
  - Locking fruitcake/php-cors (v1.4.0)
  - Locking graham-campbell/result-type (v1.1.4)
  - Locking guzzlehttp/guzzle (7.10.0)
  - Locking guzzlehttp/promises (2.3.0)
  - Locking guzzlehttp/psr7 (2.9.0)
  - Locking guzzlehttp/uri-template (v1.0.5)
  - Locking hamcrest/hamcrest-php (v2.1.1)
  - Locking laravel/framework (v13.6.0)
  - Locking laravel/pail (v1.2.6)
  - Locking laravel/pint (v1.29.1)
  - Locking laravel/prompts (v0.3.17)
  - Locking laravel/serializable-closure (v2.0.12)
  - Locking laravel/tinker (v3.0.2)
  - Locking league/commonmark (2.8.2)
  - Locking league/config (v1.2.0)
  - Locking league/flysystem (3.33.0)
  - Locking league/flysystem-local (3.31.0)
  - Locking league/mime-type-detection (1.16.0)
  - Locking league/uri (7.8.1)
  - Locking league/uri-interfaces (7.8.1)
  - Locking mockery/mockery (1.6.12)
  - Locking monolog/monolog (3.10.0)
```

```
Command Prompt

  - Locking myclabs/deep-copy (1.13.4)
  - Locking nesbot/carbon (3.11.4)
  - Locking nette/schema (v1.3.5)
  - Locking nette/utils (v4.1.3)
  - Locking nikic/php-parser (v5.7.0)
  - Locking nunomaduro/collision (v8.9.4)
  - Locking nunomaduro/termwind (v2.4.0)
  - Locking phar-io/manifest (2.0.4)
  - Locking phar-io/version (3.2.1)
  - Locking phpoption/phpoption (1.9.5)
  - Locking phpunit/php-code-coverage (12.5.6)
  - Locking phpunit/php-file-iterator (6.0.1)
  - Locking phpunit/php-invoker (6.0.0)
  - Locking phpunit/php-text-template (5.0.0)
  - Locking phpunit/php-timer (8.0.0)
  - Locking phpunit/phpunit (12.5.23)
  - Locking psr/clock (1.0.0)
  - Locking psr/container (2.0.2)
  - Locking psr/event-dispatcher (1.0.0)
  - Locking psr/http-client (1.0.3)
  - Locking psr/http-factory (1.1.0)
  - Locking psr/http-message (2.0)
  - Locking psr/log (3.0.2)
  - Locking psr/simple-cache (3.0.0)
  - Locking psy/psysh (v0.12.22)
  - Locking ralouphie/getallheaders (3.0.3)
  - Locking ramsey/collection (2.1.1)
  - Locking ramsey/uuid (4.9.2)
  - Locking sebastian/cli-parser (4.2.0)
  - Locking sebastian/comparator (7.1.6)
  - Locking sebastian/complexity (5.0.0)
  - Locking sebastian/diff (7.0.0)
  - Locking sebastian/environment (8.1.0)
  - Locking sebastian/exporter (7.0.2)
  - Locking sebastian/global-state (8.0.2)
  - Locking sebastian/lines-of-code (4.0.0)
  - Locking sebastian/object-enumerator (7.0.0)
  - Locking sebastian/object-reflector (5.0.0)
  - Locking sebastian/recursion-context (7.0.1)
  - Locking sebastian/type (6.0.3)
  - Locking sebastian/version (6.0.0)
```

Command Prompt

```
  - Locking myclabs/deep-copy (1.13.4)
  - Locking nesbot/carbon (3.11.4)
  - Locking nette/schema (v1.3.5)
  - Locking nette/utils (v4.1.3)
  - Locking nikic/php-parser (v5.7.0)
  - Locking nunomaduro/collision (v8.9.4)
  - Locking nunomaduro/termwind (v2.4.0)
  - Locking phar-io/manifest (2.0.4)
  - Locking phar-io/version (3.2.1)
  - Locking phpoption/phpoption (1.9.5)
  - Locking phpunit/php-code-coverage (12.5.6)
  - Locking phpunit/php-file-iterator (6.0.1)
  - Locking phpunit/php-invoker (6.0.0)
  - Locking phpunit/php-text-template (5.0.0)
  - Locking phpunit/php-timer (8.0.0)
  - Locking phpunit/phpunit (12.5.23)
  - Locking psr/clock (1.0.0)
  - Locking psr/container (2.0.2)
  - Locking psr/event-dispatcher (1.0.0)
  - Locking psr/http-client (1.0.3)
  - Locking psr/http-factory (1.1.0)
  - Locking psr/http-message (2.0)
  - Locking psr/log (3.0.2)
  - Locking psr/simple-cache (3.0.0)
  - Locking psy/psysh (v0.12.22)
  - Locking ralouphie/getallheaders (3.0.3)
  - Locking ramsey/collection (2.1.1)
  - Locking ramsey/uuid (4.9.2)
  - Locking sebastian/cli-parser (4.2.0)
  - Locking sebastian/comparator (7.1.6)
  - Locking sebastian/complexity (5.0.0)
  - Locking sebastian/diff (7.0.0)
  - Locking sebastian/environment (8.1.0)
  - Locking sebastian/exporter (7.0.2)
  - Locking sebastian/global-state (8.0.2)
  - Locking sebastian/lines-of-code (4.0.0)
  - Locking sebastian/object-enumerator (7.0.0)
  - Locking sebastian/object-reflector (5.0.0)
  - Locking sebastian/recursion-context (7.0.1)
  - Locking sebastian/type (6.0.3)
  - Locking sebastian/version (6.0.0)
```

Command Prompt

```
  - Locking staabm/side-effects-detector (1.0.5)
  - Locking symfony/clock (v7.4.8)
  - Locking symfony/console (v7.4.8)
  - Locking symfony/css-selector (v7.4.8)
  - Locking symfony/deprecation-contracts (v3.6.0)
  - Locking symfony/error-handler (v7.4.8)
  - Locking symfony/event-dispatcher (v7.4.8)
  - Locking symfony/event-dispatcher-contracts (v3.6.0)
  - Locking symfony/finder (v7.4.8)
  - Locking symfony/http-foundation (v7.4.8)
  - Locking symfony/http-kernel (v7.4.8)
  - Locking symfony/mailer (v7.4.8)
  - Locking symfony/mime (v7.4.8)
  - Locking symfony/polyfill-ctype (v1.37.0)
  - Locking symfony/polyfill-intl-grapheme (v1.37.0)
  - Locking symfony/polyfill-intl-idn (v1.37.0)
  - Locking symfony/polyfill-intl-normalizer (v1.37.0)
  - Locking symfony/polyfill-mbstring (v1.37.0)
  - Locking symfony/polyfill-php80 (v1.37.0)
  - Locking symfony/polyfill-php83 (v1.37.0)
  - Locking symfony/polyfill-php84 (v1.37.0)
  - Locking symfony/polyfill-php85 (v1.37.0)
  - Locking symfony/polyfill-uuid (v1.37.0)
  - Locking symfony/process (v7.4.8)
  - Locking symfony/routing (v7.4.8)
  - Locking symfony/service-contracts (v3.6.1)
  - Locking symfony/string (v7.4.8)
  - Locking symfony/translation (v7.4.8)
  - Locking symfony/translation-contracts (v3.6.1)
  - Locking symfony/uid (v7.4.8)
  - Locking symfony/var-dumper (v7.4.8)
  - Locking theseer/tokenizer (2.0.1)
  - Locking tijsverkoyen/css-to-inline-styles (v2.4.0)
  - Locking vlucas/phpdotenv (v5.6.3)
  - Locking voku/portable-ascii (2.1.1)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 107 installs, 0 updates, 0 removals
  - Installing doctrine/inflector (2.1.0): Extracting archive
  - Installing doctrine/lexer (3.0.1): Extracting archive
  - Installing dragonmantank/cron-expression (v3.6.0): Extracting archive
```

Command Prompt

```
- Installing symfony/deprecation-contracts (v3.6.0): Extracting archive
- Installing psr/container (2.0.2): Extracting archive
- Installing fakerphp/faker (v1.24.1): Extracting archive
- Installing symfony/polyfill-mbstring (v1.37.0): Extracting archive
- Installing symfony/http-foundation (v7.4.8): Extracting archive
- Installing fruitcake/php-cors (v1.4.0): Extracting archive
- Installing psr/http-message (2.0): Extracting archive
- Installing psr/http-client (1.0.3): Extracting archive
- Installing ralouphie/getallheaders (3.0.3): Extracting archive
- Installing psr/http-factory (1.1.0): Extracting archive
- Installing guzzlehttp/psr7 (2.9.0): Extracting archive
- Installing guzzlehttp/promises (2.3.0): Extracting archive
- Installing guzzlehttp/guzzle (7.10.0): Extracting archive
- Installing symfony/polyfill-php80 (v1.37.0): Extracting archive
- Installing guzzlehttp/uri-template (v1.0.5): Extracting archive
- Installing symfony/polyfill-intl-normalizer (v1.37.0): Extracting archive
- Installing symfony/polyfill-intl-grapheme (v1.37.0): Extracting archive
- Installing symfony/polyfill-ctype (v1.37.0): Extracting archive
- Installing symfony/string (v7.4.8): Extracting archive
- Installing symfony/service-contracts (v3.6.1): Extracting archive
- Installing symfony/console (v7.4.8): Extracting archive
- Installing nunomaduro/termwind (v2.4.0): Extracting archive
- Installing voku/portable-ascii (2.1.1): Extracting archive
- Installing phpoption/phpoption (1.9.5): Extracting archive
- Installing graham-campbell/result-type (v1.1.4): Extracting archive
- Installing vlucas/phpdotenv (v5.6.3): Extracting archive
- Installing symfony/css-selector (v7.4.8): Extracting archive
- Installing tijsverkoyen/css-to-inline-styles (v2.4.0): Extracting archive
- Installing symfony/var-dumper (v7.4.8): Extracting archive
- Installing symfony/polyfill-uuid (v1.37.0): Extracting archive
- Installing symfony/uid (v7.4.8): Extracting archive
- Installing symfony/routing (v7.4.8): Extracting archive
- Installing symfony/process (v7.4.8): Extracting archive
- Installing symfony/polyfill-php85 (v1.37.0): Extracting archive
- Installing symfony/polyfill-php84 (v1.37.0): Extracting archive
- Installing symfony/polyfill-intl-idn (v1.37.0): Extracting archive
- Installing symfony/mime (v7.4.8): Extracting archive
- Installing psr/event-dispatcher (1.0.0): Extracting archive
- Installing symfony/event-dispatcher-contracts (v3.6.0): Extracting archive
- Installing symfony/event-dispatcher (v7.4.8): Extracting archive
- Installing psr/log (3.0.2): Extracting archive
```

Command Prompt

```
- Installing egulias/email-validator (4.0.4): Extracting archive
- Installing symfony/mailer (v7.4.8): Extracting archive
- Installing symfony/error-handler (v7.4.8): Extracting archive
- Installing symfony/http-kernel (v7.4.8): Extracting archive
- Installing symfony/finder (v7.4.8): Extracting archive
- Installing ramsey/collection (2.1.1): Extracting archive
- Installing brick/math (0.14.8): Extracting archive
- Installing ramsey/uuid (4.9.2): Extracting archive
- Installing psr/simple-cache (3.0.0): Extracting archive
- Installing symfony/translation-contracts (v3.6.1): Extracting archive
- Installing symfony/translation (v7.4.8): Extracting archive
- Installing symfony/polyfill-php83 (v1.37.0): Extracting archive
- Installing psr/clock (1.0.0): Extracting archive
- Installing symfony/clock (v7.4.8): Extracting archive
- Installing carbonphp/carbon-doctrine-types (3.2.0): Extracting archive
- Installing nesbot/carbon (3.11.4): Extracting archive
- Installing monolog/monolog (3.10.0): Extracting archive
- Installing league/uri-interfaces (7.8.1): Extracting archive
- Installing league/uri (7.8.1): Extracting archive
- Installing league/mime-type-detection (1.16.0): Extracting archive
- Installing league/flysystem-local (3.31.0): Extracting archive
- Installing league/flysystem (3.33.0): Extracting archive
- Installing nette/utils (v4.1.3): Extracting archive
- Installing nette/schema (v1.3.5): Extracting archive
- Installing dflydev/dot-access-data (v3.0.3): Extracting archive
- Installing league/config (v1.2.0): Extracting archive
- Installing league/commonmark (2.8.2): Extracting archive
- Installing laravel/serializable-closure (v2.0.12): Extracting archive
- Installing laravel/prompts (v0.3.17): Extracting archive
- Installing laravel/framework (v13.6.0): Extracting archive
- Installing laravel/pail (v1.2.6): Extracting archive
- Installing laravel/pint (v1.29.1): Extracting archive
- Installing nikic/php-parser (v5.7.0): Extracting archive
- Installing psy/psysh (v0.12.22): Extracting archive
- Installing laravel/tinker (v3.0.2): Extracting archive
- Installing hamcrest/hamcrest-php (v2.1.1): Extracting archive
- Installing mockery/mockery (1.6.12): Extracting archive
- Installing filp/whoops (2.18.4): Extracting archive
- Installing nunomaduro/collision (v8.9.4): Extracting archive
- Installing staabm/side-effects-detector (1.0.5): Extracting archive
- Installing sebastian/version (6.0.0): Extracting archive
```

```
Command Prompt
  - Installing sebastian/type (6.0.3): Extracting archive
  - Installing sebastian/recursion-context (7.0.1): Extracting archive
  - Installing sebastian/object-reflector (5.0.0): Extracting archive
  - Installing sebastian/object-enumerator (7.0.0): Extracting archive
  - Installing sebastian/global-state (8.0.2): Extracting archive
  - Installing sebastian/exporter (7.0.2): Extracting archive
  - Installing sebastian/environment (8.1.0): Extracting archive
  - Installing sebastian/diff (7.0.0): Extracting archive
  - Installing sebastian/comparator (7.1.6): Extracting archive
  - Installing sebastian/cli-parser (4.2.0): Extracting archive
  - Installing phpunit/php-timer (8.0.0): Extracting archive
  - Installing phpunit/php-text-template (5.0.0): Extracting archive
  - Installing phpunit/php-invoker (6.0.0): Extracting archive
  - Installing phpunit/php-file-iterator (6.0.1): Extracting archive
  - Installing theseer/tokenizer (2.0.1): Extracting archive
  - Installing sebastian/lines-of-code (4.0.0): Extracting archive
  - Installing sebastian/complexity (5.0.0): Extracting archive
  - Installing phpunit/php-code-coverage (12.5.6): Extracting archive
  - Installing phar-io/version (3.2.1): Extracting archive
  - Installing phar-io/manifest (2.0.4): Extracting archive
  - Installing myclabs/deep-copy (1.13.4): Extracting archive
  - Installing phpunit/phpunit (12.5.23): Extracting archive
60 package suggestions were added by new dependencies, use `composer suggest` to see details.
Generating optimized autoload files
> Illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi

  INFO  Discovering packages.

  laravel/pail ..................................................... DONE
  laravel/tinker ................................................... DONE
  nesbot/carbon .................................................... DONE
  nunomaduro/collision ............................................. DONE
  nunomaduro/termwind .............................................. DONE

78 packages you are using are looking for funding.
Use the `composer fund` command to find out more!
> @php artisan vendor:publish --tag=laravel-assets --ansi --force

  INFO  No publishable resources for tag [laravel-assets].
```

```
Command Prompt
  - Installing myclabs/deep-copy (1.13.4): Extracting archive
  - Installing phpunit/phpunit (12.5.23): Extracting archive
60 package suggestions were added by new dependencies, use `composer suggest` to see details.
Generating optimized autoload files
> Illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi

  INFO  Discovering packages.

  laravel/pail ..................................................... DONE
  laravel/tinker ................................................... DONE
  nesbot/carbon .................................................... DONE
  nunomaduro/collision ............................................. DONE
  nunomaduro/termwind .............................................. DONE

78 packages you are using are looking for funding.
Use the `composer fund` command to find out more!
> @php artisan vendor:publish --tag=laravel-assets --ansi --force

  INFO  No publishable resources for tag [laravel-assets].

No security vulnerability advisories found.
> @php artisan key:generate --ansi

  INFO  Application key set successfully.

> @php -r "file_exists('database/database.sqlite') || touch('database/database.sqlite');"
> @php artisan migrate --graceful --ansi

  INFO  Preparing database.

  Creating migration table ......................................... 11.82ms DONE

  INFO  Running migrations.

  0001_01_01_000000_create_users_table ............................. 26.84ms DONE
  0001_01_01_000001_create_cache_table ............................. 14.29ms DONE
  0001_01_01_000002_create_jobs_table .............................. 21.25ms DONE
```

4. Buat database baru 'nekoya_db' di phpMyAdmin




5. Konfigurasi file .env: isi DB_DATABASE, DB_USERNAME, DB_PASSWORD sesuai lokal




6. Jalankan: php artisan key:generate




7. Jalankan server: php artisan serve — buka http://127.0.0.1:8000 di browser




8. Eksplorasi struktur folder, buka setiap folder dan pahami fungsinya
   a. routes/

      Direktori ini digunakan untuk mendefinisikan rute atau jalur akses dalam aplikasi. Rute berfungsi untuk menghubungkan URL yang diakses oleh pengguna dengan proses atau tampilan yang akan ditampilkan.




b. app/

Direktori ini berisi logika utama dari aplikasi, seperti controller dan model. Controller berfungsi untuk mengatur alur data antara tampilan (view) dan database, sedangkan model digunakan untuk berinteraksi dengan data.




c. resources/views/

Direktori ini digunakan untuk menyimpan file tampilan (view) yang ditampilkan kepada pengguna. File pada direktori ini umumnya menggunakan format Blade Template (.blade.php) yang merupakan template engine dari Laravel.

d. database/

Direktori ini berfungsi untuk mengelola struktur dan isi database, seperti:

- Migration: untuk membuat dan mengubah struktur tabel
- Seeder: untuk mengisi data awal ke dalam database



9. Jalankan php artisan route:list dan catat route apa saja yang sudah terdaftar

```
PROBLEMS 4   OUTPUT   DEBUG CONSOLE   TERMINAL   PORTS   DEVDB                                   powershell

  2026-04-28 17:51:33 /favicon.ico ..................................................................... ~ 1s
PS D:\laragon\www\NEKOYA> php artisan route:list

  GET|HEAD  / ..................................................................................... routes/web.php:5
  GET|HEAD  storage/{path} ............................ storage.local › vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider.php:111
  PUT       storage/{path} ....................... storage.local.upload › vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider.php:119
  GET|HEAD  up ................................... vendor/laravel/framework/src/Illuminate/Foundation/Configuration/ApplicationBuilder.php:223

                                                                                          Showing [4] routes
```

a. Route utama (homepage)
   - Method: GET|HEAD
   - URI: /
   - Keterangan: Mengarah ke file routes/web.php baris 5

b. Route storage (akses file)
   - Method: GET|HEAD
   - URI: storage/{path}
   - Keterangan: Digunakan untuk mengakses file dalam storage

c. Route upload ke storage
   - Method: PUT
   - URI: storage/{path}
   - Keterangan: Digunakan untuk upload file ke storage

d. Route status aplikasi
   - Method: GET|HEAD
   - URI: up
   - Keterangan: Digunakan untuk mengecek status aplikasi (health check Laravel)

# AKTIVITAS MANDIRI 2

1. Buat Controller DashboardController: php artisan make:controller DashboardController

```
PS D:\laragon\www\NEKOYA> php artisan make:controller DashboardController

  INFO  Controller [D:\laragon\www\NEKOYA\app\Http\Controllers\DashboardController.php] created successfully.
```




2. Tambahkan method index() yang mengembalikan view('dashboard') di DashboardController



3. Daftarkan route di routes/web.php: Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard')

4. Buat file view sementara resources/views/dashboard.blade.php berisi '<h1>Dashboard SIAK</h1>'




5. Akses http://127.0.0.1:8000/dashboard di browser — pastikan tampil




6. Buat route /tentang dengan Route::view('/tentang', 'tentang') dan buat view-nya









7. Jalankan php artisan route:list — amati semua route yang terdaftar

```
PS D:\laragon\www\NEKOYA>  php artisan route:list

  GET|HEAD  dashboard ..... dashboard › DashboardController@index
  GET|HEAD  hitung/{a}/{b} ..... routes/web.php:9
  GET|HEAD  storage/{path} ..... storage.local › vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider.php:111
  PUT       storage/{path} ..... storage.local.upload › vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider.php:119
  GET|HEAD  tentang .....
  GET|HEAD  up ..... vendor/laravel/framework/src/Illuminate/Foundation/Configuration/ApplicationBuilder.php:223

                                                                                  Showing [6] routes
```

8. Coba buat Route::get('/hitung/{a}/{b}', fn($a, $b) => $a + $b) dan akses /hitung/10/25


File Edit Selection View Go Run Terminal Help
NEKOYA
EXPLORER
OPEN EDITORS
SOURCE CONTROL: CHANGES
NEKOYA
database
seeders
.gitignore
database.sqlite
public
images
furina.png
Logo Nekoya.png
.htaccess
favicon.ico
index.php
robots.txt
resources
css
js
views
dashboard.blade.php
tentang.blade.php
welcome.blade.php
routes
console.php
web.php
storage
tests
vendor
.editorconfig
.env
OUTLINE
TIMELINE
VS CODE PETS
DashboardController.php
web.php
welcome.blade.php
dashboard.blade.php
Logo Nekoya.png
furina.png
tentang.blade.ph
routes > web.php
<?php
use App\Http\Controllers\DashboardController;
Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard');
Route::view('/tentang', 'tentang');
Route::get('/hitung/{a}/{b}', fn($a, $b) => $a + $b);
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS DEVDB
2026-04-28 19:29:50 /images/furina.png ~ 7.99ms
2026-04-28 19:29:50 /favicon.ico ~ 0.41ms
2026-04-28 19:32:10 /tentang ~ 501.32ms
2026-04-28 19:32:11 /images/Logo%20Nekoya.png ~ 1.36ms
2026-04-28 19:32:11 /favicon.ico ~ 1.24ms
2026-04-28 19:32:39 /hitung ~ 501.06ms
2026-04-28 19:32:39 /favicon.ico ~ 506.50ms
2026-04-28 19:32:42 /favicon.ico ~ 1.63ms
2026-04-28 19:33:02 /hitung/10/25 ~ 515.25ms
2026-04-28 19:33:02 /favicon.ico ~ 525.73ms
Ln 9, Col 54 Spaces: 4 UTF-8 LF PHP Go Live 8.3 Prettier
Hari hujan yang...
27°C
Search
100%
19:33
04/28/2026

Laravel
127.0.0.1:8000/hitung/10/25
127.0.0.1:8000/hitung/10/25
Medium
Instagram
Google Dokumen
Google Spreadsheet
All Bookmarks