NAMA : ALYA NADILLA AROSMA

NIM : 242410101010

AKTIVITAS MANDIRI 1

1. Instal XAMPP terbaru, pastikan PHP 8.2+ tersedia (cek: php --version di terminal)




```
Command Prompt
Microsoft Windows [Version 10.0.26200.8246]
(c) Microsoft Corporation. All rights reserved.

C:\Users\LENOVO_ics>php --version
PHP 8.3.30 (cli) (built: Jan 13 2026 22:50:40) (ZTS Visual C++ 2019 x64)
Copyright (c) The PHP Group
Zend Engine v4.3.30, Copyright (c) Zend Technologies
```

Laravel membutuhkan PHP versi 8.2 atau lebih tinggi agar dapat berjalan dengan optimal. Oleh karena itu, dilakukan pengecekan versi PHP menggunakan perintah php --version untuk memastikan kesesuaian versi yang digunakan.

2. Instal Composer dari getcomposer.org, verifikasi dengan: composer --version

```
C:\Users\LENOVO_ics>composer --version
Composer version 2.9.4 2026-01-22 14:08:50
PHP version 8.3.30 (D:\laragon\bin\php\php-8.3.30-Win32-vs16-x64\php.exe)
Run the "diagnose" command to get more detailed diagnostics output.
```

Composer merupakan dependency manager untuk PHP yang digunakan untuk mengelola library dan paket yang dibutuhkan oleh Laravel. Instalasi Composer dilakukan melalui

situs resmi getcomposer.org, kemudian diverifikasi dengan perintah composer --version untuk memastikan instalasi berhasil.

3. Buat proyek Laravel baru: composer create-project laravel/laravel NEKOYA

```
Command Prompt

C:\Users\LENOVO_ics>composer create-project laravel/laravel NEKOYA
Creating a "laravel/laravel" project at "./NEKOYA"
Installing laravel/laravel (v13.3.0)
  - Installing laravel/laravel (v13.3.0): Extracting archive
Created project in C:\Users\LENOVO_ics\NEKOYA
> @php -r "file_exists('.env') || copy('.env.example', '.env');"
Loading composer repositories with package information
Updating dependencies
Lock file operations: 107 installs, 0 updates, 0 removals
  - Locking brick/math (0.14.8)
  - Locking carbonphp/carbon-doctrine-types (3.2.0)
  - Locking dflydev/dot-access-data (v3.0.3)
  - Locking doctrine/inflector (2.1.0)
  - Locking doctrine/lexer (3.0.1)
  - Locking dragonmantank/cron-expression (v3.6.0)
  - Locking egulias/email-validator (4.0.4)
  - Locking fakerphp/faker (v1.24.1)
  - Locking filp/whoops (2.18.4)
  - Locking fruitcake/php-cors (v1.4.0)
  - Locking graham-campbell/result-type (v1.1.4)
  - Locking guzzlehttp/guzzle (7.10.0)
  - Locking guzzlehttp/promises (2.3.0)
  - Locking guzzlehttp/psr7 (2.9.0)
  - Locking guzzlehttp/uri-template (v1.0.5)
  - Locking hamcrest/hamcrest-php (v2.1.1)
  - Locking laravel/framework (v13.6.0)
  - Locking laravel/pail (v1.2.6)
  - Locking laravel/pint (v1.29.1)
  - Locking laravel/prompts (v0.3.17)
  - Locking laravel/serializable-closure (v2.0.12)
  - Locking laravel/tinker (v3.0.2)
  - Locking league/commonmark (2.8.2)
  - Locking league/config (v1.2.0)
  - Locking league/flysystem (3.33.0)
  - Locking league/flysystem-local (3.31.0)
  - Locking league/mime-type-detection (1.16.0)
  - Locking league/uri (7.8.1)
  - Locking league/uri-interfaces (7.8.1)
  - Locking mockery/mockery (1.6.12)
  - Locking monolog/monolog (3.10.0)
```

```
Command Prompt

  - Locking myclabs/deep-copy (1.13.4)
  - Locking nesbot/carbon (3.11.4)
  - Locking nette/schema (v1.3.5)
  - Locking nette/utils (v4.1.3)
  - Locking nikic/php-parser (v5.7.0)
  - Locking nunomaduro/collision (v8.9.4)
  - Locking nunomaduro/termwind (v2.4.0)
  - Locking phar-io/manifest (2.0.4)
  - Locking phar-io/version (3.2.1)
  - Locking phpoption/phpoption (1.9.5)
  - Locking phpunit/php-code-coverage (12.5.6)
  - Locking phpunit/php-file-iterator (6.0.1)
  - Locking phpunit/php-invoker (6.0.0)
  - Locking phpunit/php-text-template (5.0.0)
  - Locking phpunit/php-timer (8.0.0)
  - Locking phpunit/phpunit (12.5.23)
  - Locking psr/clock (1.0.0)
  - Locking psr/container (2.0.2)
  - Locking psr/event-dispatcher (1.0.0)
  - Locking psr/http-client (1.0.3)
  - Locking psr/http-factory (1.1.0)
  - Locking psr/http-message (2.0)
  - Locking psr/log (3.0.2)
  - Locking psr/simple-cache (3.0.0)
  - Locking psy/psysh (v0.12.22)
  - Locking ralouphie/getallheaders (3.0.3)
  - Locking ramsey/collection (2.1.1)
  - Locking ramsey/uuid (4.9.2)
  - Locking sebastian/cli-parser (4.2.0)
  - Locking sebastian/comparator (7.1.6)
  - Locking sebastian/complexity (5.0.0)
  - Locking sebastian/diff (7.0.0)
  - Locking sebastian/environment (8.1.0)
  - Locking sebastian/exporter (7.0.2)
  - Locking sebastian/global-state (8.0.2)
  - Locking sebastian/lines-of-code (4.0.0)
  - Locking sebastian/object-enumerator (7.0.0)
  - Locking sebastian/object-reflector (5.0.0)
  - Locking sebastian/recursion-context (7.0.1)
  - Locking sebastian/type (6.0.3)
  - Locking sebastian/version (6.0.0)
```

Command Prompt

```
  - Locking myclabs/deep-copy (1.13.4)
  - Locking nesbot/carbon (3.11.4)
  - Locking nette/schema (v1.3.5)
  - Locking nette/utils (v4.1.3)
  - Locking nikic/php-parser (v5.7.0)
  - Locking nunomaduro/collision (v8.9.4)
  - Locking nunomaduro/termwind (v2.4.0)
  - Locking phar-io/manifest (2.0.4)
  - Locking phar-io/version (3.2.1)
  - Locking phpoption/phpoption (1.9.5)
  - Locking phpunit/php-code-coverage (12.5.6)
  - Locking phpunit/php-file-iterator (6.0.1)
  - Locking phpunit/php-invoker (6.0.0)
  - Locking phpunit/php-text-template (5.0.0)
  - Locking phpunit/php-timer (8.0.0)
  - Locking phpunit/phpunit (12.5.23)
  - Locking psr/clock (1.0.0)
  - Locking psr/container (2.0.2)
  - Locking psr/event-dispatcher (1.0.0)
  - Locking psr/http-client (1.0.3)
  - Locking psr/http-factory (1.1.0)
  - Locking psr/http-message (2.0)
  - Locking psr/log (3.0.2)
  - Locking psr/simple-cache (3.0.0)
  - Locking psy/psysh (v0.12.22)
  - Locking ralouphie/getallheaders (3.0.3)
  - Locking ramsey/collection (2.1.1)
  - Locking ramsey/uuid (4.9.2)
  - Locking sebastian/cli-parser (4.2.0)
  - Locking sebastian/comparator (7.1.6)
  - Locking sebastian/complexity (5.0.0)
  - Locking sebastian/diff (7.0.0)
  - Locking sebastian/environment (8.1.0)
  - Locking sebastian/exporter (7.0.2)
  - Locking sebastian/global-state (8.0.2)
  - Locking sebastian/lines-of-code (4.0.0)
  - Locking sebastian/object-enumerator (7.0.0)
  - Locking sebastian/object-reflector (5.0.0)
  - Locking sebastian/recursion-context (7.0.1)
  - Locking sebastian/type (6.0.3)
  - Locking sebastian/version (6.0.0)
```

Command Prompt

```
  - Locking staabm/side-effects-detector (1.0.5)
  - Locking symfony/clock (v7.4.8)
  - Locking symfony/console (v7.4.8)
  - Locking symfony/css-selector (v7.4.8)
  - Locking symfony/deprecation-contracts (v3.6.0)
  - Locking symfony/error-handler (v7.4.8)
  - Locking symfony/event-dispatcher (v7.4.8)
  - Locking symfony/event-dispatcher-contracts (v3.6.0)
  - Locking symfony/finder (v7.4.8)
  - Locking symfony/http-foundation (v7.4.8)
  - Locking symfony/http-kernel (v7.4.8)
  - Locking symfony/mailer (v7.4.8)
  - Locking symfony/mime (v7.4.8)
  - Locking symfony/polyfill-ctype (v1.37.0)
  - Locking symfony/polyfill-intl-grapheme (v1.37.0)
  - Locking symfony/polyfill-intl-idn (v1.37.0)
  - Locking symfony/polyfill-intl-normalizer (v1.37.0)
  - Locking symfony/polyfill-mbstring (v1.37.0)
  - Locking symfony/polyfill-php80 (v1.37.0)
  - Locking symfony/polyfill-php83 (v1.37.0)
  - Locking symfony/polyfill-php84 (v1.37.0)
  - Locking symfony/polyfill-php85 (v1.37.0)
  - Locking symfony/polyfill-uuid (v1.37.0)
  - Locking symfony/process (v7.4.8)
  - Locking symfony/routing (v7.4.8)
  - Locking symfony/service-contracts (v3.6.1)
  - Locking symfony/string (v7.4.8)
  - Locking symfony/translation (v7.4.8)
  - Locking symfony/translation-contracts (v3.6.1)
  - Locking symfony/uid (v7.4.8)
  - Locking symfony/var-dumper (v7.4.8)
  - Locking theseer/tokenizer (2.0.1)
  - Locking tijsverkoyen/css-to-inline-styles (v2.4.0)
  - Locking vlucas/phpdotenv (v5.6.3)
  - Locking voku/portable-ascii (2.1.1)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 107 installs, 0 updates, 0 removals
  - Installing doctrine/inflector (2.1.0): Extracting archive
  - Installing doctrine/lexer (3.0.1): Extracting archive
  - Installing dragonmantank/cron-expression (v3.6.0): Extracting archive
```

Command Prompt

```
- Installing symfony/deprecation-contracts (v3.6.0): Extracting archive
- Installing psr/container (2.0.2): Extracting archive
- Installing fakerphp/faker (v1.24.1): Extracting archive
- Installing symfony/polyfill-mbstring (v1.37.0): Extracting archive
- Installing symfony/http-foundation (v7.4.8): Extracting archive
- Installing fruitcake/php-cors (v1.4.0): Extracting archive
- Installing psr/http-message (2.0): Extracting archive
- Installing psr/http-client (1.0.3): Extracting archive
- Installing ralouphie/getallheaders (3.0.3): Extracting archive
- Installing psr/http-factory (1.1.0): Extracting archive
- Installing guzzlehttp/psr7 (2.9.0): Extracting archive
- Installing guzzlehttp/promises (2.3.0): Extracting archive
- Installing guzzlehttp/guzzle (7.10.0): Extracting archive
- Installing symfony/polyfill-php80 (v1.37.0): Extracting archive
- Installing guzzlehttp/uri-template (v1.0.5): Extracting archive
- Installing symfony/polyfill-intl-normalizer (v1.37.0): Extracting archive
- Installing symfony/polyfill-intl-grapheme (v1.37.0): Extracting archive
- Installing symfony/polyfill-ctype (v1.37.0): Extracting archive
- Installing symfony/string (v7.4.8): Extracting archive
- Installing symfony/service-contracts (v3.6.1): Extracting archive
- Installing symfony/console (v7.4.8): Extracting archive
- Installing nunomaduro/termwind (v2.4.0): Extracting archive
- Installing voku/portable-ascii (2.1.1): Extracting archive
- Installing phpoption/phpoption (1.9.5): Extracting archive
- Installing graham-campbell/result-type (v1.1.4): Extracting archive
- Installing vlucas/phpdotenv (v5.6.3): Extracting archive
- Installing symfony/css-selector (v7.4.8): Extracting archive
- Installing tijsverkoyen/css-to-inline-styles (v2.4.0): Extracting archive
- Installing symfony/var-dumper (v7.4.8): Extracting archive
- Installing symfony/polyfill-uuid (v1.37.0): Extracting archive
- Installing symfony/uid (v7.4.8): Extracting archive
- Installing symfony/routing (v7.4.8): Extracting archive
- Installing symfony/process (v7.4.8): Extracting archive
- Installing symfony/polyfill-php85 (v1.37.0): Extracting archive
- Installing symfony/polyfill-php84 (v1.37.0): Extracting archive
- Installing symfony/polyfill-intl-idn (v1.37.0): Extracting archive
- Installing symfony/mime (v7.4.8): Extracting archive
- Installing psr/event-dispatcher (1.0.0): Extracting archive
- Installing symfony/event-dispatcher-contracts (v3.6.0): Extracting archive
- Installing symfony/event-dispatcher (v7.4.8): Extracting archive
- Installing psr/log (3.0.2): Extracting archive
```

Command Prompt

```
- Installing egulias/email-validator (4.0.4): Extracting archive
- Installing symfony/mailer (v7.4.8): Extracting archive
- Installing symfony/error-handler (v7.4.8): Extracting archive
- Installing symfony/http-kernel (v7.4.8): Extracting archive
- Installing symfony/finder (v7.4.8): Extracting archive
- Installing ramsey/collection (2.1.1): Extracting archive
- Installing brick/math (0.14.8): Extracting archive
- Installing ramsey/uuid (4.9.2): Extracting archive
- Installing psr/simple-cache (3.0.0): Extracting archive
- Installing symfony/translation-contracts (v3.6.1): Extracting archive
- Installing symfony/translation (v7.4.8): Extracting archive
- Installing symfony/polyfill-php83 (v1.37.0): Extracting archive
- Installing psr/clock (1.0.0): Extracting archive
- Installing symfony/clock (v7.4.8): Extracting archive
- Installing carbonphp/carbon-doctrine-types (3.2.0): Extracting archive
- Installing nesbot/carbon (3.11.4): Extracting archive
- Installing monolog/monolog (3.10.0): Extracting archive
- Installing league/uri-interfaces (7.8.1): Extracting archive
- Installing league/uri (7.8.1): Extracting archive
- Installing league/mime-type-detection (1.16.0): Extracting archive
- Installing league/flysystem-local (3.31.0): Extracting archive
- Installing league/flysystem (3.33.0): Extracting archive
- Installing nette/utils (v4.1.3): Extracting archive
- Installing nette/schema (v1.3.5): Extracting archive
- Installing dflydev/dot-access-data (v3.0.3): Extracting archive
- Installing league/config (v1.2.0): Extracting archive
- Installing league/commonmark (2.8.2): Extracting archive
- Installing laravel/serializable-closure (v2.0.12): Extracting archive
- Installing laravel/prompts (v0.3.17): Extracting archive
- Installing laravel/framework (v13.6.0): Extracting archive
- Installing laravel/pail (v1.2.6): Extracting archive
- Installing laravel/pint (v1.29.1): Extracting archive
- Installing nikic/php-parser (v5.7.0): Extracting archive
- Installing psy/psysh (v0.12.22): Extracting archive
- Installing laravel/tinker (v3.0.2): Extracting archive
- Installing hamcrest/hamcrest-php (v2.1.1): Extracting archive
- Installing mockery/mockery (1.6.12): Extracting archive
- Installing filp/whoops (2.18.4): Extracting archive
- Installing nunomaduro/collision (v8.9.4): Extracting archive
- Installing staabm/side-effects-detector (1.0.5): Extracting archive
- Installing sebastian/version (6.0.0): Extracting archive
```

```
Command Prompt
  - Installing sebastian/type (6.0.3): Extracting archive
  - Installing sebastian/recursion-context (7.0.1): Extracting archive
  - Installing sebastian/object-reflector (5.0.0): Extracting archive
  - Installing sebastian/object-enumerator (7.0.0): Extracting archive
  - Installing sebastian/global-state (8.0.2): Extracting archive
  - Installing sebastian/exporter (7.0.2): Extracting archive
  - Installing sebastian/environment (8.1.0): Extracting archive
  - Installing sebastian/diff (7.0.0): Extracting archive
  - Installing sebastian/comparator (7.1.6): Extracting archive
  - Installing sebastian/cli-parser (4.2.0): Extracting archive
  - Installing phpunit/php-timer (8.0.0): Extracting archive
  - Installing phpunit/php-text-template (5.0.0): Extracting archive
  - Installing phpunit/php-invoker (6.0.0): Extracting archive
  - Installing phpunit/php-file-iterator (6.0.1): Extracting archive
  - Installing theseer/tokenizer (2.0.1): Extracting archive
  - Installing sebastian/lines-of-code (4.0.0): Extracting archive
  - Installing sebastian/complexity (5.0.0): Extracting archive
  - Installing phpunit/php-code-coverage (12.5.6): Extracting archive
  - Installing phar-io/version (3.2.1): Extracting archive
  - Installing phar-io/manifest (2.0.4): Extracting archive
  - Installing myclabs/deep-copy (1.13.4): Extracting archive
  - Installing phpunit/phpunit (12.5.23): Extracting archive
60 package suggestions were added by new dependencies, use `composer suggest` to see details.
Generating optimized autoload files
> Illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi

  INFO  Discovering packages.

  laravel/pail ..................................................... DONE
  laravel/tinker ................................................... DONE
  nesbot/carbon .................................................... DONE
  nunomaduro/collision ............................................. DONE
  nunomaduro/termwind .............................................. DONE

78 packages you are using are looking for funding.
Use the `composer fund` command to find out more!
> @php artisan vendor:publish --tag=laravel-assets --ansi --force

  INFO  No publishable resources for tag [laravel-assets].
```

```
Command Prompt
  - Installing myclabs/deep-copy (1.13.4): Extracting archive
  - Installing phpunit/phpunit (12.5.23): Extracting archive
60 package suggestions were added by new dependencies, use `composer suggest` to see details.
Generating optimized autoload files
> Illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi

  INFO  Discovering packages.

  laravel/pail ..................................................... DONE
  laravel/tinker ................................................... DONE
  nesbot/carbon .................................................... DONE
  nunomaduro/collision ............................................. DONE
  nunomaduro/termwind .............................................. DONE

78 packages you are using are looking for funding.
Use the `composer fund` command to find out more!
> @php artisan vendor:publish --tag=laravel-assets --ansi --force

  INFO  No publishable resources for tag [laravel-assets].

No security vulnerability advisories found.
> @php artisan key:generate --ansi

  INFO  Application key set successfully.

> @php -r "file_exists('database/database.sqlite') || touch('database/database.sqlite');"
> @php artisan migrate --graceful --ansi

  INFO  Preparing database.

  Creating migration table ......................................... 11.82ms DONE

  INFO  Running migrations.

  0001_01_01_000000_create_users_table ............................. 26.84ms DONE
  0001_01_01_000001_create_cache_table ............................. 14.29ms DONE
  0001_01_01_000002_create_jobs_table .............................. 21.25ms DONE
```

Proyek Laravel dibuat menggunakan perintah:
composer create-project laravel/laravel NEKOYA

Perintah ini akan mengunduh framework Laravel beserta seluruh dependensinya dan membuat sebuah proyek baru dengan nama *NEKOYA*. Tahap ini merupakan langkah awal dalam membangun aplikasi berbasis Laravel.

4. Buat database baru 'nekoya_db' di phpMyAdmin



Database dibuat melalui phpMyAdmin dengan nama *nekoya_db*. Database ini akan digunakan sebagai tempat penyimpanan data aplikasi yang dikembangkan

5. Konfigurasi file .env: isi DB_DATABASE, DB_USERNAME, DB_PASSWORD sesuai lokal



File .env digunakan untuk mengatur konfigurasi lingkungan aplikasi, termasuk koneksi database. Pada tahap ini dilakukan pengisian parameter seperti DB_DATABASE, DB_USERNAME, dan DB_PASSWORD agar aplikasi dapat terhubung dengan database yang telah dibuat.

6. Jalankan: php artisan key:generate



Perintah php artisan key:generate digunakan untuk menghasilkan *application key* yang berfungsi sebagai komponen keamanan dalam Laravel, terutama untuk proses enkripsi data.

7. Jalankan server: php artisan serve — buka http://127.0.0.1:8000 di browser



Server Laravel dijalankan menggunakan perintah php artisan serve. Setelah server aktif, aplikasi dapat diakses melalui browser pada alamat http://127.0.0.1:8000. Tahap ini bertujuan untuk memastikan bahwa instalasi Laravel telah berhasil.

8. Eksplorasi struktur folder, buka setiap folder dan pahami fungsinya
    a. routes/

    Direktori ini digunakan untuk mendefinisikan rute atau jalur akses dalam aplikasi. Rute berfungsi untuk menghubungkan URL yang diakses oleh pengguna dengan proses atau tampilan yang akan ditampilkan.

    

    b. app/

    Direktori ini berisi logika utama dari aplikasi, seperti controller dan model. Controller berfungsi untuk mengatur alur data antara tampilan (view) dan database, sedangkan model digunakan untuk berinteraksi dengan data.

    

    c. resources/views/

    Direktori ini digunakan untuk menyimpan file tampilan (view) yang ditampilkan kepada pengguna. File pada direktori ini umumnya menggunakan format Blade Template (.blade.php) yang merupakan template engine dari Laravel.

    

    d. database/

    Direktori ini berfungsi untuk mengelola struktur dan isi database, seperti:

    - Migration: untuk membuat dan mengubah struktur tabel
    - Seeder: untuk mengisi data awal ke dalam database



9. Jalankan php artisan route:list dan catat route apa saja yang sudah terdaftar

a. Route utama (homepage)
   - Method: GET|HEAD
   - URI: /
   - Keterangan: Mengarah ke file routes/web.php baris 5

b. Route storage (akses file)
   - Method: GET|HEAD
   - URI: storage/{path}
   - Keterangan: Digunakan untuk mengakses file dalam storage

c. Route upload ke storage
   - Method: PUT
   - URI: storage/{path}
   - Keterangan: Digunakan untuk upload file ke storage

d. Route status aplikasi
   - Method: GET|HEAD
   - URI: up
   - Keterangan: Digunakan untuk mengecek status aplikasi (health check Laravel)

AKTIVITAS MANDIRI 2

1. Buat Controller DashboardController: php artisan make:controller DashboardController

```
PS D:\laragon\www\NEKOYA> php artisan make:controller DashboardController

  INFO  Controller [D:\laragon\www\NEKOYA\app\Http\Controllers\DashboardController.php] created successfully.
```



Controller dibuat menggunakan perintah:

php artisan make:controller DashboardController

Controller berfungsi sebagai penghubung antara model dan view serta mengatur logika aplikasi.

2. Tambahkan method index() yang mengembalikan view('dashboard') di DashboardController



Pada controller ditambahkan method index() yang berfungsi untuk mengembalikan tampilan dashboard menggunakan view('dashboard').

3. Daftarkan route di routes/web.php: Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard')



Route didaftarkan pada file routes/web.php menggunakan:
Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard');
Route ini menghubungkan URL /dashboard dengan method index pada DashboardController.

4. Buat file view sementara resources/views/dashboard.blade.php berisi '<h1>Dashboard SIAK</h1>'



File view dibuat pada direktori resources/views dengan nama dashboard.blade.php. File ini berisi tampilan sederhana sebagai halaman dashboard.

5. Akses http://127.0.0.1:8000/dashboard di browser — pastikan tampil



Halaman dashboard diuji dengan mengakses URL http://127.0.0.1:8000/dashboard. Jika halaman berhasil ditampilkan, maka konfigurasi route dan controller telah berjalan dengan baik.

6. Buat route /tentang dengan Route::view('/tentang', 'tentang') dan buat view-nya







Route /tentang dibuat menggunakan Route::view('/tentang', 'tentang'). Pendekatan ini digunakan untuk menampilkan halaman statis tanpa melalui controller.

7. Jalankan php artisan route:list — amati semua route yang terdaftar

```
PS D:\laragon\www\NEKOYA>  php artisan route:list

  GET|HEAD  dashboard ..... dashboard › DashboardController@index
  GET|HEAD  hitung/{a}/{b} ..... routes/web.php:9
  GET|HEAD  storage/{path} ..... storage.local › vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider.php:111
  PUT       storage/{path} ..... storage.local.upload › vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider.php:119
  GET|HEAD  tentang .....
  GET|HEAD  up ..... vendor/laravel/framework/src/Illuminate/Foundation/Configuration/ApplicationBuilder.php:223

                                                                                                  Showing [6] routes
```

Perintah php artisan route:list dijalankan kembali untuk memastikan bahwa route yang baru ditambahkan telah terdaftar dalam sistem.

8. Coba buat Route::get('/hitung/{a}/{b}', fn($a, $b) => $a + $b) dan akses /hitung/10/25



Route dinamis dibuat menggunakan:

Route::get('/hitung/{a}/{b}', fn($a, $b) => $a + $b);

Route ini menerima dua parameter dari URL dan melakukan operasi penjumlahan.

Contohnya, akses /hitung/10/25 akan menghasilkan output 35.