



NEOXAM DATAHUB - WHAT'S NEW 7.4.0.0.

WHAT'S NEW

DISCLAIMER – NEOXAM SOFTWARE DOCUMENTATION

NeoXam Portfolio Management SAS, a 'société par actions simplifiée' with share capital €15,575,931, registered with the Paris Company's register under No. 349 467 449 ('NeoXam'), is the owner of this Software Documentation. NeoXam holds all the rights required for the publication, together with, but not limited to, all logos, trademarks, screenshots, any data used herein. The Client is granted a right to use this Software Documentation only as agreed in writing with NeoXam. This Software Documentation is confidential and the Client shall protect the confidentiality and NeoXam's intellectual property rights. Unless otherwise agreed in writing by NeoXam, this Software Documentation is provided 'as is' without warranty of any kind, either express or implied, including, but not limited to, that the Software Documentation will not include technical or other mistakes, inaccuracies or typographical errors. The Software Documentation may be changed, and NeoXam makes no commitment to update such materials, unless otherwise agreed in writing. Screenshots and examples provided in this Software Documentation are not contractual and may be changed, according to the Client's needs, operational and technical constraints. NeoXam assumes no responsibility for errors or omissions in the Software Documentation. In no event shall NeoXam be liable for any special, punitive, incidental, indirect or consequential damages of any kind, or any damages whatsoever, including, without limitation, those resulting from loss of use, data or profits, whether or not NeoXam has been advised of the possibility of such damages, and on any theory of liability, arising out of or in connection with the use of this Software Documentation.

©2025 NeoXam

TABLE OF CONTENTS

New Features	5
NeoXam DataHub Web Application	6
Introduction	6
ShowObjectDetailDialog	6
Finder	6
Tree Hierarchy Navigation	7
Custom UIs	7
Yield Curve Computation	7
Data Derivation Rules	7
Linked Field for Multi Source	8
List Field Categories	8
Rec Spec Fields	9
Aggregation Scope	9
Report Definition	9
Data Quality Control New Design	11
Series Jump Control Type	11
Series Jump Absolute Calculation	11
Series Jump Relative Calculation	12
Series Jump with Time-depth	13
Stale Control Type	14
Manual Override	16
Manual Override in Time Series	16
Override Eligibility in Time Series	16
Dynamic Override Strategy List Based on Source (Golden Copy or Silver Copy)	16
Improved Handling of Manual Override for Silver Copies	17
Improved Handling of Manual Override for Golden Copies	18
Cancelling Manual Override	19
Manual Cancel Triggered By User	19
Automatic Cancellation at the End of the Validity Period (Expiration)	19



ESG - S&P Connector	20
Introduction	20
Data Coverage	20
Data Catalog Import	20
Fields	22
Keys Fields	23
Data Load	25
Bloomberg Historical Dividends Connector	28
Introduction	28
Bloomberg DVD_HIST_ALL Field	28
Business Rules	30
Value Maps	31

New Features

We are pleased to announce the availability of NeoXam DataHub **Version 7.4.0.0**.

This version introduces new features around:

- [NeoXam DataHub Web Application](#), with a focus on user experience including a new **slide over for Detail screens**, the ability to define the child node in **Finder**, full support of **hierarchical trees** and the integration of new **Custom UIs**.
- [Data Quality Control New Design](#), with the addition of two control types: **Series Jump** (to evaluate the difference between two Time Series) and **Stale** (to count the number of days since the last update within a Time Series).
- [Manual Override](#), with improvements around **Time Series** and **Manual override cancellation**.
- The creation of two new connectors:
 - [ESG - S&P Connector](#) to load **Standard & Poor's ESG data** from a Snowflake platform.
 - [Bloomberg Historical Dividends Connector](#) to process **Bloomberg Historical Dividend files** and integrate simplified Corporate Actions into NeoXam DataHub.

NeoXam DataHub Web Application


Introduction

This version focuses on **User Experience improvements** and extended support for **Custom UIs**.

ShowObjectDetailDialog

Before version 7.4, Detail screens opened via Business Rules using the **ShowObjectDetailDialog()** method were displayed in a popup window, which could result in a poor user experience for complex screens.

Since version 7.4, these screens are displayed in a slide over, providing a consistent and user-friendly way to manage even the most complex Detail screens.



Finder

In addition to defining the parent node, a new option now allows specifying the child node, enabling more precise search and navigation setups.

Entity: Query v Filters: X Pfd = Yes

Actions Issuer activation Issuer desactivation Issuer issues list

Axis 11 Hidden columns Finder Find in view

Parent node	Child node	Header label	Entity	ID	Ent Type
Last Upd Dt	Name	Name	30639	Legal Entity	
Last Upd Tim	Status	Status	30252	Legal Entity	
ID	Status	Status	30260	Legal Entity	
Bloomberg	LEI	LEI	30901	Legal Entity	
Bloomberg Bulk	Role	Role	30231	Legal Entity	
GLEIF	Ent Type	Ent Type	176855	Legal Entity	
Refinitiv	Creation Dt	Creation Dt	31817	Legal Entity	
Six Financial	Last Upd Dt	Last Upd Dt	31536	Legal Entity	
Immediate Parent	Last Upd Tim	Last Upd Tim	30338	Legal Entity	
Ultimate Parent	ID	ID	191655	Legal Entity	
Teva Pharmaceutical Industries Ltd			66199	Legal Entity	
AUST & NZ BANKING GROUP			66197	Legal Entity	
			191656	Legal Entity	
			30295	Legal Entity	
			30262	Legal Entity	
			36730	Legal Entity	
			30466	Legal Entity	

Tree Hierarchy Navigation

Display and edit of decision trees is now fully supported in NeoXam DataHub Web Application.

Custom UIs

The following Custom UIs are now supported by NeoXam DataHub Web Application, they already existed in the rich client and are documented in the user guides related to the Custom UIs.

Yield Curve Computation

The **Yield Curve computation (YieldCurveFieldListCustomUI)** is now accessible from NeoXam DataHub Web Application.

Q Actions

1 Curve points
2 Curve definition
3 Computation engine
4 Audit

Main

Calendar Price mode Default provider Golden copy

Recovery method Maturity adjust Threshold

Previous value: Value, Zero Coupon, Ask, Mid
Enable log? Exact date?

Value
Ask
Zero Coupon
Mid
Other
Component field
Last

Components

Security	Maturity	Curve	Source tenor	Condition	Component type	Fields list
8 y		FRENCH TREASURY CURVE	10 y		Band	[Value, Zero Coupon, Mid]
10 y		FRENCH TREASURY CURVE	10 y		Curve	[Value, Zero Coupon, Mid]
20 y		FRENCH TREASURY CURVE	10 y		Curve	[Value, Zero Coupon, Mid]

Hide columns Group Sort

Curve Factor Provider


No data found

For more information on Yield Curves, refer to the [Yield Curve and Volatility](#) documentation.

Data Derivation Rules

With the introduction of **DataDerivationInterpolationAttributeFieldListCustomUI** in NeoXam DataHub Web Application, **Data Derivation rules** can now be configured directly from the Web Client.

The Interpolation **Attributes** field is now editable using the **Edit Row** function.



Sequence	Business Field	Argument	Field type	DataSet	Object	Feed	Field	Data Field	Formula	Interpolation Method	Extrapolation Method	Interpolation Attribute	Delay
1		Arg1	Input			Bloomberg	Bloomberg	Bloomberg					

For more information on Data Derivation rules, refer to the [Data Derivation](#) documentation.

Linked Field for Multi Source

Linked fields are used to consolidate the provider consistency over a set of given fields.

This feature, ensured by the **MultisourceLinkFieldSelectorCustomUI**, is now also available in NeoXam DataHub Web Application.

The **Linked fields** are now editable using the **Edit Row** function.




Link Condition	Link Fields	Link Node	Priority
(MS_UPDATE_DATE = Wed Sep 17 00:00:00 CEST 2025) And (Common Code = null) And (Address 1 = null)	MS_LEGAL_ENTITY,MS_LEGAL_NAME	15-Minute USD	1
(Category = null) And (Close Date = null) And (Entity Creator = "Account manager")	MS_COUNTRY,MULTISOURCE_PROVIDER,MULTISOURCE_PROVIDER	02 - BDN	2
(Administration Group = orgMultiVal null)	MS_COUNTRY-text	03 - BDN	3
(Administration Group = null) And (Address 1 = text)	MULTISOURCE_PROVIDER	02 - BDN	1
(Code = null)	MS_NAME	All Issues	2

For more information on Multisource linked fields, refer to the [Multi Source & Data Quality Control](#) documentation.

List Field Categories

It is now possible to edit **List field categories** (**ListCategoryItemsCustomUI**) directly from NeoXam DataHub Web Application.




Name	Items
LISTED	Equity,Fixed Income,Index
DERIVED	Derivative

The **Categories items** are now editable using the **Edit Row** function.

Rec Spec Fields


Rec Spec fields (RecSpecFieldCustomUI) are now correctly displayed and managed in NeoXam DataHub Web Application.

When clicking on a field value, a pop-up window is now displayed to define the record specification.



Aggregation Scope

Since version 7.4, computation methods defined on the fields of a scope aggregation method (**AdvancedConditionCustomUI**) can now be configured directly from NeoXam DataHub Web Application. This is specifically useful for both ESG and IBOR workflows.



The **Computation methods** are now editable using the **Edit Row** function.

Report Definition

The **computation condition** of fields (**AdvancedComputationConditionCustomUI**) defined in a **Report Definition** can now be configured directly from NeoXam DataHub Web Application. The **computation conditions** are now editable using the **Edit Row** function.

PATH: [HOMEPAGE](#) > [REPORT COMPONENTS DEFINITIONS](#) > [REPORT COMP. DEF. - SECTION DETAIL](#)

Report Comp. Def. - Section Detail

Q Actions

General

Name (en.)
Equity details

Name (fr.)
Détail des equities

Code
TITLE

Category
PROD

Default Scope
Security Monitoring Scope

Type
Report Section

Audit Fields

Components

Hide columns Group 1 Sort + - Grid Find in view 1 lines

Order	Tag	Name	Component	Scope	Scope Filter	Computation Condition	Input Mapping	Computation Method	Post computation sc...	Do sort?	Display Format	Audit
1	title	Title										

For more information on Report Computation conditions, **Neoxam Impress - Digital and Client Reporting** documentation.

Data Quality Control New Design

The **Data Quality Control** has been improved with the possibility to perform advanced controls on dynamics data. Two control types are now available in the control clause configuration: **Series Jump** and **Stale** control types.

Series Jump Control Type

The **Series Jump** control type is designed to evaluate the difference between values within a Time Series.

It applies to a business field and returns the variation between the current value and the previous one. This control type has several parameters that need to be set to define which calculation mode will be used to perform the evaluation:

- **Calculation mode: Absolute or Relative.**
If this field is left empty, the **Relative** calculation mode applies by default.
- **Factor:** decimal between **0** and **1**. This field refers to the control factor to evaluate the difference between values.
If left empty, the value is **1**, so that there is no impact on the computation.
- **Mod: Yes or No.** This field indicates if the system returns the modulus of the calculated value. If this field is left empty, **No** is applied by default.
- When **Mod =Yes**, then a positive result indicates that the difference between values represents an increase, whereas a negative result indicates a decrease.
- When **Mod = No**, then a positive result will always be returned.
- **Time-depth:** This field refers to the number of days to be considered for values comparison. If left empty, **1** is considered as the default value.

Series Jump Absolute Calculation

For **Absolute calculation mode**, the Series Jump evaluation returns the results of the following value: $(\text{current_value} - \text{previous_available_value}) * \text{Factor}$

The screenshots below show the comparison clause configuration for the control "**Series Jump - Close Quote > 1**"

Comparison Block

Comparison	Assessed Data	Operator	Target Data
1 Comparison	Type Data Source Type * Business Field Business Field Close Quote Control Control Type * Series Jump Calculation Mode Absolute Factor 0.90 Mod ☐ Time Depth	>	Data Data Source Type * Fixed Value Format Numeric Value 1 Control Control Type * Value of

Control Details: Series Jump - Close Quote > 1

Q Actions

Identification

Name(en) Series Jump - Close Quote > 1

Active ☒

Quality Level Suspect data

Quality Indicator Accuracy

Comment Series Jump (Close Quote) > 1

Applicability/Groups

Applicability Business Dictionary

Business Class Equity

Data Check Clauses

#	Clause
0	Series Jump Close Quote > Value of 1

Series Jump Relative Calculation

For **Relative calculation mode**, the Series Jump evaluation returns the results of the following value: $((\text{current_value} - \text{previous_available_value}) / \text{previous_available_value}) * \text{Factor}$

The screenshots below show the comparison clause configuration for the control **"Series Jump - High Quote > 10%"**

Comparison Block

Comparison	Assessed Data	Operator	Target Data
1	Type Data Source Type * Business Field Business Field Close Quote Control Control Type * Series Jump Calculation Mode Absolute Factor 0.90 Mod Time Depth	>	Data Data Source Type * Fixed Value Format Numeric Value 1 Control Control Type * Value of

Control Details: Series Jump - High Quote > 10%

Q Actions

Identification

Name(en)

Active ☒

Quality Level

Quality Indicator

Comment

Applicability/Groups

Applicability

Business Class

Data Check Clauses

5 Hidden columns Group 1 Sort


#	Clause
0	Series Jump High Quote > Value of 0.1

Series Jump with Time-depth

Time-Depth parameters can be used with both calculation modes.


If a value (e.g D-3) is selected, then the previous value is calculated as follows:
 $\text{previous_available_value} = \text{average}(\text{last_available_value over the number of days in Time_depth}).$

The screenshots below show the comparison clause configuration for the control **"Series Jump - Open Quote > 0.1 D-3"**



The screenshot shows the 'Comparison Block' configuration interface. It is divided into three main sections: 'Assessed Data', 'Operator', and 'Target Data'.

- Assessed Data:**
 - Type:** Data Source Type (Business Field), Close Quote.
 - Control:** Control Type (Series Jump), Calculation Mode (Absolute), Factor (0.90), Mod (checkbox), Time Depth (D-3).
- Operator:** A dropdown menu showing the comparison operator '>'.
- Target Data:**
 - Data:** Data Source Type (Fixed Value), Format (Numeric), Value (1).
 - Control:** Control Type (Value of).



The screenshot shows the 'Control Details' for the control 'Series Jump - Open Quote > 0.1 D-3'. It includes sections for Identification, Applicability/Groups, and Data Check Clauses.

- Identification:**
 - Name(en):** Series Jump - Open Quote > 0.1 D-3
 - Active:** ☒
 - Quality Level:** Suspect data
 - Quality Indicator:** Accuracy
 - Comment:** Series Jump - Open Quote > 0.1
- Applicability/Groups:**
 - Applicability:** Business Dictionary
 - Business Class:** Equity
- Data Check Clauses:**
 - 5 Hidden columns, Group, 1 Sort
 - Table with 2 columns: #, Clause. Row 0: Series Jump Open Quote > Value of 0.1

Stale Control Type

The **Stale** control type is designed to count the number of days since a value has not been updated within a Time Series.

This control type has no parameter.

The screenshot below shows the comparison clause for the control **"Check Quote Open Staleness"**:

©2025 NeoXam. All Rights Reserved. This document contains valuable, proprietary information. No portion of this document may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language, without prior written consent of NeoXam. The information in this document is believed to be accurate at the time of printing; however, NeoXam and its affiliates assume no responsibility or liability for errors or omissions that may appear in this document. The information in this document is subject to change without notice and has no contractual value.

This user guide is also available on line: https://datahub.neoxam.com/docs/Documentation_Welcome_Page/index.html

Comparison Block

Comparison	Assessed Data	Operator	Target Data
	Type Data Source Type * Business Field Business Field Open Quote Control Control Type * Stale	>	Data Data Source Type * Fixed Value Format Numeric Value 1 Control Control Type * Value of

Control Details: Check Quote Open Staleness

Identification

Name(en)	Active
Check Quote Open Staleness	☒
Quality Level	Quality Indicator
Suspect data	
Comment	
Stale Quote Open > 1	

Applicability/Groups

Applicability *	Business Class
Business Dictionary	Equity

Data Check Clauses

Find in view

#	Clause
0	Stale Open Quote > Value of 1

Manual Override

This version introduces enhancements to Manual Override on Time Series data and improvements to the cancel manual override functionality.

Manual Override in Time Series

Override Eligibility in Time Series

Since version 7.4, Manual Override in Time Series are only allowed on the current record. Historical and future records are not eligible for override, as detailed in the table below.

Record Type	Start Date	End Date	Override Allowed
Current	≤ Today	≥ Today or open-ended	Yes
Historical	<Today	<Today	No
Future	>Today	Any	No

Note: When a field is eligible for override, the override badge is displayed on the field and clicking this badge opens the manual override panel, allowing you to enter override details. If the field is not eligible for override, the badge is not displayed.

Note: On Time Series data, the override start date is automatically set to the record's start date by default.

Dynamic Override Strategy List Based on Source (Golden Copy or Silver Copy)

The list of available Manual Override strategies is now dynamically generated based on the source to be overridden, as defined in the Provider field.

This behavior follows the same principle as for static fields in the multi-sourced grid unlike the Detail screen, which relies on a combo box to select the source to override.

Manual Override Strategies for Silver Copy

PATH: [HOME PAGE](#) > [MY SECURITIES](#) > [EQUITY DETAIL: 3M RG REGISTERED SHS SIX UPDATED TEST2222HHHHHLOL](#)

Equity detail: 3M Rg Registered Shs SIX UPdated test2222HHHHHLOL Golden copy

Actions

Histo 6 months 3 Hidden columns 1 Groups 4 Sorts Grid Find in view Selected Rows 1

Provider	Split factor	Quote market	Market (MIC)	Currency	Time	Open	Close
Refinitiv	2,00000	MIC - EUROTIX	ETLX	Euro			
Refinitiv	2,00000	BOERSE FRANKFURT - FREIVERKEHR	FRAB	Euro		140,8200	142,0800
Refinitiv	2,00000	DEUTSCHE BOERSE AG	XFRA	Euro			142,0800
Refinitiv	2,00000	MIC - LONDON STOCK EXCHANGE	XLON	Euro			142,2800
Refinitiv	2,00000	BOLSA MEXICANA DE VALORES (MEXICAN STOCK EXCHANGE)	XMEX	Mexican peso			
Refinitiv	2,00000	NEW YORK STOCK EXCHANGE, INC.	XYNY	United States dollar		153,1300	153,1500
Refinitiv	2,00000	SANTIAGO STOCK EXCHANGE	XSGO	Chilean peso			
Refinitiv	2,00000	MIC - EUROTIX	ETLX	Euro			
Golden copy	2,00000	BOERSE FRANKFURT - FREIVERKEHR	FRAB	Euro		139,0200	139,8800
Refinitiv	2,00000	BOERSE FRANKFURT - FREIVERKEHR	FRAB	Euro		139,0200	139,8800
Golden copy	2,00000	BULGARIAN STOCK EXCHANGE - INTERNATIONAL MTF	JBUL	Euro		139,4600	138,4400
Refinitiv	2,00000	BULGARIAN STOCK EXCHANGE - INTERNATIONAL MTF	JBUL	Euro		139,4600	138,4400
Refinitiv	2,00000	BULGARIAN STOCK EXCHANGE	XBUL	Euro			
Golden copy	2,00000	DEUTSCHE BOERSE AG	XFRA	Euro			139,8800
Refinitiv	2,00000	DEUTSCHE BOERSE AG	XFRA	Euro			139,8800
Refinitiv	2,00000	LONDON STOCK EXCHANGE - MTF	XLON	Euro			138,5200

Edit: Bid

Manual override

New value: 137,9800

Strategy: Cancel if new data vendor value

Start date: Cancel if new data vendor value

Comment: Cancel only when expire (retrieve original value)
Cancel only when expire (keep overridden value)
Never expire

Manual Override Strategies for Golden Copy

PATH: [HOME PAGE](#) > [SECURITY SCREENING](#) > [EQUITY DETAIL: 3M RG REGISTERED SHS SIX UPDATED](#)

Equity detail: 3M Rg Registered Shs SIX UPdated Golden copy

Actions

Histo 3 months 3 Hidden columns 1 Groups 4 Sorts Grid Find in view 450 lines

Provider	Split factor	Quote market	Market (MIC)	Currency	Time	Open	Close	Bid
Golden copy	2,00000			United States dollar		25,0000	131,2400	25,0000
Six Financial	2,00000	CBOE EUROPE - BXE ORDER BOOKS	BATE	United States dollar		25,0000	131,2400	25,0000
Golden copy	2,00000			United States dollar		20,0000	131,2400	22,0000
Golden copy	2,00000	CBOE EUROPE - DXE PERIODIC (NL)	BEUP	United States dollar		20,0000	131,2400	22,0000
Six Financial	2,00000	CBOE EUROPE - DXE PERIODIC (NL)	BEUP	United States dollar		20,0000	131,2400	22,0000
Golden copy	2,00000			United States dollar		25,0000	131,2400	18,0000
Six Financial	2,00000	CBOE EUROPE - BXE ORDER BOOKS	BATE	United States dollar		25,0000	131,2400	18,0000

Edit: Close

Manual override

New value: 131,2600

Strategy: Cancel only when expire (retrieve origi...)

Start date: Cancel only when expire (retrieve original value)

End date: Cancel only when expire (keep overridden value)

Comment: Never expire

Manual Override Strategy for Empty Golden Copy

Prices

Histo 1 year 2 Hidden columns 1 Groups 4 Sorts Grid Find in view Edited rows only 1586 lines

Provider	Market (MIC)	Currency	T.	Open	Close	Bid	Ask	Last	Low
Golden copy		Euro			27,0000	28,5957			
Manual		Euro			27,0000	28,5957			
Six Financial	R BOOKS	Euro			26,0000	28,5957			
Golden copy		Euro			20,0000	28,5957			
Six Financial	R BOOKS	Euro			20,0000	28,5957			
Golden copy		Euro			20,0000	28,5957			

Edit: Ask

Manual override

New value: 1,0000

Strategy: Override With Default Value

Start date: 10/07/2025

End date: 12/31/2999

Comment:

Prices

Histo 1 year 2 Hidden columns 1 Groups 4 Sorts Grid Find in view

Provider	Market (MIC)	Currency	T.	Open	Close	Bid	Ask	Last
Golden copy		Euro			27,0000	28,5957		
Manual		Euro			27,0000	28,5957		
Six Financial	R BOOKS	Euro			26,0000	28,5957		
Default Value		Euro						1,0000

Improved Handling of Manual Override for Silver Copies

Since version 7.4, Manual Override on Silver Copy fields within Time Series behave the same way as on static fields introduced in version 7.2. The Golden Copy calculation is performed on an intra-record (intra-key) basis, which means that when a manual override is saved, the Golden Copy is recalculated using the overridden value, and the override badge turned green to indicate that an override is currently used on this value.

Important: This calculation occurs within the same record only and has no impact on other records in the Time Series.

Prices

Histo 1 year 3 Hidden columns 1 Groups 4 Sorts

Provider 3 Split factor Quote market Market (MIC) 2 Currency Time 4 Open Close

10/07/2025 (2)

Golden copy 4,00000 25,0000

Six Financial 4,00000 CBOE EUROPE - BXE ORDER BOOKS BATE Euro 25,0000

Edit: Open

Manual override

New value 26,0000

Strategy Cancel only when expire (retrieve origi...

Start date 10/07/2025

Prices

Histo 1 year 3 Hidden columns 1 Groups 4 Sorts

Provider 3 Split factor Quote market Market (MIC) 2 Currency T. 4 Open Close Bid

10/07/2025 (2)

Golden copy 4,00000 26,0000 28,5957

Six Financial 4,00000 CBOE EUROPE - BXE ORDER BOOKS BATE Euro 26,0000 28,5957

10/06/2025 (2)

Golden copy 4,00000 20,0000 28,5957

Six Financial 4,00000 CBOE EUROPE - BXE ORDER BOOKS BATE Euro 20,0000 28,5957

10/05/2025 (2)

Golden copy 4,00000 20,0000 28,5957

Six Financial 4,00000 CBOE EUROPE - BXE ORDER BOOKS BATE Euro 20,0000 28,5957

Improved Handling of Manual Override for Golden Copies

As for Silver Copies, Manual Override calculation on Golden Copy fields within Time Series is now performed on an intra-record (intra-key) basis.

Golden Copy Can Be Overridden Even with an Active Silver Copy Override

Even when there is an active override on a field of a Silver Copy (e.g. Six Financial), you can still override the value directly on the Golden Copy. In this case, the override is accepted, and a new record is created with the **Manual** source, containing the overridden value.

This is the same approach as for static fields: when overriding a Golden Copy value, the system creates a new entry with the Manual source.

Prices

Histo 1 year 3 Hidden columns 1 Groups 4 Sorts

Provider 3 Split factor Quote market Market (MIC) 2 Currency T. 4 Open Close Bid

10/07/2025 (3)

Golden copy 4,00000 27,0000 28,5957

Manual 4,00000 27,0000

Six Financial 4,00000 CBOE EUROPE - BXE ORDER BOOKS BATE Euro 26,0000 28,5957

10/06/2025 (2)

Golden copy 4,00000 20,0000 28,5957

Six Financial 4,00000 CBOE EUROPE - BXE ORDER BOOKS BATE Euro 20,0000 28,5957

Improved Handling of Manual Override for Empty Golden Copies

If the Golden Copy is empty for the current record, only one override strategy is offered, allowing the **Override With Default Value** to be used until a source vendor delivers data.

Prices

Histo 1 year 2 Hidden columns 1 Groups 4 Sorts Edited rows only + Grid Find in view 1586 lines

Provider	Market (MIC)	Currency	T.4	Open	Close	Bid	Ask	Last	Low
10/07/2025 (3)									
Golden copy	IR BOOKS	Euro			27,0000	28,5957			
Manual		Euro			27,0000				
Six Financial	BATE	Euro			26,0000	28,5957			
10/06/2025 (2)									
Golden copy	IR BOOKS	Euro			20,0000	28,5957			
Six Financial	BATE	Euro			20,0000	28,5957			
10/05/2025 (2)									
Golden copy	IR BOOKS	Euro			20,0000	28,5957			
Six Financial	BATE	Euro			20,0000	28,5957			

Prices

Histo 1 year 2 Hidden columns 1 Groups 4 Sorts Edited rows only + Grid Find in view 1586 lines

Provider	Market (MIC)	Currency	T.4	Open	Close	Bid	Ask	Last	Low
10/07/2025 (4)									
Golden copy	IR BOOKS	Euro			27,0000	28,5957			
Manual		Euro			27,0000				
Default Value		Euro							1,0000
Six Financial	BATE	Euro			26,0000	28,5957			

Edit: Ask

Manual override

New value 1,0000

Strategy Override With Default Value

Start date 10/07/2025

End date 12/31/2999

Comment

Cancelling Manual Override

Manual Cancel Triggered By User

Since version 7.3, it is possible to cancel a Manual Override directly from the Web Application using the **Cancel** button.

When clicking the **Cancel** button, the override is immediately removed, and the field is reset to its original value (regardless of the strategy previously used). The multisource calculation resumes its standard behavior and you can create a new override if needed.

PATH: HOMEPAGE > EQUITY DETAIL: 3M RG REGISTERED SHS SIX UPDATED

Equity detail: 3M Rg Registered Shs SIX Updated Six Financial Discard Save

Actions

Identification

Name 3M Rg Registered Shs SIX Updated US88579Y1010 Ticker MMM

Short name 3M Rg Registered Shs CUSIP 88579Y101 RIC QGNY3.L

Main

Sec main type Equity Sec type EQ - Common Stock

Issuer 3M Co Country United States of America (the)

Currency United States dollar Primary plac NEW YORK

Lifecycle Active Availability Complete

Equity detail: 3M Rg Registered Shs SIX Financial

Equity detail: 3M Rg Registered Shs Golden copy

Cancel

Identification

Name 3M Rg Registered Shs US88579Y1010

Identification

Name 3M Rg Registered Shs US88579Y1010

Automatic Cancellation at the End of the Validity Period (Expiration)

As part of the enhancements introduced in version 7.4, the system now fully supports the cancellation of overrides upon expiration.

The system now ensures that overrides are automatically deactivated when the **applyManualOverride()** method is triggered.

The original value of the field is then restored, guaranteeing consistent and expected behavior of the override strategy.

ESG - S&P Connector

Introduction

The **Standard & Poor's Snowflake Connector** is designed to retrieve ESG data directly from the Snowflake platform, based on the subscriptions associated with the account.

Data Coverage

This connector contains the necessary objects to:

- Create and update the S&P ESG data catalog (report and fields).
- Integrate S&P identifiers in MxAgent (companyId, institutionId and TrucostId).

Note: TrucostId is no longer maintained by S&P.

- Integrate ESG Market Data in MxAgent.
- Create and update ESG raw data tables.
- Create and update feedproc and mapping to enable ESG data load in provider raw data tables.

Currently, the S&P connector only supports data load for the following offers:

- Trucost Environmental Data
- Trucost Fossil Fuels and Energy Data
- Trucost ESG Financial and Market Data
- Trucost Sector Fossil Fuels and Energy Data
- Trucost Sector Revenue Data
- Trucost Carbon Earnings Risk Data
- Trucost Paris Alignment Data Data Catalog Import

Data Catalog Import

Before importing data, you must:

1. Manually create the Trucost ESG Financial Data report in NeoXam DataHub.

Feed Report Catalog detail

Report Information

Vendor * Standard & Poors	Report Code * SP_Trucost_ESG_Financial_Data
Report Name Trucost ESG Financial Data	
Suffix on rawdata table name SP0025	
Description The Trucost ESG Financial and Market data offering provides environmental, social, and governance (ESG)-focused financials and market data to support clients reporting to the Partnership for Carbon Accounting	

2. Configure the S&P communication channel as follows:

Field	Value
Database	jdbc:snowflake://<SF_ACCOUNT>.snowflakecomputing.com/?warehouse=<TARGET_WAREHOUSE>&db=<TARGET_DB>&schema=<TARGET_SCHEMA>
Driver	net.snowflake.client.jdbc.SnowflakeDriver
Login	[SNOWFLAKE_LOGIN]
Password	[PASSWORD]

Note: This channel will be used to send the request and retrieve data from Snowflake. Information regarding the configuration is available in the Snowflake web interface. If needed, refer to the S&P support team to request the credentials for your specific snowflake account.

3. Run the **SP_ESG_IN_FEEDREPORT** feedproc to generate the other reports related to the S&P ESG dataset.

Mapping - Definition: S&P ESG Feedreportcatalog Import

Q Actions
Execution properties
Edit scripts
Code filter
Properties

1

2

DEFINITION

DATA

General

English	S&P ESG Feedreportcatalog Import	French	S&P ESG FeedReportCatalog Import
Chinese		Privacy	Data Admin
Code	SP_ESG_IN_FEEDREPORT	Pack level	ESG
Category	Import Listener	Type	SQL listener
Comment	S&P Sustainability FeedReportCatalog Import from snowflake		

Configuration

Imp. parser	Generic - Excel	Scope view		Update request field list ?
Feed	Standard & Poors	Communication channel	S&P Snowflake Connector	


Note: This feedproc uses SQL listener which allows the execution of an SQL query to retrieve and import data from a distant target database using the S&P Snowflake communication channel.

Important: If the Snowflake connector is used with NeoXam DataHub versions higher than 7.2, it is necessary to set the **system.sqllistener.query.security.disabled** parameter to **true**. Otherwise, it will not be possible to pass a list as an argument for the SQL query used in the feedproc.

Fields

Once the reports are created, two feedprocs are used to import the linked fields:

- **SP_ESG_IN_FIN_FEEDDATADEF** for Trucost ESG Financial Data
- **SP_ESG_IN_FEEDDATADEF** for other SP ESG datasets



The data catalog import is orchestrated using, for example, the **S&P Snowflake ESG Data Catalog Import** (SP_SF_DATA_CATALOGUE_IMPORT) scheduled task.

This scheduled task can be used as a reference to run data load for S&P ESG report:

Scheduled task: S&P Snowflake ESG Data Catalog Import

Actions Run task Show task in job report... Generate Default Trans...

First job 1

Jobs

Job code	FeedProc	Name(En.)	Name(Fr.)	Service	Parameters	User
1 S&P ESG Feedreportcatalog Import	Snowflake S&P ESG Feedreportcatalog Import	Import Snowflake S&P ESG Feedreportcatalog	Import Snowflake S&P ESG Feedreportcatalog	sqlcltencer		
2 S&P ESG Feeddatabdef Import	Snowflake S&P ESG Feeddatabdef Import	Import Snowflake S&P ESG Feeddatabdef	Import Snowflake S&P ESG Feeddatabdef	sqlcltencer		
3 S&P ESG Financial Data Feeddatabdef Import	Snowflake S&P ESG Feeddatabdef Import	Import Snowflake S&P Financial Data Feeddatabdef	Import Snowflake S&P Financial Data Feeddatabdef	sqlcltencer		

Job transitions

Previous	Next	Delay	Retry
1 Any Error	2 OK	1	0
1 OK	2 Any Error	2	0
2 Any Error	3 OK	3	0
2 OK	3 Any Error	3	0
3 Any Error	3 OK	0	0

Keys Fields

Each report contains at least one key field to help identify the records received from S&P.

A set of additional fields are added to provide more context for the data items:

Field	Description
Company Id	S&P Identifiers used for financial data. Unique identifier to identify a company.
Institution Id	S&P unique key to identify institutions.

Period Id	Unique identifier for end-of-period financial data.
Period End Date	Date on which the fiscal period ended.
Sector Period Id	Unique identifier for the Trucost end-of-period financial sector data.
tc Sector Id	Trucost sector identifier.
tc Sector Name	Name for the Trucost financial sector.
Fiscal Year	Company's fiscal year for which this financial information is applicable.
Period Forecast Id	Unique identifier for end-of-period forecast financial data.
Period Emission Id	Unique identifier for end-of-period emissions forecast.
Emission Year	Year on which the emissions forecast was made.
Base Year	Starting point for the transition pathway assessed, representing the earliest year in the historical data assessed.
Horizon Year	Furthest year of the transition pathway assessed, representing the final year of forward-looking data assessed.
Scenario Level	Future or historical scenario representing risk exposure (Low, Medium, High).
Forecast Year	Year on which the forecast was made.
Extraction Date	Date on which the data was extracted.
Research Date	Date when the company was researched by an S&P Global analyst Process.

Date

Date when the company was processed by an S&P Global analyst.

Data Load

Once the data catalog is setup, it is possible to create a raw data model (**MxRawDataSp**), which will be used to store ESG data received from a specific provider using the **Update Raw Data Tables** button in **ESG reports** screen.

Edit Data Dictionary MxRawDataSp

Actions

1 User definition

2 Name (En.)

3 Row data - Standard & Poors

4 Name (Fr.)

5 Row data - Standard & Poors

6 Name (Ch.)

Java definition

Class Name

MxRawDataSp

Class Full Name

Properties

Category

ESG

Privacy

NeoXam

Table name	Prefix	Rec type	Min records	Max records	Range ids alloc.	Code field	Naming field	Activation Field	Table privacy	Comment
RAWO_SP			0	1	1				NeoXam	
RAWO_SP_SP0011	SP0011		1	0	999				NeoXam	
RAWO_SP_SP0010	SP0010		2	0	999				NeoXam	
RAWO_SP_SP0003	SP0003		3	0	999				NeoXam	
RAWO_SP_SP0002	SP0002		4	0	999				NeoXam	
RAWO_SP_SP0024	SP0024		8	0	999				NeoXam	
RAWO_SP_SP0025	SP0025		9	0	999				NeoXam	
RAWO_SP_SP0009	SP0009		14	0	999				NeoXam	
RAWO_SP_SP0012	SP0012		15	0	999				NeoXam	
RAWO_SP_SP0019	SP0019		16	0	999				NeoXam	

A business rule allows users to trigger the creation of data import feedprocs to load data into raw data tables.

ESG Reports

Query ^

Vendor: Standard & Poors Report Name: Report Code: Table Suffix:

Actions: Update raw data tables Update raw data mappings Preview ESG basket

Vendor	Report Name	Field Count	Raw Data Model
Standard & Poors	EU Taxonomy As Reported FMP Data	365	No
Standard & Poors	EU Taxonomy As Reported NFC Data	83	Yes
Standard & Poors	EU Taxonomy Independent Assessment Data	146	No
Standard & Poors	Municipal Physical Risk Data	19	No
Standard & Poors	Nature Biodiversity Risk Asset Data	137	No
Standard & Poors	Nature Biodiversity Risk Data	148	No
Standard & Poors	Nature Biodiversity Risk QICS Data	22	No
Standard & Poors	Net Zero Commitments Tracker	178	No
Standard & Poors	Trucost Carbon Earnings Risk Data	22	Yes
Standard & Poors	Trucost Environmental Data	199	Yes
Standard & Poors	Trucost ESG Financial and Market Data	11386	No
Standard & Poors	Trucost ESG Financial Data	17	Yes
Standard & Poors	Trucost Fossil Fuels and Energy Data	77	Yes
Standard & Poors	Trucost Paris Alignment Data	48	Yes
Standard & Poors	Trucost Physical Risk Asset Data	20	No
Standard & Poors	Trucost Physical Risk Asset Financial Impact Data	19	No
Standard & Poors	Trucost Physical Risk Data	42	No
Standard & Poors	Trucost Physical Risk Financial Impact Data	20	No
Standard & Poors	Trucost Sector Fossil Fuels and Energy Data	50	Yes
Standard & Poors	Trucost Sector Revenue Data	10	Yes
Standard & Poors	Trucost SFDR Data	165	No

For S&P provider the **Update Raw Data Mappings** button will automatically generate the following feedprocs:

- One feedproc for **Trucost ESG Financial** report.
- One feedproc for **Trucost Carbon Earnings Risk Data** and **Trucost Paris Alignment Data** to retrieves forecast data.

- Two feedprocs for **Trucost Environmental Data**, **Trucost Fossil Fuels and Energy Data**, **Trucost Sector Fossil Fuels and Energy Data**, **Trucost Sector Revenue Data** and **Trucost Paris Alignment Data** reports. One feedproc retrieves numerical data, while the other retrieves textual data for the same report.

The **S&P Snowflake Data Import** scheduled task below can be used as a reference to run data load for S&P ESG report:

Mapping - Definition: Standard & Poors - Trucost Paris Alignment Data

Actions
Execution properties
Edit scripts
Code filter
Properties

1

2

DEFINITION

DATA

General

English

Standard & Poors - Trucost Paris Alignment Data

French

Standard & Poors - Trucost Paris Alignment Data

Chinese

Privacy

Data Admin

Code

SP_ESG_IN_SP0009

Pack level

ESG

Category

Import Listener

Type

SQL listener

Comment

Generated automatically SP_ESG_IN_SP0009

Imp. parser

Generic - Excel

Scope view

Update request field list ?

☐

Feed

Standard & Poors

Communication channel

S&P Snowflake Connector

Mapping - Definition: Standard & Poors - Trucost Paris Alignment Data

Actions
Execution properties
Edit scripts
Code filter
Properties

1

2

3

4

DEFINITION

DATA

MAPPING

RESULT

Field name

Type

BaseYear

DataItemId

DataItemValue

DataItemValueText

EmissionYear

ExtractionDate

FiscalYear

ForecastYear

HorizonYear

InstitutionId

PeriodEmissionId

PeriodEndDate

PeriodForecastId

PeriodId

ScenarioLevel

SectorPeriodId

TcSectorId

TcSectorName

Field source

Field destination

Conversion

Operations

Standard & Poors

Provider

Object Id

Security

Agent

Mapping Agent By S&P Institution Id

RAWID_SP_SP0009

LOOKUP

InstitutionId

PeriodId

ExtractionDate

BaseYear

HorizonYear

FiscalYear

Start Date

DataItemValue

Institution Id

Script: report_code= argreport_code; dataitemid= getValuelnmp...

Bloomberg Historical Dividends Connector

Introduction

The **Bloomberg Historical Dividends Connector** is used to request and process **.out** file generated by Bloomberg. This file contains main information on Corporate Actions (CA).

The Bloomberg **.out** file contains a single field (**DVD_HIST_ALL**) which is a string pack and contains all historical dividend data.

The connector allows:

1. **Querying dividends history** of one or several instruments via the ISIN code.
2. Reading and **analyzing Bloomberg .out file**.
3. **Generating a structured file** where each Corporate Action is represented on a distinct line.
4. **Filtering OST type** according to the one defined in the value maps.
5. **Normalizing and mapping data** (cash and non-cash dividends) to NeoXam DataHub data model to create simplified Corporate Actions.
6. Applying **business and technical controls** (Business rules, ValueMap, etc.).

Bloomberg DVD_HIST_ALL Field

Instead of providing data in a conventional row-based format, Bloomberg consolidates the entire dividend history of a security into a single, complex text string. The **DVD_HIST_ALL "string pack"** field is a long, semi-colon-delimited block of text containing multiple Corporate Action events without clear separation.

- Example of Bloomberg **.out** file:

```
START-OF-DATA SECURITIES|ERROR CODE|NUM  
FLDS|DVD_HIST_ALL|ID_ISIN|  
CA66987E2069|0|2|;2;3;7;5;20111116;5;20120501;5;20120427;5;20120430;2;.1666  
67;1;None;1;Spinoff;5;20250915;5;20251120;5;20251120;5;20251211;2;.91;1;Quarte  
r;1;Regular  
Cash;;5;19971217;5;19971217;5;19971219;5;19971219;2;.10;1;None;1;Stock  
Split;|CA66987E2069| END-OF-DATA
```

This format cannot be integrated as is by standard data loading tools and requires a transformation.

A new business rule has been created to transform this block into several distinct lines, each representing a Corporate Action:

```
CA66987E2069|0|2|;2;1;7;5;20111116;5;20120501;5;20120427;5;20120430;2;.1666  
67;1;None;1;Spinoff;|CA66987E2069|  
CA66987E2069|0|2|;2;1;7;5;20250915;5;20251120;5;20251120;5;20251211;2;.91;1;  
Quarter;1;Regular Cash;|CA66987E2069|  
CA66987E2069|0|2|;2;1;7;5;19971217;5;19971217;5;19971219;5;19971219;2;.10;1;  
None;1;Stock Split;|CA66987E2069|
```

The **ISIN code** of the instrument (in the example above, **CA66987E2069**) is both at the beginning and at the end of the line.

The first two digits between pipes are internal Bloomberg code (0 in the first digit indicates that all requested data has been sent for this event).

Then, each location in the string has a specific meaning.

For example:

```
;2;1;7;5;20250117;5;20250205;5;20250205;5;20250403;2;.285;1;Quarter;1;Regular  
Cash;
```

- **2:** Number of fields
- **1:** Number of operations
- **7:** Number of elements per operation
- **5:** Field type (date)
- **20250117:** Declared Date
- **5:** Field type (date)
- **20250205:** EX-Date
- **5:** Field type (date)
- **20250205:** Record Date
- **5:** Field type (date)
- **20250403:** Pay Date
- **2:** Field type (numeric)
- **.285:** Net Amount (or Terms for non-cash distributions)
- **1:** Field type (string)
- **Quarter:** Frequency
- **1:** Field type (string)
- **Regular Cash:** Dividend Type

Note: Field type indicators values are the following ones:

- **1:** string
 - **2:** numeric
 - **5:** date
-

Business Rules

Since version 7.4 of NeoXam DataHub, a tool kit containing business rules and pre-mapping script is available to properly process and integrate Bloomberg Corporate Actions data into NeoXam DataHub. This includes:

- 2 business rules, that enable to process the Bloomberg data sent in the **.out** file.
- 1 pre-mapping script, that enables to filter out the event types that are not to be mapped.

1. OST Block Standardization Script

The **BBG_OST_EXTRACT**(arg1, arg2) rule:

- a. Reads financial instrument blocks.
- b. Extracts metadata.
- c. Generates a structured output file where each Corporate Action (CA/OST) is written on a separate line.

4. Data Extraction from Packed Field

The **BBG_BULK_EXTRACT**(arg1, arg2) rule reads the new structured file, extracts and maps data to NeoXam DataHub data model.

Some Bloomberg fields contain multiple pieces of information encoded within a single string.

For example:

- `field_content =`
";2;1;7;5;20040305;5;20040503;5;20040430;5;20040503;2;1.23;1;Annual;1;Regular Cash;"
- `type_field = 5`

After splitting, we obtain the array: [, 2, 1, 7, 5, 20040305, 5, 20040503, 5, 20040430, 5, 20040503, 2, 1.23, 1, Annual, 1, Regular Cash]

The element at index 5 is 20040305.

The script will therefore return 20040305, which corresponds to the **Declared Date** in dividends.

5. Pre-Mapping Script (Mapping Selection Based on OST Type)

This script performs the following steps:

- a. Analyzes the Bloomberg column **DVD_HIST_ALL**.

- b. Extracts the Corporate Action type using **BBG_BULK_EXTRACT**("17", DVD) and translates the Bloomberg type into an internal ID via **getInputValueMapInternalItemId**("BBG_HIST_EVENT_TYPE", actiontype).
- c. Checks whether the event should be ignored, using the value map **BBG_EVENT_TYPE_SKIP**.
- d. Translates the Bloomberg type into an internal identifier again via **getInputValueMapInternalItemId**("BBG_HIST_EVENT_TYPE", actiontype).
- e. Retrieves from the database the internal IDs for **Cash** and **Non-Cash** event types.
- f. If the type is found in the **Cash list** then it maps to **BBG_HISTO_DIV_CASH_CREA**. Otherwise, it is mapped to **BBG_HISTO_DIV_NON_CASH_CREA**.

Value Maps

Bloomberg provides many different text descriptions for dividend types (e.g., "Regular Cash," "Stock Split," "Spinoff"), for more information refer to the [OST Types Returned by Bloomberg](#) section below.

By standardizing Bloomberg data that needs to be integrated, and filtering out unnecessary data, Value maps ensure data consistency across NeoXam DataHub.

- The **BBG_HIST_EVENT_TYPE** value map translates the Bloomberg values into NeoXam DataHub standardized internal codes (e.g., **DVD_CASH**, **DVD_STOCK**).
- The **BBG_EVENT_TYPE_SKIP** value map allows filtering out events, which are **not to be processed**, such as "Omitted" or "Cancelled," thus preventing invalid data from entering the database.

OST Types Returned by Bloomberg

Bloomberg does not provide an exhaustive list of possible values returned in the **CP_DVD_TYPE** field, but the values below are the more commonly encountered in **.out** files.

Type	Description	Classification
Regular Cash	Standard recurring cash dividend.	Cash

Stock Dividend	Standard recurring stock dividend.	Non-Cash
Interim	Dividend paid between fiscal periods.	Cash
Stock Split	Implied split ratio (e.g., 0.25=4-for-1).	Non-Cash
Omitted	Dividend not paid, breaking expected pattern.	Not processed
Entitlement	AU/UK specific. Discounted shares without affecting share count.	Non-Cash
Final	Larger of two annual payments (in biannual markets).	Cash
Spinoff	Assets (e.g., stock in another company) distributed.	Non-Cash
Distribution	Payout from fund/investment vehicle.	Cash
Warrant	May show notional or exercise-related value.	Non-Cash
Discontinued	Dividend or program permanently stopped.	Not processed
Special Cash	One-time cash dividend.	Cash
Pro Rata	Cash dividend prorated by listing date/dividend period.	Cash
Interest on Capital	Interest paid from company's capital.	Cash
Rights Issue	Per-share value based on rights entitlement.	Non-Cash
Poison Pill Rights	Nominal/symbolic value tied to anti-takeover measures.	Symbolic
Misc	Miscellaneous dividend. Depends on context.	Varies
Return of Capital	Cash returned to shareholders, reduces capital base.	Cash
Income	Dividends from mutual fund interest/holdings.	Cash
Accumulation	Reinvested into the fund instead of cash.	Non-Cash

Return Prem.	Cash dividend from reserves without reducing par value (AU).	Cash
Bonus-Options	Additional units instead of cash.	Non-Cash
Bonus	Extra shares instead of cash.	Non-Cash
Preferred Right	Similar to warrants/poison pill rights.	Symbolic
Liquidation	Cash or stock distribution of assets upon liquidation.	Cash
Capital Gains	Dividends from portfolio capital gains.	Cash
Priority Issue	New shares to existing shareholders.	Non-Cash
Open Offer	Similar to entitlement but changes shares outstanding.	Non-Cash
Rights Redemption	Dividend paid in exchange for previously issued rights.	Non-Cash
Daily Accrual	Dividend income accrued daily, paid later.	Non-Cash
Memorial	Special dividend (e.g., anniversary).	Cash
Cancelled	Dividend declared but later withdrawn.	Not processed

