

Food Allergy & Intolerance Guideline

Allergy


Definition



Definition

Food allergy-

is an abnormal, hypersensitivity reaction of the immune system to certain proteins in food soon after eating those. Even tiny amount of the allergy-causing food can trigger and reaction.



What is a immune system?

A complex network of cells, tissues, organs,
and the substances they make that helps the body fight infections and other diseases.



Intolerance

Definition



Definition

Food intolerance

The immune system is not involved.

Is when you have difficulty digesting certain food or ingredients in food.

Reaction

It's not usually serious but eating the food you're intolerant can make you feel unwell.

Symptoms

What could be a symptom?



Symptoms

The most common symptoms of an allergic reaction may include any Combination of the following:



- Coughing
- Dry, itchy throat and tongue
- Wheezing and breathlessness
- Runny nose
- Itchy eyes
- Flushing of the skin
- Nettle rash (hives) anywhere on the body
- Swelling of lips and throat
- Changes in heart rate
- Feeling bloated
- Abdominal pain, nausea and vomiting
- Anaphylaxis (is a severe, potentially life-threatening reaction. It can occur within seconds or minutes of exposure.)



People with severe allergies can have reactions which can be life threatening.

12 International



Histamine

What is that?



Histamine

Histamine is an chemical found in some of the body's cells.

An organic compound involved in local immune responses as well as physiological Functions in the gut.



Found in high histamine level food:

- **Food substances** – alcohol, vinegar, matured cheeses, shellfish, wheatgerm.
- **Food groups**
 - ✓ Pickled or canned foods (sauerkraut)
 - ✓ Smoked meats (salami, ham, sausages)
 - ✓ Beans and pulses (chickpeas, soybeans)
 - ✓ **Nuts (peanuts, walnuts, cashew nuts)**
 - ✓ Chocolates & cocoa-based products
 - ✓ **Most citric fruits (kiwi, lemon, lime, pineapple, plums, papaya and tomatoes)**
 - ✓ Ready meals
 - ✓ **Salty snacks**
 - ✓ Sweets with preservatives / artificial colourings

Nuts

2 different



Peanuts

Reaction – severe reaction, including anaphylaxis.

Uses:

- Flour
- Refined peanut oil – unlikely to cause a reaction
- Unrefined peanut oil – unsuitable for anyone with a peanut allergy



Found in:

- **Ethnic cuisines** – Chinese, Thai & Indonesian dishes (incl. curries, chili / satay / pesto sauce) and unrefined peanut oil may also be used.
- **Food substances** – bread, lasagna, Worcester sauce, sausages, stuffing, bullion, hydrolyzed vegetable protein, peanut butter and nut spreads, fruit yoghurts, **mixed nuts**.
- **Food groups**
 - ✓ breakfast cereals (incl. cereal bars)
 - ✓ mixed salads, salad dips and dressings
 - ✓ desserts / confectionery / nougat products (incl. ice-cream, cakes, biscuits, pastries)
 - ✓ vegetarian products

Tree nuts

Reaction - severe reactions, including anaphylaxis.

Tree nuts include almond, hazelnut, walnut, cashew nut, pecan nut, Brazil nut, pistachio nut, macadamia nut and the Queensland nut.

Triggers- unrefined nut oils like sesame and walnut oil are unsuitable for people with a nut allergy.



Found in:

- **Cereals**— breakfast cereals (incl. cereal bars), cakes, biscuits, pastries, bread.
- **Ethnic cuisines**— Chinese, Thai & Indonesian dishes (incl. curries, chili/ satay/ pesto sauce) and may also use unrefined peanut oil.
- **Unrefined cooking oils**— walnut/ hazelnut oils.
- **Food substances**— lasagna, Worcester sauce sausages, stuffing, bullion, hydrolyzed vegetable protein, peanut butter and nut spreads, fruit yoghurts.
- **Food groups**
 - ✓ Mixed salads, salad dips and dressings
 - ✓ Desserts (incl. ice-cream)
 - ✓ Confectionery (incl. marzipan/ praline/ nougat)
 - ✓ Vegetarian products

Descent from the animal

3 different



Fish

Reaction— severe reaction, including anaphylaxis.

Triggers- some people react to the vapors during the cooking of fish.

Note: some people who are allergic to one species of fish have been advised to avoid all species of fish because the allergic proteins are similar.



Found in:

Anchovies- a common ingredient of many sauces:

- ✓ Worcester sauce
- ✓ Caesar salad
- ✓ salad dressings
- ✓ pizza toppings
- Fish- often used in:
 - ✓ Soups and stocks
 - ✓ pastes
 - ✓ stir-fry mixes/ oriental sauces
- Surimi- a white fish- based food that mimics more expensive fish like crab, lobster and other crustaceans and shellfish.

Eggs

Egg allergy is a hypersensitivity to substances from the egg yolk or egg whites (main proteins causing reactions).

Reaction- an over reaction of the immune system which may lead to severe physical symptoms.

These range from slight to very severe including anaphylaxis.

Children- egg allergy in children is very common but by the age of 3, about 50% will grow out of it.

Note: it applies to eggs from all species including duck, goose, turkey, quail and chicken.

Found in:

- Baked goods (bread and cakes)
- Meat products
- Fresh pasta dishes
- Sweets (incl. ice-creams)
- Glazed pastry

Egg also acts as a binder for:

- Spring rolls (to stick down the ends)
- Meat in burgers
- Cocktails for better foam



Milk / lactose

Lactose is a disaccharide sugar derived from galactose and glucose that is found in milk. Some

People do not have the enzyme lactase in their gut to help them digest lactose.

Reaction- ranges from slight to very severe, Including anaphylaxis. People maybe allergic or Intolerant to milk.

Triggers- people intolerant to milk are usually Intolerant to lactose.

Children- cow milk allergy is normally associated with infants and young children, the majority of whom grow out of it.

Note: it applies to milk products from cows, sheep, goats and other milk-producing animals.

Found in:

- **Milk**
- Milk products (butter fat, butter oil, ghee, curds and whey, casein)
- Dairy products (butter, buttermilk, **milk powder**, cream, fromage frais, crème fraiche cheese, yoghurt and ice-cream)
- Sodium and calcium caseinate



Of plant descent

5 different



Gluten

Gluten is a protein composite found in foods processed from wheat and related grain species, including barley and rye.

People need to avoid gluten- containing cereals either because they are allergic, or they are Intolerant (Coeliac condition).

Uses:

- Gives elasticity to dough, helping it rise and keep its shape. Often gives a chewy texture.
- Cosmetics, hair products and other skin preparations.



Found in:

- Gluten containing cereals (wheat, barley, oats, rye, spelt, kamut).
- Pastry products (bread, pasta, pizza, biscuits, cakes).
- Many bread crumbed or battered products and those dusted with flour before cooking.
- **In beers, the gluten content is low. (Highest gluten content in wheat beer) Other drinks that could contain gluten: liqueurs, whisky, mulled wine, punch, fruit juice with roughage.**
- Wheat can be an ingredient in sauces as a thickener:
 - ✓ Stock cubes
 - ✓ Gravy granules
 - ✓ Spice mixes in sausages and burgers

Sesame

Reaction- severe reactions, including anaphylaxis.

Uses: sesame is used to make pastes and oils for cooking or stir-frying.

Triggers- unrefined sesame oil is considered high risk.



Found in:

- Sesame seeds- used in bakery products (breads and rolls) and may contaminate other bakery products.
- Sesame paste (Tahini)- used in:
 - ✓ Middle eastern cooking
 - ✓ Humus, a chickpea-based dip
 - ✓ Halvah, a sweet confection
 - ✓ Gomasio, a dry condiment

Celery

Celery is a common cause of oral allergy syndrome. It applies to the stalk (stick) and the root (celeriac).

Reaction- severe reactions, including redness, itching and blistering of the mouth, lips, tongue or throat, immediately after touching the food. **Trigger-**

People are more likely to be allergic to the root than the stalk but both can cause severe reactions.

Uses- celery salt and seeds.

Found in:

- Diced celeriac- used as a vegetable in:
 - ✓ Mashed form
 - ✓ roasted
 - ✓ Fried as a chip
- Celery salt- made from celery seeds and is a micro-Ingredient of:
 - ✓ Many soups
 - ✓ Sauces and stocks
 - ✓ Tomato based drinks like Bloody Mary
- The sticks are commonly used as a salad vegetable or with a dip.



Soybeans and soya

Soya bean uses:

- Ground to produce soya flour.
- Ground to produce textured vegetable protein.
- Fermented to produce bean curd (tofu).

Unrefined soya oil uses:

- Lecithin (E322), which is used as an emulsifier.

Found in:

- Soya flour- commonly used in baked goods, pastry, pasta dishes, cereals and processed meats.
- Tofu- made from coagulating soy milk into curd and pressing it into blocks.
- Textured vegetable protein- a meat substitute and used as a consistency enhancer in meat products.
- Refined soya oil- used in vegetable oil.



Fructose

Fructose malabsorption is a digestive disorder in which absorption of fructose is impaired by deficient fructose carriers in the small intestines.

Reaction- an increased concentration of fructose in the entire intestine.

Most people with fructose intolerance can tolerate small amounts of fresh low- fructose fruits, such as:

- Honeydew melon (cantaloupe)
- Bananas
- Blueberries
- Strawberries
- Oranges



Found in:

- Dried fruits highest in fructose: raisins, currants, dried figs, dried peaches, dried prunes, dried apricots.
- Fresh fruits highest in fructose: grapes, apples, pears, cherries, pomegranate, kiwi, blackberries, blueberries, raspberries, watermelon, star fruit and purple passionfruit.



Gas



Sulphur Dioxide (SO₂)

Sulphur dioxide and sulphites can irritate the lungs and throat.

Reaction- SO₂ may trigger asthmatic attacks.

Uses- as a preservative in many foods to maintain appearance, freshness and extend shelf life.

Found in:

- **Beverages-** wine, beer and carbonated soft drinks.
- **Food:**
 - ✓ Salads
 - ✓ Fruits (pre- packed apricots)
 - ✓ Prepared vegetables (such as raw potato chips)
 - ✓ Meat products (sausages, beef burgers) used as a preservative.



EU food regulation



EU food regulation

There are 14 allergens in the EU food regulation:

1. Gluten
2. Crustaceans
3. Poultry Eggs
4. Fish
5. Peanuts
6. Soybeans
7. milk of mammals
8. Nuts
9. Celery
10. Mustard
11. Sesame seeds
12. sulfur oxide and sulphites

Last two
EU food regulation.





Lupins are a genus of flowering plants from the legume subgroup within the legume family.

Found in:

- **Food industry** adds them to
 - ✓ Bread
 - ✓ Pastries
 - ✓ Pasta
 - ✓ Pizza
 - ✓ Snacks
 - ✓ Gluten-free products
 - ✓ Egg and coffee substitutes
 - ✓ Liquid spices or vegetarian meat substitutes



Mollusca such as snails, mussels, squid

Mollusk, also spelled **mollusc**,

any soft-bodied invertebrate of the grouping system for Mollusca,

usually wholly or partly enclosed in a shell secreted by a soft mantle covering the body.

Found in:

- Products derived from them are used in
- ✓ Spice pies
- ✓ Paella
- ✓ Soups
- ✓ Sauces
- ✓ marinades and delicatessen salads
- ✓ among other things

Questions?

Mein Schiff Crew



Questions?

To ensure that everyone has understood all the procedure, please answer the following questions:

1. Is there a cure for food allergies?
 - a. There is **no** cure for food allergies, only the strict avoidance of food allergens.
 - b. There is a cure for food allergies, only it costs a lot.
 - c. There is no complete cure, only with tablets.



Questions?

To ensure that everyone has understood all the procedure, please answer the following questions:

2. What is the term 'allergens' frequently used to describe?
 - a. The term 'allergens' Is used frequently as a collective term to describe that the body reacts differently to the substance as it should.
 - b. The term 'allergens' Is used frequently as a collective term to describe the agents that can trigger an allergic or intolerance reaction.
 - c. All of them.



Questions?

To ensure that everyone has understood all the procedure, please answer the following questions:

3. Name 3 common symptoms of an allergic reaction that affect the head area of a sufferer?
 - a. Common symptoms of an allergic reaction that affect the head area include: facial color changes.
 - b. Common symptoms of an allergic reaction that affect the head area include: dry mouth, dry skin.
 - c. Common symptoms of an allergic reaction that affect the head area include: runny nose, itchy eyes, swelling of lips and swelling of throat.



Questions?

To ensure that everyone has understood all the procedure, please answer the following questions:

4. Which ethnic cuisines should a sufferer avoid if they have a peanut/ tree nut allergy?
 - a. The ethnic cuisines that a sufferer of peanut or tree nut allergy should avoid are: Germany, Austria, France.
 - b. The ethnic cuisines that a sufferer of peanut or tree nut allergy should avoid are: Italy, Spain, USA.
 - c. The ethnic cuisines that a sufferer of peanut or tree nut allergy should avoid are: Chinese, Thai and Indonesian.



Questions?

To ensure that everyone has understood all the procedure, please answer the following questions:

5. Name 3 food allergies or intolerances that can trigger anaphylaxis?
 - a. The food allergies or intolerances that can trigger anaphylaxis are: peanut, fish, egg, milk/ lactose, sesame and tree nut.
 - b. The food allergies or intolerances that can trigger anaphylaxis are: gluten, fructose, Sulphur dioxide.



Thank you