



MINOR DEFECT RECORD SYSTEM

Version 3.0.0

Work Instruction

IT | System Group – Ally Maranan

TABLE OF CONTENTS

I.	SYSTEM OVERVIEW	2
II.	VIEWER INTERFACE	3
	Viewer Page	
	Search Record	
	Export Record	
III.	DASHBOARD INTERFACE	3
	Daily Monitoring	
	Overall Monitoring	
IV.	QC INTERFACE	6
	New Record Authorization	
	Add Record	
V.	ADMIN INTERFACE	8
	Login	
	Defect Details	
	Car Model	
	Process	
	Admin Account	
	Authorized Account	
	Defect Record List	

I. SYSTEM OVERVIEW

- Live System Link:
http://172.25.116.188:3000/minor_defect_record_system/
- Process Flow




Figure 1. System Process Flow

A web application that provides comprehensive functionality for managing and analyzing minor defects on production lines. Key features include:

- Defect Tracking: Efficiently record and monitor defects per production line.
- Data Management: Capture essential details such as date detected, car maker and model, line number, process, product number, lot number, serial number, defect category, defect details, treatment content, sequence and connector numbers, and personnel involved in repair and verification.
- Trend Analysis: Utilize recorded data to analyze trends and visualize performance metrics.
- Reporting: Generate insightful reports to aid in decision-making and quality control.

This system is designed to streamline defect management and enhance data-driven decision-making through effective tracking and analysis.

II. VIEWER INTERFACE

1. Viewer Page

1.1 At the top of the page, the user will find a set of search fields designed to help them quickly locate specific records. These fields allow them to filter data based on various criteria, making it easier to find relevant defect records based on above parameters. By default, the date from and date to is set to current date. *See Figure 2*

1.2 Below the search fields, the main section of the page features a detailed table displaying the defect records that match the search criteria. This table is organized to provide a clear and concise view of all added defect records.

The table also includes load more to help users to navigate through large sets of records efficiently.

In the lower left of the table, it displays the total count of records. These changes based on the data shown in the table. *See Figure 2*

1.3 To extract the data, click on the Export button. The file will contain the filtered data from the table. The downloaded file will be named based on the date of download. *See Figure 2*

1.4 The Add Record button is accessible only to authorized QC personnel. *See Figure 2*

Date Detected	Car Maker	Car Model	Line No.	Harness Type	Category	Process	Group	Shift	Product Name	Lot No.	Serial No.	Defect Category Code	Defect Category	Defect Details Code	Defect Details
2025-10-23	DAIHATSU	D92A FLR	2132	B	Prime	Dimension	A	DS	N/A	59087Q	20	B	Insufficient taping (with dimension requirement)	B3	Branch
2025-10-23	DAIHATSU	D92A FLR	2132	B	Prime	Dimension	A	DS	N/A	59087Q	32	B	Insufficient taping (with dimension requirement)	B3	Branch
2025-10-23	DAIHATSU	D92A FLR	2132	B	Prime	Dimension	A	DS	N/A	59087Q	33	B	Insufficient taping (with dimension requirement)	B3	Branch
2025-10-23	DAIHATSU	D92A FLR	2132	B	Prime	Dimension	A	DS	N/A	59087Q	20	B	Insufficient taping (with dimension requirement)	B3	Branch
2025-10-23	DAIHATSU	D92A RNP	2130	B	Prime	Appearance	A	DS	N/A	59080V	30	AA	Exposed Wire/Junction	AA2	Branch
2025-10-23	DAIHATSU	D92A RNP	2130	B	Prime	Appearance	A	DS	N/A	5907YA	1	AA	Exposed Wire/Junction	AA2	Branch
2025-10-23	DAIHATSU	D92A RNP	2130	B	Prime	Appearance	A	DS	N/A	5907YA	1	AA	Exposed Wire/Junction	AA1	Junction
2025-10-23	DAIHATSU	D92A FLR	2132	B	Prime	Dimension	A	DS	N/A	5907VC	13	AA	Exposed Wire/Junction	AA2	Branch
2025-10-23	DAIHATSU	D92A FLR	2132	B	Prime	Dimension	A	DS	N/A	5907CV	14	AA	Exposed Wire/Junction	AA1	Junction
2025-10-23	DAIHATSU	D92A FLR	2132	B	Prime	Dimension	A	DS	N/A	5907CV	1	AA	Exposed Wire/Junction	AA2	Branch
2025-10-23	DAIHATSU	D92A FLR	2132	B	Prime	Dimension	A	DS	N/A	59087L	7	AA	Exposed Wire/Junction	AA2	Branch
2025-10-23	DAIHATSU	D92A FLR	2132	B	Prime	Dimension	A	DS	N/A	59087M	9	AA	Exposed Wire/Junction	AA1	Junction
2025-10-23	DAIHATSU	D92A RNP	2130	B	Prime	Appearance	A	DS	N/A	5907CV	6	AA	Exposed Wire/Junction	AA1	Junction
2025-10-23	DAIHATSU	D92A RNP	2130	B	Prime	Appearance	A	DS	N/A	5907CV	9	AA	Exposed Wire/Junction	AA1	Junction

Total Record: 137063

Load more

Figure 2. Viewer Page

III. DASHBOARD INTERFACE

1. Daily Monitoring

1.1 The daily monitoring dashboard includes the following chart analysis. The data is filtered by month, and default view displays data for the current month. *See Figure 3*

- Defect Category Record – this shows the overall defect record sorted by the defect categories.
- Defect Details – this shows the defect details of the selected defect category.
- Top 10 Lines based on the selected defect category.
- Top 10 Lot No. – this shows the top 10 lot no.
- Top 10 Sequence No. – this shows the top 10 sequence no.
- Top 10 Connector No. – this shows the top 10 connector no.
- Top 5 Defect Categories per Section – this shows the top 5 defect categories sorted by section.

- Defect Records per Section – this shows the overall record sorted by section.
- Top 10 Lines based on the selection section.
- Daily Defect Record Trend – this shows the daily trend of defect records based on the filtered month.
- Defect Category Record based on the selected day from Daily Defect Trend.
- Top 10 Lines with defect record based on the selected day from the Daily Defect Trend.




Figure #.

Figure 3. Daily Monitoring Dashboard

2. Overall Monitoring

2.1 The overall monitoring dashboard includes the following chart analysis. The data can be filtered by year, month, defect category, and section. See Figure 4

- Overall Monthly-Weekly Defect Records – this shows the defect records sorted by week based on the filters.
- Harness Type Breakdown – this shows the percentage of big and small harness based on the filters.
- Summary per Detection – this shows the top process with most defects were detected based on the filters.
- Overall Defect Record per Section – this shows the weekly breakdown of defects sorted by weeks and filters.
- Top 10 Lines – this shows the top lines per week based on the filters.
- Defect Category Weekly Breakdown – this shows the weekly record of the selected defect category.
- Defect Details by Category Weekly Breakdown – this shows the weekly record of the defect details based on the filtered defect category.
- Top Sequence No. by Process – this shows the top 5 sequence no. by process detected.
- Top Connector No. by Process – this shows the top 5 connector no. by process detected.
- Weekly Breakdown per Line Category – this shows the line category record result sorted by weeks.




Figure 4. Overall Monitoring Dashboard

IV. QC INTERFACE

1. New Record Authorization

1.1 Upon clicking on the Add Record button, the access authorization will show. This is to ensure that only registered QC personnel will add defect records.

The user must enter their registered ID number to be able to proceed with adding of record/s. Then, click on the Enter button. See Figure 5




Figure 5. New Record Authorization Access

1.2 Otherwise, an alert will pop notifying that the ID number entered is not registered. If ID number is needed to be registered, contact IT – System Group for the account registration. See Figure 6




Figure 6. ID Not Registered Alert

2. Add Record

2.1 After successful access, the Add Record form will be displayed. See below data type. See table below.

INPUT FIELD	TYPE/CONDITION	DEPENDENT FIELDS
Date Detected	Manual selection	
Line No.	Manual input	Car Maker, Car Model, Process
Group	Dropdown selection	
Shift	Dropdown selection (default to N/A)	
Product, Lot, and Serial No.	Manual input	
Defect Details Code	Manual input	Defect Category, Defect Details, Treatment Content of Defect
Total Minutes	Manual Input	
Sequence No. and Connector No.	Manual input	
Repaired By and Verified By	Manual input (default to N/A)	

2.2 All fields are required to be filled out; otherwise, the record will not be saved.

In the upper right corner, the name of the user is displayed, indicating that all added records will be attributed to the currently logged-in user. See Figure 7

Note: When the user closes the form, the authorization access modal will prompt again.

2.3 For adding records, the QC personnel may add either a single record or multiple records.

When all fields are filled and the user clicks the Add Record button, the values for Date Detected, Line No., Car Maker, Car Model, Process, Group, Shift, Product, Lot, and Serial No. will be retained. This allows the user to add new records under the same nameplate information.

Note: Upon entering the Line No., the associated Car Maker, Car Model, and Process will be fetched automatically. Similarly, upon entering the Defect Details Code, the corresponding Defect Category, Defect Details, and Treatment Content of Defect will be fetched automatically.

To reset the form, the user must click the Clear All button. See Figure 8

The screenshot shows the 'Minor Defect Record' form with all fields filled out. The form is titled 'Minor Defect Record' and includes fields for Date Detected, Line No., Car Maker, Car Model, Process, Group, Shift, Product Number, Lot No., Serial No., Defect Details Code, Defect Category, Defect Details, Treatment Content of Defect, Total Time (mins), Sequence No., Connector No., Repaired By, and Verified By. The 'Add Record' button is highlighted in blue.

Figure 7. Add Record Form (with complete fill-out)

The screenshot shows the 'Minor Defect Record' form with values retained from the previous record. The form is titled 'Minor Defect Record' and includes fields for Date Detected, Line No., Car Maker, Car Model, Process, Group, Shift, Product Number, Lot No., Serial No., Defect Details Code, Defect Category, Defect Details, Treatment Content of Defect, Total Time (mins), Sequence No., Connector No., Repaired By, and Verified By. The 'Add Record' button is highlighted in blue.

Figure 8. Add Record Form (values retained, for multiple record)

V. ADMIN INTERFACE

1. Login

1.1 Input the correct credentials to access the master list. See Figure 9




Figure 9. Login Page

2. Defect Details

2.1 Click on the Defect Details tab to view the defect category and details.

To add defect details, click on the Add Defect Details button. Fill-out the needed details (defect code, defect category, defect sub code, defect details, and defect treatment), then save the record. See Figure 10




Figure 10. Defect Content Master List

3. Car Model

3.1 Click on the Car Model tab to view the list of lines and its section, car maker, car model, and harness type.

To add car model, click on the Add Car Model button. Fill-out the needed details (line no., section, car maker, car model, and harness type), then save the record. See Figure 11




Figure 11. Car Model Master List

4. Process

4.1 Click on the Process tab to view the list of applicable processes per line no.

To add process, click on the Add Process button. Fill-out the needed details (line no. and process), then save the record. See Figure 12




#	Action	Line	Process
1	Delete	2121	Assurance
2	Delete	5103	Assurance
3	Delete	7103	Assurance
4	Delete	4125	Assurance
5	Delete	4128	Assurance
6	Delete	2120	Assurance
7	Delete	7106	Assurance
8	Delete	7121	Appearance

Figure 12. Processes Master List

5. Admin Account

5.1 Click on the Admin Account tab to view the list of admin accounts who are allowed to alter or update the master list or records.

To add account, click on the add account button. Fill-out the needed details (username and role), then save the record. See Figure 13




#	Action	Username	Role
1	Delete	10-10101	ADMIN
2	Delete	21-06482	ADMIN

Figure 13. Admin Account Master List

6. Authorized Account

6.1 Click on the Account Management tab to view the list of registered accounts.

To add account, click on the Add Account button. Fill-out the needed details (username and role), then save the record. See Figure 14



#	Action	Employee ID	Name	Department
1	Delete	25_PK84032	Tanang, Nerline D.	QC-IQC
2	Delete	MWM00022384	Paquiz, Kalra Faye A.	QC-IQC
3	Delete	MWM00022381	Licop, Veronica A.	QA-IQC
4	Delete	21-06344	Lopez, Vanessa M.	QA-IQC
5	Delete	22-08696	Ausad, Ivy D.	QA-IQC
6	Delete	EN89-13430	Batalier, Mary Ann T.	QA-IQC
7	Delete	MWM00022400	Periez, Jelly Joy D.	QA-IQC
8	Delete	25_PK83643	Agot, Nico S.	QA-IQC
9	Delete	MWM00022614	Cadorna, Christine Gayle	QA-IQC
10	Delete	BF-57781	Galuna, Catherine	QC-IQC

Figure 14. Authorized Account Master List

7. Defect Record List

7.1 Proceed to minor record list tab. See Figure 15

7.2 Use the available search fields (date detected from, date detected to, line no., and process) to filter the desired data. See Figure 15

7.3 The table displays the overall record of the minor defect system. See Figure 15

7.4 The edit function enables to retrieve the existing data and allow the authorized user to modify or update the record. See Figure 16

7.5 All fields can be edited. After modification, click on the Update Record button to save the changes. See Figure 16

#	Action	Date Detected	Car Model	Line No.	Harness Type	Category	Process	Group	Shift	Product Name	Lot No.	Serial No.	Defect Category Code	Defect Category
1	[Edit]	2025-10-23	2000/220D INP	4127	B	N/A	Appearance	B	NS	N/A	5908GV	53	AA	Exposed Wire/Junction
2	[Edit]	2025-10-23	TOYOTA	4127	B	N/A	Appearance	B	NS	N/A	5908GV	50	E	Taping Defect
3	[Edit]	2025-10-23	TOYOTA	4127	B	N/A	Appearance	B	NS	N/A	5908GV	96	E	Taping Defect
4	[Edit]	2025-10-23	SUZUKI	5114	B	N/A	Appearance	B	NS	N/A	590832	35	AA	Exposed Wire/Junction
5	[Edit]	2025-10-23	TOYOTA	4127	B	N/A	Appearance	B	NS	N/A	5908GV	17	C	Missing Tape
6	[Edit]	2025-10-23	SUZUKI	5114	B	N/A	Appearance	B	NS	N/A	590832	21	AA	Exposed Wire/Junction
7	[Edit]	2025-10-23	SUZUKI	5114	B	N/A	Appearance	B	NS	N/A	590832	30	AA	Exposed Wire/Junction
8	[Edit]	2025-10-21	SUZUKI	5041	S	N/A	Appearance	A	DS	N/A	590811	94	AA	Exposed Wire/Junction
9	[Edit]	2025-10-23	SUZUKI	5114	B	N/A	Appearance	B	NS	N/A	590832	25	A	Insufficient taping
10	[Edit]	2025-10-18	SUZUKI	5041	S	N/A	Appearance	A	NS	N/A	59078L	200	F	Damage Parts
11	[Edit]	2025-10-23	SUZUKI	5114	B	N/A	Appearance	B	NS	N/A	590832	+8	AA	Exposed Wire/Junction
12	[Edit]	2025-10-18	SUZUKI	5041	S	N/A	Appearance	A	NS	N/A	59078L	147	I	Foreign Material
13	[Edit]	2025-10-23	SUZUKI	5114	B	N/A	Appearance	B	NS	N/A	590832	3	AA	Exposed Wire/Junction

Figure 15. Minor Defect Record Master List

Date Detected	Line No.	Car Maker	Car Model
2025-10-23	4127	TOYOTA	200D/220D INP

Category	Process	Group	Shift
N/A	Appearance	B	NS

Harness Type
BIG

Product Number	Lot No.	Serial No.
N/A	5908GV	53

Defect Details Code	Defect Category	Defect Details
AA2	Exposed Wire/Junction	Branch

Treatment Content of Defect	Total Time (mins)
Add tape	0

Sequence No.	Connector No.	Repaired By (id:0, no:)	Verified By (id:0, no:)
33	0	N/A	N/A

Update Record

Figure 16. Edit Defect Details

- END -