



Eurytemora sample count by year (chronological)


Zero-height bars = years with no data (1994–2004 gap)




Mean CPUE by year (chronological, labels = n)




Channel_Station — counts
Showing top 25 of 1935 levels by frequency




CPUE by Channel_Station (log1p scale)




Channel_Station coverage by year (blank = no data)




Genus — counts



CPUE by Genus (log1p scale)



Genus coverage by year (blank = no data)




A histogram showing the distribution of latitude for the 1000 closest stations to the origin. The x-axis is labeled 'Latitude' and ranges from 37.8 to 38.6. The y-axis represents frequency, with a maximum value of 100. The distribution is unimodal and slightly right-skewed, with a peak frequency of approximately 100 occurring at a latitude of about 38.07. The data is spread between approximately 37.83 and 38.53.

Latitude (approx.)	Frequency (approx.)
37.83	10
37.85	10
37.95	10
37.97	20
37.99	25
38.01	20
38.03	50
38.05	80
38.07	100
38.09	70
38.11	50
38.13	30
38.15	20
38.17	40
38.19	5
38.21	10
38.23	25
38.25	15
38.27	10
38.29	5
38.33	10
38.35	10
38.41	5
38.47	5
38.53	5


Latitude	Mean CPUE
[37.8,37.85]	288
(37.85,37.9]	237
(37.9,37.95]	248
(37.95,38]	1917
(38,38.05]	7500
(38.05,38.1]	12198
(38.1,38.15]	3967
(38.15,38.2]	2343
(38.2,38.25]	1201
(38.25,38.3]	740
(38.3,38.35]	584
(38.35,38.4]	47
(38.4,38.45]	154
(38.45,38.5]	139
(38.5,38.55]	139
(38.55,38.6]	70

The heatmap displays the distribution of observations across years and latitudes. The x-axis represents the year from 1975 to 2021, and the y-axis represents the latitude from 37.8 to 38.6. The color intensity indicates the number of observations (n) for each year-latitude combination. A color bar on the right side of the plot provides a scale for 'n', ranging from 0 (dark purple) to 500 (yellow). The data shows a high concentration of observations in the early years (1975-1993) at latitudes 38.05 and 38.1, with a notable peak in 2019 at latitude 38.05.


Longitude — distribution




Mean CPUE by Longitude bin (labels = n per bin)




Longitude coverage by year (blank = no data)




Source — counts



CPUE by Source (log1p scale)



Source coverage by year (blank = no data)



TotalGrabs — distribution

Count

TotalGrabs


Mean CPUE by TotalGrabs bin (labels = n per bin)

Mean CPUE

TotalGrabs


TotalGrabs coverage by year (blank = no data)

TotalGrabs




Month — counts


Showing top 25 of 393 levels by frequency




CPUE by Month (log1p scale)




Month coverage by year (blank = no data)




OUT — distribution




Mean CPUE by OUT bin (labels = n per bin)




OUT coverage by year (blank = no data)




X2 — distribution



Mean CPUE by X2 bin (labels = n per bin)



X2 coverage by year (blank = no data)






A histogram showing the distribution of Secchi Depth. The x-axis is labeled 'Secchi Depth' and ranges from 0 to 300. The y-axis is labeled 'Count' and ranges from 0 to 100. The distribution is right-skewed, with a peak count of approximately 105 at a Secchi Depth of about 25. The count decreases as Secchi Depth increases, with a few outliers at higher depths.

Secchi Depth (approx.)	Count (approx.)
0-5	2
5-10	42
10-15	105
15-20	80
20-25	90
25-30	70
30-35	60
35-40	38
40-45	8
45-50	10
50-55	2
55-60	2
60-65	2
65-70	2
70-75	10
75-80	2
80-85	2
85-90	2
90-95	2
95-100	2
100-105	2
105-110	2
110-115	2
115-120	2
120-125	2
125-130	2
130-135	2
135-140	2
140-145	2
145-150	2
150-155	2
155-160	2
160-165	2
165-170	2
170-175	2
175-180	2
180-185	2
185-190	2
190-195	2
195-200	2
200-205	2
205-210	2
210-215	2
215-220	2
220-225	2
225-230	2
230-235	2
235-240	2
240-245	2
245-250	2
250-255	2
255-260	2
260-265	2
265-270	2
270-275	2
275-280	2
280-285	2
285-290	2
290-295	2
295-300	2
300-305	2
305-310	2
310-315	2
315-320	2
320-325	2
325-330	2
330-335	2
335-340	2
340-345	2
345-350	2
350-355	2
355-360	2
360-365	2
365-370	2
370-375	2
375-380	2
380-385	2
385-390	2
390-395	2
395-400	2


Secchi Depth Bin	Mean CPUE
[0,20]	2950
(20,40]	1850
(40,60]	850
(60,80]	150
(80,100]	600
(100,120]	50
(120,140]	250
(140,160]	200
(160,180]	50
(180,200]	50
(200,220]	20
(220,240]	20
(240,260]	30
(300,320]	600

The heatmap displays the distribution of observations across years and Secchi depths. The x-axis represents the year from 1975 to 2021, and the y-axis represents Secchi depth intervals from (0,20] to (300,320]. The color intensity indicates the number of observations (n) for each cell, with a scale from 0 (dark purple) to 15 (yellow). The data shows a high concentration of observations in the lower Secchi depth range (0,20] to (60,80] from 2005 onwards, with a notable peak in the (20,40] range around 2011.



A histogram showing the distribution of Dissolved Oxygen % Saturation. The x-axis is labeled 'Dissolved Oxygen % Saturation' and ranges from approximately 75 to 105. The y-axis is labeled 'Count' and ranges from 0.0 to 10.0. The distribution is unimodal and slightly right-skewed, with a peak count of 10.0 at approximately 95% saturation.

Dissolved Oxygen % Saturation (Bin Center)	Count
76	1
77	1
78	0
79	0
80	1
81	1
82	1
83	3
84	0
85	2
86	2
87	0
88	5
89	5
90	2
91	4
92	4
93	7
94	4
95	4
96	10
97	5
98	2
99	3
100	1
101	2
102	0
103	1
104	0
105	1




A histogram showing the distribution of 'Final Temperature'. The x-axis is labeled 'Final Temperature' and ranges from approximately 8 to 28, with major ticks at 10, 15, 20, 25, and 30. The y-axis is labeled 'Count' and ranges from 0 to 2500, with major ticks at 0, 500, 1000, 1500, 2000, and 2500. The distribution is unimodal and slightly right-skewed, with the highest frequency (count of approximately 2500) occurring at a final temperature of 20. The counts decrease as the temperature moves away from this peak in both directions.

Final Temperature (Bin Center)	Count
8.5	10
9.0	20
9.5	100
10.0	150
10.5	200
11.0	350
11.5	400
12.0	500
12.5	480
13.0	600
13.5	580
14.0	920
14.5	1100
15.0	1250
15.5	950
16.0	1220
16.5	1380
17.0	1360
17.5	1280
18.0	1550
18.5	1720
19.0	1780
19.5	2480
20.0	2350
20.5	2300
21.0	1700
21.5	1450
22.0	980
22.5	620
23.0	400
23.5	320
24.0	180
24.5	100
25.0	50
25.5	20
26.0	10
26.5	5
27.0	2


Final Temperature	Mean CPU
[6,7]	15
(7,8]	78
(8,9]	224
(9,10]	327
(10,11]	578
(11,12]	881
(12,13]	934
(13,14]	1317
(14,15]	1885
(15,16]	1965
(16,17]	2178
(17,18]	2413
(18,19]	2648
(19,20]	3416
(20,21]	3980
(21,22]	3819
(22,23]	2487
(23,24]	1268
(24,25]	704
(25,26]	300
(26,27]	138
(27,28]	44
(28,29]	7

The heatmap displays the number of cases (n) on the color scale, ranging from 0 (dark purple) to 250 (yellow). The x-axis represents the Year (1975-2021), and the y-axis represents the Final_Temperature (6,7 to 28,29). The data shows a general trend of increasing cases over time, with a significant peak in 2020 across all temperature categories. The color intensity is highest in the bottom-right corner, indicating the highest number of cases in the most recent years and at higher final temperatures.


Final_Ch1 — distribution



Mean CPUE by Final_Ch1 bin (labels = n per bin)



Final_Ch1 coverage by year (blank = no data)




A histogram showing the frequency distribution of 'Final DO' values. The x-axis, labeled 'Final DO', ranges from 0 to 20 with major ticks at 0, 10, and 20. The y-axis, labeled 'Count', ranges from 0 to 600 with major ticks at 0, 200, 400, and 600. The distribution is unimodal and slightly right-skewed, with a peak count of approximately 750 occurring at a Final DO value of about 8.5. The data is concentrated between Final DO values of 5 and 12.


Final DO (approx.)	Count (approx.)
5.5	10
6.0	30
6.5	150
7.0	480
7.5	750
8.0	480
8.5	300
9.0	70
9.5	20
10.0	10
10.5	5
11.0	2
11.5	1

Final DO	Mean CPUE
[0,1]	1
(2,3]	3
(3,4]	2
(4,5]	7
(5,6]	19
(6,7]	133
(7,8]	732
(8,9]	932
(9,10]	439
(10,11]	67
(11,12]	20
(12,13]	8
(13,14]	5800
(26,27]	1


Final_pH — distribution



Mean CPUE by Final_pH bin (labels = n per bin)



Final_pH coverage by year (blank = no data)



A histogram showing the distribution of Final_Turbidity. The x-axis is labeled 'Final_Turbidity' and ranges from 0 to 600. The y-axis is labeled 'Count' and ranges from 0 to 4000. The distribution is highly right-skewed, with the highest frequency (count of approximately 4500) occurring in the first bin (0-20). The count drops sharply for subsequent bins, with values around 2600, 1700, 700, 300, 150, 100, and 50 for the next seven bins respectively. The distribution tapers off to near zero for values above 100.

Final_Turbidity Bin	Count
0 - 20	2600
20 - 40	4500
40 - 60	1700
60 - 80	700
80 - 100	300
100 - 120	150
120 - 140	100
140 - 160	50
160 - 180	20
180 - 200	10

