



Eurytemora sample count by year (chronological)


Zero-height bars = years with no data (1994–2004 gap)




Mean CPUE by year (chronological, labels = n)




Channel_Station — counts
Showing top 25 of 1935 levels by frequency




CPUE by Channel_Station (log1p scale)




Channel_Station coverage by year (blank = no data)




Genus — counts



CPUE by Genus (log1p scale)



Genus coverage by year (blank = no data)



A histogram showing the distribution of latitude for the 1000 closest stations to the origin. The x-axis is labeled 'Latitude' and ranges from 37.8 to 38.6. The y-axis represents frequency, with a maximum value of 100. The distribution is unimodal and slightly right-skewed, with a peak frequency of approximately 100 occurring at a latitude of about 38.07. The data is spread between approximately 37.82 and 38.55.


Latitude (approx.)	Frequency (approx.)
37.82	10
37.84	10
37.94	10
37.96	20
37.98	25
38.00	20
38.02	40
38.04	70
38.06	100
38.08	70
38.10	40
38.12	30
38.14	15
38.16	15
38.18	30
38.20	5
38.22	10
38.24	20
38.26	10
38.28	10
38.30	5
38.32	10
38.34	10
38.40	5
38.46	5
38.52	5
38.54	2

Bar chart showing Mean CPUE (Y-axis, 0 to 2000) versus Latitude (X-axis, 15 bins). The values for each bin are: 288, 237, 248, 1917, 7500, 12198, 3967, 2343, 1201, 740, 584, 47, 154, 139, 139, 70.


Latitude Bin	Mean CPUE
[37.8,37.85]	288
(37.85,37.9]	237
(37.9,37.95]	248
(37.95,38]	1917
(38,38.05]	7500
(38.05,38.1]	12198
(38.1,38.15]	3967
(38.15,38.2]	2343
(38.2,38.25]	1201
(38.25,38.3]	740
(38.3,38.35]	584
(38.35,38.4]	47
(38.4,38.45]	154
(38.45,38.5]	139
(38.5,38.55]	139
(38.55,38.6]	70

This heatmap visualizes the distribution of observations across different latitudes over time. The x-axis represents the Year from 1975 to 2021, and the y-axis represents Latitude from 37.8 to 38.6. The color intensity indicates the number of observations (n) for each year-latitude combination, with a color bar on the right showing a scale from 0 to 500. The data shows a clear concentration of observations between latitudes 38.05 and 38.15, with a notable peak in 2018 and 2019 reaching nearly 500 observations.


Longitude — distribution




Mean CPUE by Longitude bin (labels = n per bin)




Longitude coverage by year (blank = no data)




Source — counts



CPUE by Source (log1p scale)



Source coverage by year (blank = no data)



TotalGrabs — distribution

Count

TotalGrabs


Mean CPUE by TotalGrabs bin (labels = n per bin)

Mean CPUE

TotalGrabs


TotalGrabs coverage by year (blank = no data)

TotalGrabs




Month — counts


Showing top 25 of 393 levels by frequency




CPUE by Month (log1p scale)




Month coverage by year (blank = no data)




OUT — distribution




Mean CPUE by OUT bin (labels = n per bin)




OUT coverage by year (blank = no data)




X2 — distribution



Mean CPUE by X2 bin (labels = n per bin)



X2 coverage by year (blank = no data)






A histogram showing the distribution of Secchi Depth. The x-axis is labeled 'Secchi Depth' and ranges from 0 to 300. The y-axis is labeled 'Count' and ranges from 0 to 100. The distribution is right-skewed, with the highest frequency (count of approximately 105) occurring at a Secchi Depth of about 25. The count decreases as depth increases, with a long tail extending towards 300.

Secchi Depth (approx.)	Count (approx.)
0-5	2
5-10	42
10-15	105
15-20	80
20-25	90
25-30	70
30-35	60
35-40	38
40-45	8
45-50	10
50-55	3
55-60	2
60-65	3
65-70	5
70-75	2
75-80	2
80-85	2
85-90	2
90-95	2
95-100	2
100-105	2
105-110	2
110-115	5
115-120	3
120-125	3
125-130	2
130-135	2
135-140	10
140-145	3
145-150	2
150-155	2
155-160	2
160-165	2
165-170	2
170-175	2
175-180	2
180-185	2
185-190	2
190-195	2
195-200	2
200-205	5
205-210	2
210-215	2
215-220	2
220-225	2
225-230	2
230-235	2
235-240	2
240-245	2
245-250	2
250-255	2
255-260	2
260-265	2
265-270	2
270-275	2
275-280	2
280-285	2
285-290	2
290-295	2
295-300	2
300-305	2
305-310	2
310-315	2
315-320	2
320-325	2
325-330	2
330-335	2
335-340	2
340-345	2
345-350	2
350-355	2
355-360	2
360-365	2
365-370	2
370-375	2
375-380	2
380-385	2
385-390	2
390-395	2
395-400	2


Secchi Depth Bin	Mean CPUE
[0,20]	2950
(20,40]	1850
(40,60]	850
(60,80]	150
(80,100]	600
(100,120]	50
(120,140]	250
(140,160]	200
(160,180]	50
(180,200]	50
(200,220]	20
(220,240]	20
(240,260]	30
(300,320]	600

The heatmap displays the distribution of observations across years and Secchi depths. The x-axis represents the Year from 1975 to 2021, and the y-axis represents the Secchi Depth in intervals from (0,20] to (300,320]. The color intensity indicates the number of observations (n) for each cell, with a scale from 0 (dark purple) to 15 (yellow). The data shows a high concentration of observations in the lower Secchi depth ranges (0,20] to (60,80] starting around 2005, with a notable peak in the (20,40] range around 2011.



A histogram showing the distribution of Dissolved Oxygen % Saturation. The x-axis is labeled 'Dissolved Oxygen % Saturation' and ranges from approximately 75 to 105. The y-axis is labeled 'Count' and ranges from 0.0 to 10.0. The distribution is unimodal and slightly right-skewed, with a peak count of 10.0 at approximately 95.5% saturation.

Dissolved Oxygen % Saturation (Bin Center)	Count
76.5	1.0
78.5	1.0
80.5	1.0
82.5	1.0
84.5	3.0
86.5	2.0
88.5	2.0
90.5	5.0
92.5	5.0
94.5	2.0
96.5	4.0
98.5	2.0
100.5	2.0
102.5	1.0
104.5	1.0



The heatmap displays the percentage saturation of dissolved oxygen in a water body from 1975 to 2021. The vertical axis represents the saturation range in 2% increments, from 72% to 106%. The horizontal axis represents the years. The color scale indicates the percentage of time the saturation fell within each range: dark purple for 72-74%, blue for 74-76%, teal for 76-78%, green for 78-80%, light green for 80-82%, yellow-green for 82-84%, yellow for 84-86%, orange for 86-88%, red-orange for 88-90%, red for 90-92%, dark red for 92-94%, brown for 94-96%, and black for 96-98% and above. The chart shows a general decline in dissolved oxygen levels over time, with a significant drop in the 2019-2021 period, where saturation levels frequently fell into the 72-74% and 74-76% ranges.


A histogram showing the distribution of Final Temperature. The x-axis is labeled 'Final Temperature' and ranges from approximately 8 to 28, with major ticks at 10, 15, 20, 25, and 30. The y-axis is labeled 'Count' and ranges from 0 to 2500, with major ticks at 0, 500, 1000, 1500, 2000, and 2500. The distribution is unimodal and slightly right-skewed, with the highest frequency (count of approximately 2500) occurring at a final temperature of 20. The counts decrease as the temperature moves away from this peak in both directions.

Final Temperature (approx.)	Count (approx.)
8	10
9	20
10	100
11	150
12	200
13	350
14	400
15	500
16	600
17	900
18	1100
19	1250
20	1300
21	1550
22	1750
23	1800
24	2300
25	2400
26	2350
27	1750
28	1500
29	1000
30	650
31	450
32	350
33	200
34	150
35	100
36	50
37	20
38	10


Final Temperature	Mean CPU
[6,7]	15
(7,8]	78
(8,9]	224
(9,10]	327
(10,11]	578
(11,12]	881
(12,13]	934
(13,14]	1317
(14,15]	1885
(15,16]	1965
(16,17]	2178
(17,18]	2413
(18,19]	2648
(19,20]	3416
(20,21]	3980
(21,22]	3819
(22,23]	2487
(23,24]	1268
(24,25]	704
(25,26]	300
(26,27]	138
(27,28]	44
(28,29]	7

The heatmap displays the number of cases (n) on the color scale, ranging from 0 (dark purple) to 250 (yellow). The x-axis represents the Year from 1975 to 2021, and the y-axis represents the Final_Temperature from 6,7 to 28,29. The data shows a significant increase in cases starting around 2019, with the highest values (yellow) appearing in 2020 for temperatures between 19 and 23. The heatmap is divided into a grid by both axes.


Final_Ch1 — distribution






Mean CPUE by Final_Ch1 bin (labels = n per bin)




Final_Ch1 coverage by year (blank = no data)







Final_pH — distribution



Mean CPUE by Final_pH bin (labels = n per bin)




Final_pH coverage by year (blank = no data)



A histogram showing the distribution of 'Final_Turbidity'. The x-axis is labeled 'Final_Turbidity' and ranges from 0 to 600. The y-axis is labeled 'Count' and ranges from 0 to 4000. The distribution is highly right-skewed, with the highest frequency (count of approximately 4500) occurring in the first bin (0-20). The count drops sharply for subsequent bins, with values around 2600, 1700, 700, 300, 150, 100, and 50 for the next seven bins respectively. The distribution tapers off significantly, with very low counts for values above 100.

Final_Turbidity Bin	Count
0 - 20	2600
20 - 40	4500
40 - 60	1700
60 - 80	700
80 - 100	300
100 - 120	150
120 - 140	100
140 - 160	50
160 - 180	20
180 - 200	10



The heatmap displays the distribution of Final_Turbidity (Y-axis, 0 to 650) across years (X-axis, 1975 to 2021). The plot shows a dense grid of colored cells, with colors ranging from dark purple (low turbidity) to yellow (high turbidity). The highest turbidity values are concentrated in the years 2019 and 2020, reaching up to 650. The lowest turbidity values are concentrated in the years 1975 to 2009, reaching down to 50.

