

© ≟ Event		
m 🚡 Event(int, String, Date, int, int)		
m 🚡 toString()	String	
p room	int	
.P attendees	ArrayList <string></string>	
.P id	int	
<b>p</b> time	int	
.P date	Date	
•P eventType	String	
p title	String	
•P speakers	ArrayList <string></string>	
P date_str	String	
.P numOfAttende	es int	
p constraints	ArrayList <string></string>	
<b>p</b> duration	int	
p speaker	ArrayList <string></string>	
P endTime	Date	
P eventAccess	String	

C ™ MessageBox		
f = ReadMessage	HashMap < Stri	ng, ArrayList <string>&gt;</string>
f unreadMessage	HashMap < Stri	ng, ArrayList <string>&gt;</string>
f archivedMessage	HashMap <stri< td=""><td>ng, ArrayList<string>&gt;</string></td></stri<>	ng, ArrayList <string>&gt;</string>
m 庙 MessageBox(String)		
m = getAllMessage(String)	) HashMap <stri< td=""><td>ng, ArrayList<string>&gt;</string></td></stri<>	ng, ArrayList <string>&gt;</string>
m 🔓 getMessageFromOne	(String, String)	ArrayList < String >
m = getContacts(String)		Set <string></string>
m 🖆 sendMessage(String,	String)	void
m 🚡 addTo(String, String, S	String)	void
m 🔓 removeFrom(String, S	tring, String)	void
.P user		String
P allContacts		Set <string></string>





