

SYNTHETIC TEST DOCUMENT — LIFE SCIENCES QUALITY ASSURANCE TEST DATASET — STRICTLY FOR DEMONSTRATION & VALIDATION

Missing In-Process Weight Check Documentation during Blister Packaging

1. GENERAL INCIDENT INFORMATION

Date of Occurrence:	2026-09-18	Discovery Source:	Batch Record Review by QA Auditor
Manufacturing Site:	Oral Solid Dosage Facility, Basel Campus	Department / Area:	Packaging & Quality Assurance
Related Product / Material:	Metformin Hydrochloride 500mg Tablets	Batch / Lot Number:	MTH-4401

2. EVENT SUMMARY & DEVIATION DESCRIPTION

During post-packaging batch record reconciliation for Metformin 500mg Batch MTH-4401, Page 14 of 28 (Form PKG-092) was discovered missing required operator signature and witness verification for the 10:00 AM blister tablet weight and seal integrity checks.

3. IMMEDIATE ACTIONS & CONTAINMENT MEASURES

Packaging line 2 was paused. QA initiated an immediate deviation record and interviewed the shift operators. Physical retains from the 10:00 AM run were pulled and sent for independent gravimetric verification.

4. INITIAL LOGGING VERIFICATION

Logged By: Operations Shift Lead Date: 2026-09-18	QA Reviewer: Quality Assurance On-Duty Date: 2026-09-18	Workflow Stage: Awaiting AI Extraction & Human Review
--	--	---