

SYNTHETIC TEST DOCUMENT — LIFE SCIENCES QUALITY ASSURANCE TEST DATASET — STRICTLY FOR DEMONSTRATION & VALIDATION

Weight Discrepancy during Raw Material Dispensing of Microcrystalline Cellulose

1. GENERAL INCIDENT INFORMATION

Date of Occurrence:	2026-09-23	Discovery Source:	Electronic Batch Record Automated Reconciliation Error
Manufacturing Site:	Warehouse Dispensary, Singapore Plant	Department / Area:	Dispensing & Raw Materials
Related Product / Material:	Microcrystalline Cellulose PH-101 (Excipient)	Batch / Lot Number:	MCC-RAW-9011

2. EVENT SUMMARY & DEVIATION DESCRIPTION

During dispensing for Tablet Formulation Batch TAB-552, gross dispensed weight recorded was 48.2 kg against batch sheet requirement of 52.0 kg, representing a 3.8 kg shortfall (7.3% discrepancy beyond $\pm 1.0\%$ limit).

3. IMMEDIATE ACTIONS & CONTAINMENT MEASURES

Dispensing process was aborted. Dispensed container was sealed and re-weighed on a secondary verified scale, confirming 48.2 kg actual net weight. Raw material inventory audit initiated.

4. INITIAL LOGGING VERIFICATION

Logged By: Operations Shift Lead Date: 2026-09-23	QA Reviewer: Quality Assurance On-Duty Date: 2026-09-23	Workflow Stage: Awaiting AI Extraction & Human Review
--	--	---