

Chemotherapy for vulval cancer

Chemotherapy is treatment with anti-cancer (cytotoxic) drugs. This may be used with radiotherapy or by itself to treat vulval cancer.

On this page

- [What is chemotherapy?](#)
- [When chemotherapy is used for vulval cancer](#)
- [Chemotherapy drugs used for vulval cancer](#)
- [Having chemotherapy for vulval cancer](#)
- [About our information](#)
- [How we can help](#)

What is chemotherapy?

[Chemotherapy](#) uses anti-cancer (cytotoxic) drugs to destroy cancer cells. Cytotoxic means toxic to cells. These drugs affect the way [cancer cells](#) grow and divide. However, they also affect normal cells.

When chemotherapy is used for vulval cancer

You may have chemotherapy for [vulval cancer](#):

- To shrink the cancer before surgery or [radiotherapy](#). This is called neo-adjuvant chemotherapy.
- After surgery to reduce the risk of cancer coming back. This is called adjuvant treatment. You may have radiotherapy at the same time ([chemoradiation](#)).
- With radiotherapy (chemoradiation) as your main treatment if [surgery](#) is not possible.
- To treat the symptoms of advanced cancer that cannot be cured. This is known as palliative treatment.

Chemotherapy drugs used for vulval cancer

The main chemotherapy drugs used to treat vulval cancer are:

- [cisplatin](#)
- [fluorouracil \(5FU\)](#)
- [capecitabine](#)
-

[carboplatin](#)

- [paclitaxel \(Taxol[®]\)](#).

Other chemotherapy drugs may sometimes be used. Your doctor or specialist nurse will talk to you about the treatment and any [possible side effects](#).

Medicines can usually control side effects of chemotherapy. Side effects will usually go away when treatment finishes. Not all drugs cause the same side effects, and some people may have very few. Your doctor or nurse will tell you more about what to expect. Always tell them about any side effects you have, as there are usually ways they can help.

Having chemotherapy for vulval cancer

You can usually have chemotherapy as an outpatient. Sometimes you may need to stay in hospital for a few days.

Most drugs are given into a vein (intravenously), but some can be given by mouth as tablets or capsules. Intravenous chemotherapy is a session of treatment which you have over several hours or days. You then have a rest period of a few weeks. This allows your body to recover from any side effects. The treatment and rest period make up a cycle of treatment. Your cancer specialist will tell you how many cycles of treatment you will have.

About our information

References



Below is a sample of the sources used in our vulval cancer information. If you would like more information about the sources we use, please contact us at cancerinformationteam@macmillan.org.uk

Morrison J, Baldwin P, Buckley L, et al. [Gynaecological Cancer Society \(BGCS\) vulval cancer guidelines: recommendations for practice](#). 2020 [accessed November 2020].

Rogers LJ, and Cuello MA. Cancer of the vulva. Int J Gynaecol Obstet, 2018; 143, S2, 4-13. Available from <https://doi.org/10.1002/ijgo.12609>. [accessed November 2020].

Reviewers



This information has been written, revised and edited by Macmillan Cancer Support's Cancer Information Development team. It has been reviewed by expert medical and health professionals and people living with cancer. It has been approved by Senior Medical Editor, [Professor Nick Reed](#), Consultant Clinical Oncologist.

Our cancer information has been awarded the [PIF TICK](#). Created by the Patient Information Forum, this quality mark shows we meet PIF's 10 criteria for trustworthy health information.

The language we use

We want everyone affected by cancer to feel our information is written for them.

We want our information to be as clear as possible. To do this, we try to:

- use plain English
- explain medical words
- use short sentences
- use illustrations to explain text
- structure the information clearly
- make sure important points are clear.

We use gender-inclusive language and talk to our readers as 'you' so that everyone feels included. Where clinically necessary we use the terms 'men' and 'women' or 'male' and 'female'. For example, we do so when talking about parts of the body or mentioning statistics or research about who is affected.

You can read more about how we produce our information [here](#).

Date reviewed

Reviewed: 30 April 2021 | Next review: 30 April 2024

ⓘ This content is currently being reviewed. New information will be coming soon.

Our cancer information meets the [PIF TICK](#) quality mark.

This means it is easy to use, up-to-date and based on the latest evidence. Learn more about [how we produce our information](#).

How we can help

Macmillan Support Line

The Macmillan Support Line is a free and confidential service for people living with and affected by cancer. If you need to talk, we'll listen.



Call us free on 0808 808 0000

8am to 8pm, 7 days a week. You can talk to our cancer specialists about anything.



Email the Macmillan Support Line

Email the Macmillan Support Team if you have any questions.

Chat online

Available 8am to 7.45pm, 7 days a week. For confidential, real-time support if you don't want to call.



Online Community

Chat online anonymously to others who understand what you are going through. Our community is available 24/7 and has dedicated forums where you can get advice and ask our experts.



Find cancer support services in your area

What's going on near you? Find out about support groups, where to get information and how to get involved with Macmillan where you live.

Get help