Continuous Assessment – 1

20181CSE0621

Sai Ram. K

6 – CSE – 10

Set - C

Question : Write a sketch to blink an 10 leds front to back and back to front and simulate using tinker cadd tool.

Aim : To blink 10 LEDs forward and backward and simulate using TinkerCad.

Components Required : Arduino, Bread board, 10 resistors, 10 LEDs and sufficient jumper wires.

Initial Circuit Design :



Sketch :

```
int pins[] = {13,12,11,10,9,7,6,5,4,3};

void setup()

{

  for(int i=0;i<10;i++){
```

```
        pinMode(pins[i], OUTPUT);
  }
  Serial.begin(9600);
}

void loop()
{
        for(int i=0;i<10;i++)
   {
     digitalWrite(pins[i],HIGH);
     delay(500);
     digitalWrite(pins[i],LOW);
     delay(1000);
   }
        Serial.println("Forward Blinking Completed....");
        for(int i=10;i!=-1;i--)
   {
     digitalWrite(pins[i],HIGH);
     delay(500);
     digitalWrite(pins[i],LOW);
     delay(1000);
   }
        Serial.println("Backward Blinking Completed....");
}
```

Output Screenshots :

GIF :



Forward Blinking :




20181CSE0621 SaiRam
ARDUINO
UNO


20181CSE0621 SaiRam
ARDUINO
UNO


20181CSE0621 SaiRam
ARDUINO
UNO


20181CSE0621 SaiRam
ARDUINO
UNO





Backward Blinking :


20181CSE0621 SaiRam


20181CSE0621 SaiRam



Serial Monitor Output :