

Time left 00:04

For an Entity set Citizen, an attribute name „Address“ consists of Street-number, City, and Region. Such kind of attribute in a database is known as _____.

- ☐ a. Derived Attribute
- ☐ b. Complex Attribute
- ☐ c. Composite Attribute
- ☒ d. Multi-Valued Attribute

Clear my choice

Next question

Which of the following video connectors has an analog variety and a digital variety?

- ☐ a. DVI
- ☐ b. VGA
- ☐ c. DisplayPort
- ☒ d. HDMI

[Clear my choice](#)

What is the most common reason for an unexpected reboot?

- ☐ a. Overheating
- ☐ b. Memory leak
- ☐ c. RFI
- ☒ d. ESD damage

Clear my choice

What conclusions can you draw about the interface or node from the following exhibit?

```
Switchash Interfaces FastEthernet 0/1
FastEthernet0/1 is down, line protocol is down (disabled)
Hardware is Lance, address is 000a.f36c.1501 (bia 000a.f36c.1501)
(output cut)
956 packets input, 193351 bytes, 0 no buffer
Received 956 broadcasts, 0 runts, 0 giants, 0 throttles
0 input errors, 0 CRC, 0 frame, 0 overrun, 0 ignored, 0 abort
0 watchdog, 0 multicast, 0 pause input
0 input packets with dribble condition detected
2357 packets output, 263570 bytes, 0 underruns
0 output errors, 0 collisions, 30 interface resets
0 babbles, 0 late collision, 0 deferred
0 lost carrier, 0 no carrier
0 output buffer failures, 0 output buffers swapped out
```

- ☐ a. The interface is operating nominally
- ☐ b. The interface is shut down
- ☐ c. The interface is negotiated at half-duplex
- ☒ d. The cable is disconnected for the node

Clear my choice

The output of the following PHP code will be _____

```
$user = array("Apple", "Banana", "Mango", "Orange");
```

```
for ($x=0; $x < count($user); $x++)
```

```
{
```

```
if ($user[$x] == "Mango") continue;
```

```
printf ($user[$x]);
```

```
}
```

- ☒ a. AppleBananaOrange
- ☐ b. AppleBanana
- ☐ c. Mango
- ☐ d. MangoOrange

[Clear my choice](#)

The default property for a text box control is _____

- ☐ a. Password char
- ☐ b. Text
- ☐ c. Multiline
- ☒ d. Enable

Clear my choice

Question

Next

_____ is a method of scheduling that considers limitation resources when creating a project schedule and includes buffers to protect the project completion date.

- ☐ a. Critical chain scheduling
- ☐ b. Parkinson's Law
- ☐ c. Critical path analysis
- ☐ d. Scrum

To view the MAC address table, which command can be used?

- ☐ a. S1#show cam table
- ☐ b. S1#show mac table
- ☒ c. S1#show mac address-table
- ☐ d. S1#show mac

Clear my choice

Which of the following is a valid Visual Basic conditional statement?

- ☐ a. $2 < n \text{ Or } 5$
- ☐ b. $(2 < n) \text{ Or } (n < 5)$
- ☐ c. $2 < n \text{ Or } < 5$
- ☐ d. $2 < n < 5$

Time left 0:12:46

Which of the following is a valid Visual Basic conditional statement?

- ☐ a. $2 < n \text{ Or } 5$
- ☐ b. $(2 < n) \text{ Or } (n < 5)$
- ☐ c. $2 < n \text{ Or } < 5$
- ☐ d. $2 < n < 5$

Next question

tion

It's possible to have several methods with the same name that each operate on different type or numbers of arguments. This feature is called method _____.

- ☐ a. activation
- ☐ b. overflow
- ☐ c. overloading
- ☐ d. expression

By applying permutation (53421) and substitution by 3 characters away from current character, the string "LETUSMEETENTOTO" becomes _____.

- ☐ a. OTOTNETEEMSUTEL
- ☐ b. QWWRRPHWHHOHXWV
- ☐ c. VWXHOHHWHPRRWWQ
- ☐ d. STUELEETEMOOTTN

Next question

Data downloaded to devices is done by _____.

- ☒ a. Broadcast Receivers
- ☐ b. File
- ☐ c. Event
- ☐ d. Fragment

Clear my choice

Data downloaded to devices is done by _____.

- ☐ a. Broadcast Receivers
- ☒ b. File
- ☐ c. Event
- ☐ d. Fragment

Clear my choice 

Time left
Which of the following statement is wrong about information security?

- ☐ a. worm replicate or clone themselves through infection
- ☐ b. Worms and viruses also characterize a threat
- ☐ c. Password crack is a threat as malicious code is an attack
- ☐ d. The goal of information security is to reduce risk

Next

Select the ultimate goal of risk identification.

- ☐ a. Classify and prioritize assets
- ☐ b. Specify assets vulnerability to the threat
- ☐ c. Identify and prioritize assets
- ☐ d. Identify and inventory asset



Which fiber optic standard utilizes a 50 micron core?

- ☐ a. STP
- ☒ b. Multi-mode
- ☐ c. Single-mode
- ☐ d. UTP

Clear my choice

Which of these two characteristics of object-oriented programming are the same?

- ☐ a. Encapsulation and Abstraction
- ☐ b. Encapsulation and Polymorphism features are the same
- ☐ c. Inheritance and Encapsulation features are the same
- ☐ d. Abstraction and Polymorphism features are the same

Which one of the following model is not used for to improving quality in software development projects and project management?

- ☐ a. Capability Maturity Model Integration
- ☐ b. Software Quality Function Deployment
- ☐ c. Myers-Briggs Type Indicator
- ☐ d. Project management maturity models

Next que

_____ is a diagram that used to trace the execution of a scenario in the same context as an object diagram.

- ☐ a. Interaction diagram
- ☐ b. Data flow diagram
- ☐ c. Class Diagram
- ☐ d. Visibility diagram

Next q

tion

_____ is a diagram that used to trace the execution of a scenario in the same context as an object diagram.

- ☐ a. Interaction diagram
- ☐ b. Data flow diagram
- ☐ c. Class Diagram
- ☐ d. Visibility diagram

Next qu

A mapping cardinality where, an entity A is associated with at most one entity in B and an entity in B however, can be associated with any number (zero or more) of entities in A.

- ☐ a. MANY to MANY
- ☐ b. MANY TO ONE
- ☒ c. ONE TO MANY
- ☐ d. ONE TO ONE

Clear my choice

Next question

What annotation is valid in the place of ? mark in the fragment of code shown below?

```
interface Test {
```

```
? ("SELECT * FROM test WHERE id=(:id)") suspend fun getTest(id: UUID): Test
```

- ☒ a. @Insert
- ☐ b. @Update
- ☐ c. @Query
- ☐ d. @Select

Clear my choice

You can use the _____ modifier to prevent the data and methods from being accessed by non-subclasses from a different package.

- ☐ a. Final
- ☐ b. Protected
- ☐ c. Super
- ☐ d. Public

Next question

Time left 02:00

If the query `DROP DATABASE Student` is executed on the database without the appropriate authorization, what kind of threat it causes?

- ☐ a. Loss of integrity
- ☐ b. Loss of accountability
- ☐ c. Loss of Authorization
- ☐ d. Loss of confidentiality

Next

ion

Time left 02:12:21

Based on object-oriented application, which one of the following is a part of the notation of object-oriented design, used to show the allocation of processes to processors in the physical design of a system?

- ☐ a. real-time process
- ☐ b. process diagram
- ☐ c. reactive process
- ☐ d. process architecture

Next question

_____ a project management methodology uses an iterative software development process that focuses on team productivity and delivers software best practices to all team members.

- ☐ a. Theory of Constraints (TOC)
- ☐ b. Rational Unified Process (RUP) framework
- ☐ c. Tracking Gantt chart
- ☒ d. Requirements traceability matrix (RTM)

Clear my choice

Time left 0:25:33

_____ a project management methodology uses an iterative software development process that focuses on team productivity and delivers software best practices to all team members.

- ☐ a. Theory of Constraints (TOC)
- ☐ b. Rational Unified Process (RUP) framework
- ☐ c. Tracking Gantt chart
- ☒ d. Requirements traceability matrix (RTM)

Clear my choice

Next question

Time left 0:2

What effect does a host's wrong default gateway configuration have on communications?

- ☐ a. On the local network, the host is unable to exchange messages
- ☐ b. The host is able to connect with hosts on its local network, but not with hosts on other networks
- ☐ c. No effect is felt on communication
- ☐ d. The host is able to communicate with hosts on distant networks, but not with hosts on the local network

Next qu

What effect does a host's wrong default gateway configuration have on communications?

- ☐ a. On the local network, the host is unable to exchange messages
- ☐ b. The host is able to connect with hosts on its local network, but not with hosts on other networks
- ☐ c. No effect is felt on communication
- ☐ d. The host is able to communicate with hosts on distant networks, but not with hosts on the local network

Next question

Time left: 00:21:24

If your college prohibits using any anti-virus program in your personal computers (or Laptops) other than the one they provide in order to use the college's local network, what type of policy is this?

- ☐ a. Issue-specific policy
- ☐ b. System-specific policy
- ☐ c. Program security policy
- ☐ d. General security policy

Next question

A tuple takes a _____ value when a record does not have a value for it.

- ☐ a. Unknown
- ☒ b. Null
- ☐ c. Not Applicable
- ☒ d. Zero

Clear my choice

A tuple takes a _____ value when a record does not have a value for it.

- ☐ a. Unknown
- ☐ b. Null
- ☐ c. Not Applicable
- ☒ d. Zero

Clear my choice

Next

Question

Why Cookies should be transferred before a web page's?

- ☐ a. Because they are sent as part of the headers.
- ☐ b. Because they determine the entire document structure
- ☐ c. Because they are sensitive data.
- ☐ d. Because they are sent as part of the body.

stion

Finish ex

___ is an attribute specifying a blue background of an element.

- ☐ a. `style="background-color:blue"`
- ☐ b. `background="blue"`
- ☐ c. `bgcolor=blue`
- ☐ d. `bgcolor=#000000`

___ is an attribute specifying a blue background of an element.

- ☐ a. style= "background-color:blue"
- ☐ b. background = "blue"
- ☐ c. bgcolor = blue
- ☐ d. bgcolor = #000000

_____ command is used for creating a new group

- ☐ a. chgrp
- ☐ b. chown
- ☐ c. addgrp
- ☐ d. groupadd

Next

ion

_____ command is used for creating a new group

- ☐ a. chgrp
- ☐ b. chown
- ☐ c. addgrp
- ☐ d. groupadd

Which of the following method waits for the thread to terminate?

- ☐ a. `isAlive()`
- ☐ b. `sleep()`
- ☐ c. `join()`
- ☐ d. `stop()`

What dynamic routing protocol has the least amount of overhead??

- ☐ a. OSPF
- ☐ b. BGP
- ☐ c. EIGRP
- ☐ d. RIP

Which of the following is false to compiling and executing an app with multiple classes?

- ☐ a. The javac command can compile multiple classes at once
- ☐ b. Simply list the source-code filenames after the command with each filename separated by a space from the next
- ☐ c. If the directory containing the app includes only one app's files, you can compile all of its classes with the command `javac *.java`
- ☐ d. The asterisk (*) in `java.*` indicates that all files in the current directory ending with the filename extension ".java" should be compiled

Next q

What command will enable you to view the router's active NAT translations?

- ☐ a. Router#show nat translations
- ☐ b. Router#debug ip nat translations
- ☐ c. Router#show ip nat translations
- ☐ d. Router#show translations nat

The aim of query optimization is _____

- ☐ a. query cannot be optimized
- ☐ b. to transform a query written in a high-level language(SQL) into a low-level language (the relational algebra)
- ☐ c. to check that the query is syntactically and semantically correct
- ☐ d. to choose an efficient execution strategy that minimizes resource usage.

Next qu

_____ refers a property of computer to run several operation simultaneously and possible as computers await response of each other.

- ☐ a. Concurrency
- ☐ b. Deadlock
- ☐ c. Backup
- ☐ d. Recovery

Which fiber optic standard utilizes a 50 micron core?

- ☐ a. STP
- ☐ b. Multi-mode
- ☐ c. Single-mode
- ☐ d. UTP

Exactly why it's advised against using VLAN 1?

- ☐ a. It shouldn't be used for security reasons
- ☐ b. It cannot participate in VTP transfers
- ☐ c. It cannot be routed via an SVI
- ☐ d. It is not a production VLAN

Next q

on

Which of these two characteristics of object-oriented programming are the same?

- ☐ a. Encapsulation and Abstraction
- ☐ b. Encapsulation and Polymorphism features are the same
- ☐ c. Inheritance and Encapsulation features are the same
- ☐ d. Abstraction and Polymorphism features are the same

What is used to track the execution of a scenario in the UML context in activity?

- ☐ a. Interaction diagram
- ☐ b. Data flow diagram
- ☐ c. Class Diagram
- ☐ d. Visibility diagram

Next question

tion

the previous

_____ is a diagram that used to trace the execution of a scenario in the same context as an object diagram.

- ☐ a. Interaction diagram
- ☐ b. Data flow diagram
- ☐ c. Class Diagram
- ☐ d. Visibility diagram

Next question

tion

What is the correct statement when declaring and assigning the value of 100 to an integer variable called num?

- ☐ a. Dim num = Int(100)
- ☐ b. Dim num As Integer = 100
- ☐ c. num = 100
- ☐ d. Dim num = 10

Which command can be used on a Windows host to display the routing table?

- ☐ a. `show ip route`
- ☐ b. `tracert`
- ☐ c. `netstat -s`
- ☐ d. `netstat -r`

How would you configure a router to route traffic from 192.168.0.0/24 and 172.16.0.0/24 to the target address 198.43.23.2? Which of the following statements would achieve this with a single route statement without affecting other networks?

- ☐ a. Router(config)#ip route 192.168.0.0 255.255.0.0 198.43.23.2
- ☐ b. Router(config)#ip route 192.168.0.0 255.255.255.0 198.43.23.2
- ☐ c. Router(config)#ip route 192.168.0.0 255.255.0.240 198.43.23.2
- ☐ d. Router(config)#ip route 192.168.0.0 255.255.240.0 198.43.23.2

Next

on

The correct command used in Unix operating system to perform a backup is _____.

- ☐ a. zip
- ☐ b. gzip
- ☐ c. backup
- ☐ d. cpio

Which command can be used on a Windows host to display the routing table?

- ☐ a. show ip route
- ☐ b. tracert
- ☐ c. netstat -s
- ☐ d. netstat -r

Next

Question

Which command can be used on a Windows host to display the routing table?

- ☐ a. show ip route
- ☐ b. tracer
- ☐ c. netstat -s
- ☐ d. netstat -r

Next question

Which of the following is not an OOPS idea?

- ☐ a. Abstraction
- ☐ b. Exception
- ☐ c. Encapsulation
- ☐ d. Polymorphism

One is a relational algebra operation specifically developed for a relational database

- ☐ a. Select
- ☐ b. Union
- ☐ c. Intersection
- ☐ d. Set difference



On the darker side of object-oriented design, which of the following risk or issue must not be considered?

- ☐ a. Dynamic allocation and destruction of objects.
- ☐ b. Paging behavior of running applications
- ☐ c. Encumbrance of classes
- ☐ d. Users experience

Content in PIR

- ☐ a. Can be read by any Learning Domain
- ☐ b. Is a data a web server saves to your computer's hard disk via a web browser
- ☐ c. Cannot be retrieved from your computer and returned to the server
- ☐ d. Can contain any size of alphanumeric information

Next

ion

Which of the following is true when you analyze relationship between superclass and subclasses?

- ☐ a. A subclass can access the members of its superclass, and it can also access non-private members.
- ☐ b. Every object of a superclass is also an object of that class's subclass. However, a superclass object is not an object of its class's subclasses
- ☐ c. A superclass method can be overridden in a subclass to declare an appropriate implementation for the subclass.
- ☐ d. A subclass cannot invoke a constructor of its superclass by using the keyword super, followed by a set of parentheses containing the superclass constructor arguments. This must appear as the first statement in the subclass constructor's body.

Which of the following keywords provide iterative control flow?

- ☐ a. for
- ☐ b. if statement
- ☐ c. switch statement
- ☐ d. break

Which of the following array methods combines two arrays?

- ☒ a. Join
- ☐ b. Combine
- ☐ c. concat
- ☐ d. Split

Clear my choice

_____ is a set of instructions that cause a site's security policy to be violated.

- ☐ a. Malicious logic
- ☐ b. Virus
- ☐ c. Adware
- ☐ d. Worm

What command may be used to alter the default permissions for files and directories when they are created?

- ☐ a. Chmod
- ☒ b. Chgrp
- ☐ c. Chown
- ☐ d. Umask

[Clear my choice](#)

[Next question](#)

Which SQL statement enforces referential integrity during physical database design?

- ☐ a. PRIMARY KEY (ID)
- ☐ b. UNIQUE (ID)
- ☐ c. FOREIGN KEY (ID) REFERENCES Table_name(ID)
- ☐ d. ID CHAR(90) NOT NULL

Which one of the following is the benefit of object-oriented programming?

- ☐ a. Reduce reusability of software components
- ☐ b. Appeals to the working of human cognition
- ☐ c. Leads to systems that are less resilient to change
- ☐ d. Increase development risk

When looking from the outside edge of an HTML element and moving to inside the edge, what order does the padding, margin, and border occur in?

- ☐ a. border, padding, margin
- ☐ b. padding, border, margin
- ☒ c. margin, border, padding
- ☐ d. margin, padding, border

What holds true for logical and physical topologies?

- ☐ a. Physical topologies show each network's IP addressing method
- ☐ b. Physical topologies are focused on the frame transfer mechanism used by a network
- ☐ c. Physical and logical topologies are typically the same
- ☐ d. Logical topologies describe how a network moves information across devices

Next question

tion

What will be the possible built-in functions to be used to checking the age value to be numeric and greater than 18 and displays an alert message "Not eligible to vote" if any of the above mentioned validations are false?

- ☐ a. `alert()`, `document.write()`, `isNaN()`
- ☐ b. `alert()`, `isNumeric()`, `isNull()`, `parseInt()`
- ☐ c. `alert()`, `document.write()`, `isNull()`, `parseInt()`
- ☐ d. `alert()`, `isNaN()`, `parseInt()`

Next question

You are choosing an optical drive format for a client. Which optical disc format supports a data capacity of 25 GB?

- ☐ a. Double-sided, single-layer DVD-R
- ☐ b. Double-sided, double-layer DVD+R
- ☐ c. Double-sided, single-layer DVD+R
- ☐ d. Single-sided, single-layer Blu-ray Disc

Next

The default property for a text box control is _____.

- ☐ a. Password char
- ☐ b. Text
- ☐ c. Multiline
- ☐ d. Enable

What is the most common reason for an unexpected reboot?

- ☐ a. Overheating
- ☐ b. Memory leak
- ☐ c. RFI
- ☐ d. ESD damage

Project portfolio management addresses _____ goals of an organization, while project management addresses _____ goals.

- ☐ a. tactical, strategic
- ☐ b. strategic, tactical
- ☐ c. internal, external
- ☐ d. external, internal

Which of the following is not e-commerce applications?

- ☐ a. Darpel e-commerce
- ☐ b. Wordpress
- ☐ c. Magento
- ☐ d. CubeCart

E

After renaming VLAN 3, you wish to now, double-check your changes. How will you validate the name change using a command?

- ☐ a. Switch#show interface vlan 3
- ☐ b. Switch#show run
- ☐ c. Switch#show vlan id 3
- ☐ d. Switch#show vlans

Next question

question

Which of the following class serves as the superclass for all exception type classes?

- ☐ a. String
- ☐ b. Catchable
- ☐ c. Throwable
- ☐ d. RuntimeExceptions

The Properties window plays an important role in the development of Visual Basic applications. It is mainly used

- ☐ a. when opening programs stored on a hard drive.
- ☐ b. to change how objects look and feel.
- ☐ c. to set program related options like Program Name, Program Location, etc.
- ☐ d. to allow the developer to graphically design program components.

Next

on

Time left

_____ is a powerful tool of object-oriented analysis; and can be used to drive the process of classical analysis, behavior analysis, and Learning Domain analysis.

- ☐ a. Measurement
- ☐ b. Scenarios
- ☐ c. Hierarchy
- ☐ d. Documentation

Next

If you play music as a background (service), which of the following is not a state in the service lifecycle?

- ☐ a. Running
- ☐ b. Destroyed
- ☐ c. Start
- ☐ d. Paused

_____ initializes app-wide resources.

- ☐ a. MainActivity
- ☐ b. activity_main.xml
- ☐ c. Activity
- ☐ d. AndroidManifest.xml