



Question 1

Answer saved

Marked out of 1.00

Flag question

Which asymptotic notation is used to represent algorithm complexity in the worst possible set of inputs?

Select one:

- ☐ A. Theta notation
- ☐ B. Big-Oh notation
- ☐ C. Big-Omega notation
- ☐ D. All

Question 2

Answer saved

Marked out of 1.00

Flag question

How many different types of constructors there are?

Select one:

- ☐ A. 4
- ☐ B. 1
- ☐ C. 2
- ☐ D. 3

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35





Question 3

Answer saved

Marked out of 1.00

Flag question

What is the algorithm complexity of Binary search algorithm?

Select one:

- ☐ A. $O(n^2)$
- ☐ B. $O(n)$
- ☐ C. $O(n!)$
- ☐ D. $O(\log n)$

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 4

Answer saved

Marked out of 1.00

Flag question

Assume you have an algorithm which has time function $t(n) = 2n + 3n^2 + \log n + n \log n + n!$, then complexity order of your algorithm is ?

Select one:

- ☐ A. $O(n!)$
- ☐ B. $O(n^2)$
- ☐ C. $O(\log n)$
- ☐ D. $O(n \log n)$

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 5

Answer saved

Marked out of 1.00

Flag question

What would be the Algorithm complexity to add a node at the end of singly linked list, if the pointer is initially pointing to the head of the list?

Select one:

- ☐ A. $O(1)$
- ☐ B. $O(n)$
- ☐ C. $O(1)$
- ☐ D. $O(n)$

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 6

Answer saved

Marked out of 1.00

Flag question

A linear list in which the last node points to the first node is?

Select one:

- ☐ a. Tree
- ☐ b. Doubly linked list
- ☐ c. Circular linked list
- ☐ d. Singly linked list

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





EE 15 SOFT ENG Dejen Aschalew



Question 7

Answer saved

Marked out of 1.00

Flag question

Which C++ operator allocate memory dynamically ?

Select one:

- ☐ a. new
- ☐ b. struct
- ☐ c. create
- ☐ d. delete

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen
Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 8

Answer saved

Marked out of 1.00

Flag question

Which data structure is more appropriate to implement recursive algorithms?

Select one:

- ☐ a. Stack
- ☐ b. Tree
- ☐ c. Queue
- ☐ d. Linked list

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 9

Not yet answered

Marked out of 1.00

Flag question

Which data structure is suitable to represent hierarchical relationship between elements?

Select one:

- ☐ a. Tree
- ☐ b. Priority
- ☐ c. Graph
- ☐ d. Dequeue

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 10

Answer saved

Marked out of 1.00

Flag question

Which one is valid identifier?

Select one:

- ☐ A. int
- ☐ B. x-2
- ☐ C. 2x
- ☐ D. x_2

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 11

Answer saved

Marked out of 1.00

Flag question

What is the output of the program?

```
for (int i=1;i<=5;i++)
{
    if(i%2==0)
    {
        continue;
    }
    cout<<i<<" ";
}
```

Select one:

- ☐ A. 1
- ☐ B. 1, 3, 5
- ☐ C. 2,4
- ☐ D. 1,2

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen
Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35



Question 12

Answer saved

Marked out of 1.00

Flag question

What will be the output of the following code?

```
void f(int &i)
{
    i=i*5;
}
int main()
{
    int i=5;
    f(i);
    cout<<i<<endl;
}
```

Select one:

- ☐ A. 10
- ☐ B. 25
- ☐ C. 5
- ☐ D. 20

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35



Question 13

Answer saved

Marked out of 1.00

Flag question

Which one is the correct function calling for the function name sum and two input num1 and num2?

Select one:

- ☐ A. int sum(num1, num2);
- ☐ B. sum(num1, num2);
- ☐ C. int sum(int num1, int num2);
- ☐ D. sum(int num1, int num2);

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 14

Answer saved

Marked out of 1.00

Flag question

Which one of the following is true about array?

Select one:

- ☐ A. We cannot assign one array to other array
- ☐ B. the index of the last element of array is equal to array size
- ☐ C. It is illegal to refer an element of array outside of the array bounds
- ☐ D. All of the above

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 15

Answer saved

Marked out of 1.00

Flag question

Which one is true for accessing and processing of array elements?

Select one:

- ☐ A. Datatype arrayname [array size];
- ☐ B. Datatype arrayname [index];
- ☐ C. All
- ☐ D. Arrayname[index];

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 16

Answer saved

Marked out of 1.00

Flag question

From the following which can be fully describe about Run time polymorphism?

Select one:

- ☐ A. It can achieved by virtual functions and pointers
- ☐ B. It provides fast execution because the method that needs to be executed is at the compile time
- ☐ C. It can have more than one methods share the same name with different parameters or signature and different return type
- ☐ D. It is less flexible as all things execute at compile time

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35



Question 17

Answer saved

Marked out of 1.00

Flag question

Which can be the incorrect characteristics or features of constructor in Java?

Select one:

- ☐ A. The constructor should have any return type even void also because if there is a no return type then JVM would consider as a method, not a constructor
- ☐ B. It is always called and executed only once per object, This means that when an object of a class is created, constructor is called, when we create second object, the constructor is again called during the second time
- ☐ C. Java constructor may or may not contain parameters, Parameters are local variables to receive value (data) from outside into a constructor
- ☐ D. Constructor name must be exactly the same as the class name in which it is defined. It must end with a pair of simple braces

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35



Question 18

Answer saved

Marked out of 1.00

Flag question

Which is among the consequences of inheritance?

Select one:

- ☐ A. The relationship between objects is clear and well-defined
- ☐ B. Changes to the superclass can have far-reaching effects on the subclasses
- ☐ C. Changes to one object do not affect other objects in the aggregate
- ☐ D. Easy to add or remove objects from the super class

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35



Question 19

Answer saved

Marked out of 1.00

Flag question

Of the following one cannot be describe about the difference between Abstract class and Interface in java?

Select one:

- ☐ A. The Interface cannot contain data fields, whereas the abstract class can have data fields
- ☐ B. Interfaces help define the identity of a class, whereas an abstract class defines a class's peripheral abilities
- ☐ C. In Interface does not have access modifiers. Everything defined inside the Interface is assumed to have a public modifier, whereas Abstract Class can have an access modifier
- ☐ D. In Interface, a class can implement multiple interfaces, whereas the class can inherit only one Abstract Class

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35



Question 20

Answer saved

Marked out of 1.00

Flag question

Which is unique from the following given options?

Select one:

- ☐ A. Overloading
- ☐ B. Late binding
- ☐ C. Early binding
- ☐ D. Static binding

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 21

Answer saved

Marked out of 1.00

Flag question

Which command we use to link a page with another page of HTML page?

Select one:

- ☐ A.
- ☐ B.
- ☐ C.
- ☐ D.

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Proxy MTProto

Server: ISO.be-name-yegane-hasti.store Port: 443 Secret: ...



Question 22

Answer saved

Marked out of 1.00

Flag question

Which is the correct CSS syntax?

Select one:

- ☐ A. body {color: black}
- ☐ B. {body;color=black(body)}
- ☐ C. body;color=black
- ☐ D. {body;color:black}

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



EE 15 SOFT ENG Dejen Aschalew



Question 23

Answer saved

Marked out of 1.00

Flag question

Which one of the following is true about PHP ?

Select one:

- ☐ A. PHP is one of the client-side scripting language, like JavaScript
- ☐ B. PHP files are returned to the browser as plain HTML text
- ☐ C. PHP is one of an open-source software that supports only MYSQL databases
- ☐ D. can have a file extension of ".pph", ".pph3", or ".phmtl"

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25

Hide all



YeneTube

ኢትዮጵያዊ መጻሕፍትን በኢንተርኔት ላይ ለማግኘት ቁጣ መተግበሪያን ያውርዱ! ዩ...



YeneTube

#የጅናል_ጥቆማ ! በኢትዮጵያ ብቸኛ ቡድን ተከታዮችን ማፍራት የቻለው የco...

PREVIOUS PAGE

NEXT PAGE



Question 24

Answer saved

Marked out of 1.00

Flag question

Text that, when clicked, sends you to another piece of text or location is called?

Select one:

- ☐ A. URL
- ☐ B. WWW
- ☐ C. Web server
- ☐ D. Hypertext

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 25

Answer saved

Marked out of 1.00

Flag question

which one is a computer program that is responsible for accepting HTTP requests from clients, and serving them HTTP responses?

Select one:

- ☐ A. Communication network
- ☐ B. Web browsers
- ☐ C. Web Server
- ☐ D. DNS Server

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



የፋሽካ ምክር ቤት አባል
እጅግ ክፍል ነገር በጋጢ እንዲሁ
እይደለም፤ በዚያ ወቅት መቅረት እንጂ፡፡



Question 26

Answer saved

Marked out of 1.00

Flag question

Which of the following HTML tag displays the enclosed text in bold?

Select one:

- ☐ A. `<em> ..... </em>`
- ☐ B. `<i> ..... </i>`
- ☐ C. `<strong> ..... </strong>`
- ☐ D. `<pre> ..... </pre>`

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 27

Answer saved

Marked out of 1.00

Flag question

Which of the following is a type of an input HTML form element, if clicked, clears a form's contents?

Select one:

- ☐ A. HIDDEN
- ☐ B. CLEAR
- ☐ C. SUBMIT
- ☐ D. RESET

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 28

Answer saved

Marked out of 1.00

Flag question

Which of the following is a JavaScript comment used to enclose multi-line?

Select one:

- ☐ A. //
- ☐ B. /*...*/
- ☐ C. //... //
- ☐ D. All

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 29

Answer saved

Marked out of 1.00

Flag question

What is the life cycle of services in android?

Select one:

- ☐ A. onCreate()>onStartCommand()>onDestory()
- ☐ B. final()
- ☐ C. Service life cycle is same as activity life cycle
- ☐ D. onRecieve()

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 30

Answer saved

Marked out of 1.00

Flag question

In which directory XML layout files are stored?

Select one:

- ☐ A. /assets
- ☐ B. /res/layout
- ☐ C. /res/values
- ☐ D. /src

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen
Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



EE 15 SOFT ENG Dejen Aschalew



Question 31

Answer saved

Marked out of 1.00

Flag question

All layout classes are the subclasses of?

Select one:

- ☐ A. android.widget
- ☐ B. None
- ☐ C. android.view.view
- ☐ D. android.view.ViewGroup

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen
Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Type here to search



Screenshots



what is websit...



Model Exit Ex...



Psiphon 3



MyModelExa...



65°F



10:20 AM
6/23/2023





Question 32

Not yet answered

Marked out of 1.00

Flag question

What is Manifest.xml in android?

Select one:

- ☐ A. It has all the information about an application
- ☐ B. It has information about layout in an application
- ☐ C. It has the information about activities in an application
- ☐ D. None

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 33

Not yet answered

Marked out of 1.00

Flag question

Which of the following method is used to handle what happens after clicking a button?

Select one:

- ☐ A. onCreate
- ☐ B. All
- ☐ C. onClick
- ☐ D. onSelect

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



EE 15 SOFT ENG Dejen Aschalew



Question 34

Not yet answered

Marked out of 1.00

Flag question

Android is based on which Kernal?

Select one:

- ☐ A. Redhat
- ☐ B. Windows
- ☐ C. MAC
- ☐ D. Linux

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Type here to search



sofeng-2015: Mode...



Model Exit Exam (...)



Psiphon 3



65°F



9:22 AM
6/23/2023





Question 35

Answer saved

Marked out of 1.00

Flag question

Which of the following schedule is not recoverable schedule?

Select one:

- ☐ A. schedule
C:r1(x);w1(x);r2(x);r1(y);w2(x);w1(y);a1;a2
- ☐ B. schedule D:r1(x);w1(x);r2(x);r1(y);w2(x);c2;a1
- ☐ C. schedule B:
r1(x);w1(x);r2(x);r1(y);w2(x);w1(y);c1;c2
- ☐ D. schedule A: w1(x),w1(y),w2(x),r2(y),C1,C2

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 36

Answer saved

Marked out of 1.00

Flag question

Which one of the following factors does not affect join performance?

Select one:

- ☐ A. None of the above
- ☐ B. Available buffer space
- ☐ C. Choice of inner VS outer relation
- ☐ D. Join selection factor

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



EE 15 SOFT ENG Dejen Aschalew



Question 37

Not yet answered

Marked out of 1.00

Flag question

Which of the following statement is false?

Select one:

- ☐ A. If the file is ordered, implementing a select operation using linear search algorithm is more efficient than Binary search
- ☐ B. All
- ☐ C. Disjunctive selection conditions are much harder to process and optimize than conjunctive selection conditions
- ☐ D. Join operation is one of the most time consuming operations in query processing

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25

PREVIOUS PAGE

NEXT PAGE



Type here to search



sofeng-2015: Mode...



Model Exit Exam (...)



Psiphon 3



65°F



9:23 AM
6/23/2023





Question 38

Not yet answered

Marked out of 1.00

Flag question

If a transaction may release locks but may not obtain locks then it is in which phase?

Select one:

- ☐ A. Deadlock phase
- ☐ B. Growing phase
- ☐ C. Shrinking phase
- ☐ D. Starved phase

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 39

Answer saved

Marked out of 1.00

Flag question

Concurrency problem that occurs when one transaction is allowed to see the intermediate results of another transaction before it has committed, which will be failed for some reason is called?

Select one:

- ☐ A. All
- ☐ B. Lost update problem
- ☐ C. Dirty Read Problem
- ☐ D. Incorrect summery Problem

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 40

Not yet answered

Marked out of 1.00

Flag question

If a transaction does not modify the database until it has committed, it is said to use which technique?

Select one:

- ☐ A. Undo
- ☐ B. Deferred modification
- ☐ C. Late modification
- ☐ D. Immediate modification

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





EE 15 SOFT ENG Dejen Aschalew



Question 41

Not yet answered

Marked out of 1.00

Flag question

What is the prefix length notation for the subnet mask 255.255.255.248?

Select one:

- ☐ A. a/27
- ☐ B. a/28
- ☐ C. a/30
- ☐ D. a/29

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Type here to search



sofeng-2015: Mode...



Model Exit Exam (...)



Psiphon 3



65°F



9:25 AM
6/23/2023





Question 42

Answer saved

Marked out of 1.00

Flag question

Arrange the following activities to form a general software engineering process model?

- 1 Manufacture
- 2 Maintain
- 3 Test
- 4 Install
- 5 Design
- 6 Specification

Select one:

- ☐ A. 6, 5, 1, 3, 4, 2
- ☐ B. 1, 6, 5, 2, 3, 4
- ☐ C. 1, 2, 4, 3, 6, 5
- ☐ D. 6, 1, 4, 2, 3, 5

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35



Question 43

Not yet answered

Marked out of 1.00

Flag question

A threat is?

Select one:

- ☐ a. All
- ☐ b. The potential danger to information or systems
- ☐ c. Try to gain illegal access to electronic data stored on a computer or a network
- ☐ d. Flaws in a computer system that weaken the overall security of the device or system

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 44

Not yet answered

Marked out of 1.00

Flag question

AI technique that allows computers to understand associations and relationships between objects and events is called?

Select one:

- ☐ a. Heuristic processing
- ☐ b. Pattern matching
- ☐ c. Cognitive science
- ☐ d. Relative symbolism

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 45

Not yet answered

Marked out of 1.00

Flag question

Among the stages that capture characteristics of an architecture, which one defines a way of mapping functionalities on to architectural elements?

Select one:

- ☐ a. Reference Architecture
- ☐ b. Software architecture
- ☐ c. Architectural pattern
- ☐ d. Reference model

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 46

Not yet answered

Marked out of 1.00

Flag question

Artificial intelligence is?

Select one:

- ☐ a. All
- ☐ b. a set of computer programs that produce output that would be considered to reflect intelligence if it were generated by humans
- ☐ c. The embodiment of human intellectual capabilities within a computer.
- ☐ d. The study of mental faculties with mental models implemented on a computer.

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 47

Answer saved

Marked out of 1.00

Flag question

Assembling project team and assigning their responsibilities are done during which phase of a project management?

Select one:

- ☐ a. Planning
- ☐ b. Execution
- ☐ c. Initiation
- ☐ d. Closure

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 48

Not yet answered

Marked out of 1.00

Flag question

Boundary value analysis belong to?

Select one:

- ☐ a. White Box & Black Box Testing
- ☐ b. White Box Testing
- ☐ c. Black Box Testing
- ☐ d. None of the mentioned

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 49

Answer saved

Marked out of 1.00

Flag question

Consider a system where its database withstands growing numbers of queries" What kind of NFR the system is providing?

Select one:

- ☐ a. Maintainability
- ☐ b. Portability
- ☐ c. Reliability
- ☐ d. Scalability

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 50

Not yet answered

Marked out of 1.00

Flag question

Decryption and encryption of data are the responsibility of which Layer?

Select one:

- ☐ a. Presentation
- ☐ b. Data Link
- ☐ c. Network
- ☐ d. Transport

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 51

Not yet answered

Marked out of 1.00

Flag question

Denial of Service attacks affects which of the following factors?

Select one:

- ☐ a. All of the above
- ☐ b. Integrity
- ☐ c. Confidentiality
- ☐ d. Availability

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 52

Not yet
answered

Marked out of
1.00

Flag question

During project execution, a team member comes to the project manager, as he is not sure of what work he needs to accomplish on the project. Which of the following documents contain detailed descriptions of work packages?

Select one:

- ☐ a. Project scope statement
- ☐ b. Activity list
- ☐ c. WBS
- ☐ d. Scope management plan

Quiz navigation



EE 15 SOFT ENG Dejen
Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25

PREVIOUS PAGE

NEXT PAGE





Question 53

Not yet answered

Marked out of 1.00

Flag question

Generally, which testing is used when shrink-wrapped software products are being established and part of an integration testing?

Select one:

- ☐ a. Integration Testing
- ☐ b. Regression Testing
- ☐ c. Smoke testing
- ☐ d. Validation testing

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 54

Not yet
answered

Marked out of
1.00

Flag question

How do you prevent SQL injection?

Select one:

- ☐ a. Merge tables
- ☐ b. Escape queries
- ☐ c. Interrupt requests
- ☐ d. All

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen
Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 55

Not yet answered

Marked out of 1.00

Flag question

How many bits are used for IPv6 address?

Select one:

- ☐ a. 48 bits
- ☐ b. 128 bits
- ☐ c. 16 bits
- ☐ d. 32 bits

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question
Not yet answered
Marked out of 1.00
Flag question

Imagine that you're creating a text editor app. In addition to simple text editing, your editor can format text, insert inline images, etc. At some point, you decided to let users undo any operations carried out on the text. This feature has become so common over the years that nowadays people expect every app to have it. For the implementation, you chose to take the direct approach. Before performing any operation, the app records the state of all objects and saves it in some storage. Later, when a user decides to revert an action, the app fetches the latest snapshot from the history and uses it to restore the state of all objects. Choose the best design pattern that best suits for the problem mentioned?

- Select one:
- ☐ a. Mediator
 - ☐ b. Memento
 - ☐ c. Observer
 - ☐ d. Iterator



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35
36	37	38	39	40
41	42	43	44	45



Question 57

Not yet answered

Marked out of 1.00

Flag question

In Big Data environments, Velocity refers?

Select one:

- ☐ a. Enormous datasets can accumulate within very short periods of time
- ☐ b. Velocity of data translates into the amount of time it takes for the data to be processed
- ☐ c. Data can arrive at fast speed
- ☐ d. All of the mentioned above

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 58

Not yet
answered

Marked out of
1.00

Flag question

In the model-view-controller architectural style,
the job of a model component is to?

Select one:

- ☐ a. Change the way a view responds to user input
- ☐ b. Store information about the state of the program
- ☐ c. Present information to the user
- ☐ d. Make requests of the server

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen
Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





EE 15 SOFT ENG Dejen Aschalew



Question 59

Not yet answered

Marked out of 1.00

Flag question

One common strategy to prevent XSS vulnerabilities is to?

Select one:

- ☐ a. Avoid using JavaScript in your site
- ☐ b. Escape user's input is valid as soon as possible
- ☐ c. Use an interpreted programming language such as Java
- ☐ d. Educate your users to recognize safe vs. unsafe web pages

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Type here to search



sofeng-2015: Mode...



Model Exit Exam (...)



Psiphon 3



65°F



9:34 AM 6/23/2023





EE 15 SOFT ENG Dejen Aschalew



Question 60

Not yet answered

Marked out of 1.00

Flag question

Palm scan, fingerprint scan, and iris scan are forms of?

Select one:

- ☐ a. Two-factor authentication
- ☐ b. Strong authentication
- ☐ c. Biometric authentication
- ☐ d. Single sign-on

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Type here to search



sofeng-2015: Mode...



Model Exit Exam (...)



Psiphon 3



65°F



9:34 AM
6/23/2023





Question 61

Not yet answered

Marked out of 1.00

Flag question

Predicts future trends & behaviors, allowing business managers to make proactive, knowledge-driven decisions?

Select one:

- ☐ a. Metadata
- ☐ b. Data warehouse
- ☐ c. Data mining
- ☐ d. Datamarts

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 62

Not yet answered

Marked out of 1.00

Flag question

Search strategy that paves a way to order the choices so that the most promising are explored first?

Select one:

- ☐ a. Breadth First search
- ☐ b. Uninformed search
- ☐ c. Informed search
- ☐ d. Blind search

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 63

Not yet answered

Marked out of 1.00

Flag question

Software requirement specification document should avoid discussing which one of the following?

Select one:

- ☐ a. Definition of other systems which the system must integrate with
- ☐ b. Information about the application domain of the system
- ☐ c. Algorithm for software implementation
- ☐ d. Constraints on the processes used to develop the system

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25

PREVIOUS PAGE

NEXT PAGE





EE 15 SOFT ENG Dejen Aschalew



Question 64

Not yet answered

Marked out of 1.00

Flag question

The absence or weakness of a safeguard that could be exploited is called?

Select one:

- ☐ a. Threat
- ☐ b. Vulnerability
- ☐ c. Possibility
- ☐ d. Attack

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Type here to search



sofeng-2015: Mode...



Model Exit Exam (...)



Psiphon 3



65°F



9:35 AM
6/23/2023





Question 65

Not yet answered

Marked out of 1.00

Flag question

The PERT in project management means program evaluation and which technique?

Select one:

- ☐ a. Review
- ☐ b. Reconsideration
- ☐ c. Reconciliation
- ☐ d. Resource

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 66

Not yet answered

Marked out of 1.00

Flag question

The process of transmitting two or more different signals simultaneously on the same medium is called?

Select one:

- ☐ a. Switching
- ☐ b. Multiplexing
- ☐ c. Segmentation
- ☐ d. Layering

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 67

Not yet answered

Marked out of 1.00

Flag question

Time Division Multiple access is:

Select one:

- ☐ a. Taking turns
- ☐ b. Channel partitioning protocol
- ☐ c. Random access protocol
- ☐ d. Point-to-point protocol

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 68

Not yet answered

Marked out of 1.00

Flag question

What does RAD stand for?

Select one:

- ☐ a. None of the above
- ☐ b. Rapid Application Development
- ☐ c. Relative Application Development
- ☐ d. Rapid Application Document

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 69

Not yet answered

Marked out of 1.00

Flag question

What formula do you use to find the percentage of decision coverage of the code?

Select one:

- ☐ a. Decision coverage=Number of all the loops outcomes/total number of outcomes *100
- ☐ b. Decision coverage=Number of nodes and edges/total number of outcome*100
- ☐ c. Decision coverage=Number of decision outcomes/total number of outcomes *100

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 70

Not yet answered

Marked out of 1.00

Flag question

What is the aim of nosql?

Select one:

- ☐ a. NoSQL is not suitable for storing structured data
- ☐ b. NoSQL databases allow storing non-structured data
- ☐ c. NoSQL is a new data format to store large datasets
- ☐ d. NoSQL provides an alternative to SQL databases to store textual data

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25

PREVIOUS PAGE

NEXT PAGE





EE 15 SOFT ENG Dejen Aschalew



Question 71

Not yet answered

Marked out of 1.00

Flag question

What is the main task of test planning?

Select one:

- ☐ a. Determining the test approach
- ☐ b. Measuring and analyzing results
- ☐ c. Preparing the test specification
- ☐ d. Evaluating exit criteria and reporting

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Type here to search



sofeng-2015: Mode...



Model Exit Exam (...)



Psiphon 3



65°F



9:35 AM
6/23/2023





Question 72

Not yet answered

Marked out of 1.00

Flag question

What is the research-oriented software development?

Select one:

- ☐ a. Process-related problems
- ☐ b. Product-related problems
- ☐ c. People-related problems
- ☐ d. Technology-related problems

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



EE 15 SOFT ENG Dejen Aschalew



Question 73

Not yet answered

Marked out of 1.00

Flag question

What refers to the value associated with a specific attribute of an object and to any actions or side?

Select one:

- ☐ a. Object
- ☐ b. None
- ☐ c. State
- ☐ d. Interface

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Type here to search



sofeng-2015: Mode...



Model Exit Exam (...)



Psiphon 3



65°F



9:35 AM
6/23/2023





Question 74

Not yet answered

Marked out of 1.00

Flag question

What type of core-relationship is represented by the symbol in the figure below?

Select one:

- ☐ a. Dependency
- ☐ b. Composition
- ☐ c. Association
- ☐ d. Aggregation

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 75

Not yet
answered

Marked out of
1.00

Flag question

Which design model depicts how the software communicates with the system that interoperate with it and with the end users?

Select one:

- ☐ a. Data design
- ☐ b. Component design
- ☐ c. Architectural design
- ☐ d. Interface design

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen
Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 76

Not yet answered

Marked out of 1.00

Flag question

Which group of the following environment is more complex than the other for the agent to act appropriately?

Select one:

- ☐ a. Fully Observable, Deterministic, Episodic, Static, Discrete
- ☐ b. Partially Observable, Episodic, non-deterministic, dynamic, continuous
- ☐ c. Partially observable, Deterministic, Sequential, Dynamic, Continuous
- ☐ d. Partially Observable, sequential, non-deterministic, dynamic, continuous

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 77

Not yet answered

Marked out of 1.00

Flag question

Which of the below statement is true about the Equivalence Partitioning technique?

Select one:

- ☐ a. A black box testing technique that can only be used during system testing.
- ☐ b. A black box testing technique appropriate to all levels of testing.
- ☐ c. The black box testing technique is used only by developers.
- ☐ d. A white box testing technique appropriate for component testing.

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25

PREVIOUS PAGE

NEXT PAGE





Question 78

Not yet answered

Marked out of 1.00

Flag question

Which of the following activity is undertaken immediately after feasibility study and before the requirement analysis and specification phase?

Select one:

- ☐ a. Project Control
- ☐ b. Project Monitoring
- ☐ c. Project Scheduling
- ☐ d. Project Planning

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 79

Not yet answered

Marked out of 1.00

Flag question

Which of the following are Benefits of Big Data Processing?

Select one:

- ☐ a. Time Reductions
- ☐ b. Cost Reduction
- ☐ c. All of the mentioned above
- ☐ d. Smarter Business Decisions

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 80

Not yet answered

Marked out of 1.00

Flag question

Which of the following does not relate to Evolutionary Process Model?

Select one:

- ☐ a. All of the above
- ☐ b. Incremental Model
- ☐ c. WINWIN Spiral Model
- ☐ d. Concurrent Development Model

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 81

Not yet answered

Marked out of 1.00

Flag question

Which of the following is not a NoSQL database?

Select one:

- ☐ a. SQL Server
- ☐ b. Cassandra
- ☐ c. MongoDB
- ☐ d. None of the above

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





EE 15 SOFT ENG Dejen Aschalew



Question 82

Not yet answered

Marked out of 1.00

Flag question

Which of the following is not a structural diagrams?

Select one:

- ☐ a. Profile diagram
- ☐ b. Object diagram
- ☐ c. Class diagram
- ☐ d. Use case diagram

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Type here to search



sofeng-2015: Mode...



Model Exit Exam (...)



Psiphon 3



65°F



9:36 AM
6/23/2023





Question 83

Not yet answered

Marked out of 1.00

Flag question

Which of the following is not among the guidelines to keep in mind as we document better software requirements?

Select one:

- ☐ a. Use diagrams appropriately
- ☐ b. Specify requirements qualitatively
- ☐ c. Keep sentences and paragraphs short
- ☐ d. Avoid stating requirements redundantly

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 84

Not yet answered

Marked out of 1.00

Flag question

Which of the following is not test coverage metrics?

Select one:

- ☐ a. The number of test cases by requirement
- ☐ b. None
- ☐ c. Requirements coverage.
- ☐ d. The percentage of test execution coverage.

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





EE 15 SOFT ENG Dejen Aschalew



Question 85

Not yet answered

Marked out of 1.00

Flag question

Which of the following is related to the overall functionality of the delivered software?

Select one:

- ☐ a. None of the mentioned
- ☐ b. Size-related metrics
- ☐ c. Product-related metrics
- ☐ d. Function-related metrics

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Type here to search



sofeng-2015: Mode...



Model Exit Exam (...)



Psiphon 3



65°F



9:36 AM
6/23/2023





Question 86

Not yet answered

Marked out of 1.00

Flag question

Which of the following statement is incorrect about agile manifesto?

Select one:

- ☐ a. It's recommended to respond to changes in requirements over following the plan
- ☐ b. Contract negotiation over customer collaboration
- ☐ c. Working software is the primary measure of progress
- ☐ d. Working software over comprehensive documentation

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25

PREVIOUS PAGE

NEXT PAGE





Question 87

Not yet
answered

Marked out of
1.00

Flag question

Which of the following term describes testing?

Select one:

- ☐ a. A stage of all projects
- ☐ b. None of the mentioned
- ☐ c. Finding broken code
- ☐ d. Evaluating deliverable to find errors

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen
Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





EE 15 SOFT ENG Dejen Aschalew



Question 88

Not yet answered

Marked out of 1.00

Flag question

Which one of the following is a service provided by the transport layer?

Select one:

- ☐ a. Process addressing
- ☐ b. Physical addressing
- ☐ c. Host addressing
- ☐ d. Network addressing

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Type here to search



sofeng-2015: Mode...



Model Exit Exam (...)



Psiphon 3



65°F



9:37 AM
6/23/2023



EE 15 SOFT ENG Dejen Aschalew



Question 89

Not yet answered

Marked out of 1.00

Flag question

Which one of the following is a subject-oriented, integrated, time-variant, nonvolatile collection of data in support of management decisions?

Select one:

- ☐ a. Web Mining
- ☐ b. Data Warehousing
- ☐ c. Text Mining
- ☐ d. Data Mining

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Type here to search



sofeng-2015: Mode...



Model Exit Exam (...)



Psiphon 3



65°F



9:37 AM
6/23/2023





Question 90

Not yet answered

Marked out of 1.00

Flag question

Which one of the following structures is odd?

Select one:

- ☐ a. Shared data
- ☐ b. Work assignment
- ☐ c. Client server
- ☐ d. Concurrency

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 91

Not yet answered

Marked out of 1.00

Flag question

Which search algorithm aims at achieving to minimize the total path cost.

Select one:

- ☐ a. Greedy search
- ☐ b. Depth-first search
- ☐ c. A* search
- ☐ d. Breadth-first search

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Question 92

Not yet answered

Marked out of 1.00

Flag question

Which statement is the best characterization of knowledge representation?

Select one:

- ☐ a. It describes methods and procedures for drawing conclusions on the basis of existing knowledge
- ☐ b. It is concerned with methods and techniques for the storage of knowledge and information in a format that is suitable for treatment by computers
- ☐ c. It relies on the storage of relations between individual items according to a fixed scheme applied to a large collection of elementary items
- ☐ d. It requires a set of formal inference methods and clearly specified syntax and semantics

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35





EE 15 SOFT ENG Dejen Aschalew



Question 93

Not yet answered

Marked out of 1.00

Flag question

Which testing technique is used to design the cases of the white box?

Select one:

- ☐ a. Data flow testing technique
- ☐ b. Statement coverage testing technique
- ☐ c. Branch coverage testing technique

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Type here to search



sofeng-2015: Mode...



Model Exit Exam (...)



Psiphon 3



65°F



9:37 AM
6/23/2023





Question 94

Not yet answered

Marked out of 1.00

Flag question

Which types of traceability information links design and implementation components backs to requirements?

Select one:

- ☐ a. Forward from traceability
- ☐ b. Backward from traceability
- ☐ c. Backward to traceability
- ☐ d. Forward to traceability

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



**Question 95**Not yet
answeredMarked out of
1.00

Flag question

Which is the correct signature to exit thread?
#include<pthread.h> ?

Select one:

- ☐ A. void pthread_exit(void);
- ☐ B. int pthread_exit();
- ☐ C. int pthread_exit(0);
- ☐ D. void pthread_exit(void*rval_ptr);

PREVIOUS PAGE

NEXT PAGE

Quiz navigationEE 15 SOFT ENG Dejen
Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





EE 15 SOFT ENG Dejen Aschalew



Question 96

Not yet answered

Marked out of 1.00

Flag question

Which are not correct primitive system data types ?

Select one:

- ☐ A. cclock_t
- ☐ B. size_t
- ☐ C. mode_t
- ☐ D. ssize_t

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Type here to search



sofeng-2015: Mode...



Model Exit Exam (...)



Psiphon 3



65°F



9:37 AM
6/23/2023





EE 15 SOFT ENG Dejen Aschalew



Question 97

Not yet answered

Marked out of 1.00

Flag question

How to use lseek function?

Select one:

- ☐ A. <unistd.h> off_t lseek(int fd, off_t offset, int whence);
- ☐ B. <apue.h> offset_t lseek(int fd, off_t offset, int whence);
- ☐ C. <types.h> int lseek(int fd, int offset, int whence);
- ☐ D. <stdio.h> offset_t lseek(int fd, off_t offset, int whence);

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



Type here to search



sofeng-2015: Mode...



Model Exit Exam (...)



Psiphon 3



65°F



9:37 AM
6/23/2023





Question 98

Not yet answered

Marked out of 1.00

Flag question

Which is not true about closing the opened file?

#include <fcntl.h> int close(int fd);

Select one:

- ☐ A. -1 : on error
- ☐ B. NULL : on error
- ☐ C. fd: file descriptor
- ☐ D. 0 :on success

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25





Question 99

Not yet answered

Marked out of 1.00

Flag question

Which is not true about the times () system call which retrieves the process time of the running process and its children, in clock ticks? Struct tms { };

clock_t times(struct tms*buf);

Select one:

- ☐ A. clock_t tms_cutime; //system time consumed by children
- ☐ B. clock_t tms_xtrtime; //user time consumed by children
- ☐ C. clock_t tms_stime; // system time consumed
- ☐ D. clock_t tms_ftime; // user time consumed

PREVIOUS PAGE

NEXT PAGE

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35





Question 100

Not yet answered

Marked out of 1.00

Flag question

If the start-up routine were coded in C the call to main could look like?

Select one:

- ☐ A. exit(argc, argv);
- ☐ B. main(exit(argc, argv));
- ☐ C. exit(main)
- ☐ D. exit(main(argc, argv));

PREVIOUS PAGE

FINISH ATTEMPT ...

Quiz navigation



EE 15 SOFT ENG Dejen Aschalew

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25



In this channel, I post Computer Science (Comp Sci), Software Engineering (SWENG), Artificial Intelligence (AI), Information Technology (IT) and Data Science (DS) MSc. files for my brilliants, 'cause I love them.

- ✓ YouTube▶: www.youtube.com/dagmawiabate
- ✓ LinkedIn🌐: www.linkedin.com/in/dagmawiabate
- ✓ Instagram📷: www.instagram.com/dagmawi.abate | www.threads.net/dagmawi.abate
- ✓ TikTok🎵: www.tiktok.com/@dagmawiabate
- ✓ Twitter🐦: www.twitter.com/dagmawiabate
- ✓ GitHub🔒: www.github.com/dagmawiabate
- ✓ Snapchat👻: www.snapchat.com/@dagmawi.abate
- ✓ Telegram📠: www.t.me/dagmawi_abate